

## Лекарствени продукти без лекарско предписание в Република България към дата 23.10.2024 г.

Съгласно чл. 55, ал. (6) от ЗЛПХМ лекарствени продукти с изтекло разрешение за употреба могат да бъдат продавани до изчерпване на наличните количества в страната, но не повече от една година от датата на изтичане на разрешението за употреба.

При установяване на неточности и пропуски можете да се обадите на тел: 02 890 35 21 или е-mail: [bg-h-qrd@bda.bg](mailto:bg-h-qrd@bda.bg)

| Свободно избрано име | Лекарствена форма и количество на активното вещество в дозова единица | INN  | АТС код | Притежател на разрешението за употреба    |
|----------------------|---|--|---------|---|
| Acard                | 75 mg gastro-resistant tablets, blisters x 30; x 60                   | <i>Acetylsalicylic acid</i>  | B01AC06 | Pharmaceutical Works Polpharma S.A.       |
| Acard                | 150 mg gastro-resistant tablets, blisters x 30; x 60                  | <i>Acetylsalicylic acid</i>  | B01AC06 | Pharmaceutical Works Polpharma S.A.       |
| Acarol               | 12,5% cutaneous liquid x 100 ml                                       | <i>Benzyl benzoate</i>   | P03AX01 | Весфарм ООД                               |
| Acarol               | 25% cutaneous liquid x 100 ml   | <i>Benzyl benzoate</i>   | P03AX01 | Весфарм ООД                               |
| ACC                  | 200 mg powder for oral solution x 20; x 50; x 100                     | <i>Acetylcysteine</i>  | R05CB01 | HEXAL AG                                  |
| ACC                  | 200 mg powder for oral solution x 20                                  | <i>Acetylcysteine</i>  | R05CB01 | HEXAL AG                                  |
| ACC                  | 600 mg effervescent tablets sachets x 10; x 20; x 30; x 50; x 60      | <i>Acetylcysteine</i>  | R05CB01 | Sandoz d.d.                               |
| ACC Direct           | 600 mg oral powder x 8; x 10; x 14; x 20; x 30; x 60; x 90            | <i>Acetylcysteine</i>  | R05CB01 | Sandoz d.d.                               |
| ACC Honey and Lemon  | 600 mg powder for oral solution x 6; x 10                             | <i>Acetylcysteine</i>  | R05CB01 | HEXAL AG                                  |
| ACC Syrup            | 20 mg/ml oral solution x 100 ml; x 200 ml                             | <i>Acetylcysteine</i>  | R05CB01 | HEXAL AG                                  |
| AceCys               | 200 mg powder for oral solution x 20 sachets                          | <i>Acetylcysteine</i>  | R05CB01 | Химакс Фарма ЕООД                         |
| AceCys acute         | 600 mg powder for oral solution x 10                                  | <i>Acetylcysteine</i>  | R05CB01 | Химакс Фарма ЕООД                         |
| Aceffein             | tablets x 10  | <i>Acetylsalicylic acid/Caffeine/Codeine phosphate/Paracetamol</i> | N02BA00 | Тева Фарма ЕАД                            |
| Acerbine             | cutaneous solution -30 ml; 80 ml                                      | <i>Salicylic acid/Benzoic acid/ Malic acid</i>                     | D03AX   | Pharmazeutische Fabrik Montavit Ges.m.b.H |
| Acerbine             | ointment 30g  | <i>Salicylic acid/Benzoic acid/ Malic acid</i>                     | D03AX   | Pharmazeutische Fabrik Montavit Ges.m.b.H |
| Acessal Protect      | 100 mg gastro-resistant tablets x 40                                  | <i>Acetylsalicylic acid</i>  | B01AC06 | Химакс Фарма ЕООД                         |

|   |  |  |                    |                              |
|---|--|--|--------------------|------------------------------|
| Acetylcysteine Rompharm                 | 600 mg effervescent tablets  | <i>Acetylcysteine</i>                                      | R05CB 1            | S.C. Rompharm Company S.R.L. |
| Acetylin                                | 500 mg tablets x 20; x 100   | <i>Acetylsalicylic acid</i>                                | B01AC6             | Софарма АД                   |
| Acetylin Protect                        | 100 mg gastro-resistant tablets x 30   | <i>Acetylsalicylic acid</i>                                | B01AC6,<br>N02BA01 | Софарма АД                   |
| Acetysal                                | 500 mg tablets x 20  | <i>Acetylsalicylic acid</i>                                | N02BA01<br>B01AC06 | Тева Фарма ЕАД               |
| Acetysal Cardio                         | 75 mg gastro-resistant tablets blisters x 10; x 20; x 28; x 30; x 50; x 56; x 60; x 90; x 100 containers x 10; x 30; x 50; x 100; x 500  | <i>Acetylsalicylic acid</i>                                | B01AC06            | Teva B.V.                    |
| Acetysal Cardio                         | 100 mg gastro-resistant tablets blisters x 10; x 20; x 28; x 30; x 50; x 56; x 60; x 90; x 100 containers x 10; x 30; x 50; x 100; x 500 | <i>Acetylsalicylic acid</i>                                | B01AC06            | Teva B.V.                    |
| Acic                                    | cream 5% - 2g  | <i>Aciclovir</i>   | D06BB03            | HEXAL AG                     |
| Aciclovir ABR                           | 50 mg/g cream - 5g; 10g  | <i>Aciclovir</i>   | D06BB03            | Антибиотик-Разград АД        |
| Acne Out BP                             | 5% gel x 20 g  | <i>Benzoyl peroxide</i>                                    | D10AE01            | Биотрейд България ООД        |
| Acyclostad                              | 5% cream - 2g  | <i>Aciclovir</i>   | D06BB03            | Stada Arzneimittel AG        |
| Adipamol                                | 500 mg/25 mg/200 mg powder for oral solution x 8; x 10; x 15; x 20   | <i>Paracetamol/Guaifenesin/Phenylephrine hydrochloride</i> | N02BE51            | Адифарм ЕАД                  |
| ADIPAMOL®Antitussive Junior             | 250 mg/100 mg/5 mg/10 ml syrup - 150 ml  | <i>Paracetamol/Guaifenesin/Phenylephrine hydrochloride</i> | N02BE51            | Адифарм ЕАД                  |
| ADIPAMOLAntitussive Junior              | 250 mg/100 mg/5 mg powder for oral solution - x 10   | <i>Paracetamol/Guaifenesin/Phenylephrine hydrochloride</i> | N02BE51            | Адифарм ЕАД                  |
| Aflamil                                 | 15 mg/g cream - 60 g   | <i>Aceclofenac</i>   | M01AB16            | Gedeon Richter Plc           |
| Aflu Theiss                             | oral drops, solution x 20; x 30; x 50; x 100 ml  | <i>Хомеопатичен лекарствен продукт продукт</i>             | R05X               | Dr Theiss Naturwaren GmbH    |
| Afrin                                   | 0,05% mg/ml nasal spray, solution - 20 ml  | <i>Oxymetazoline</i>                                       | R01AA05            | Байер България ЕООД          |
| Afrin ND                                | 0,5 mg/ml nasal spray, solution x 15 ml  | <i>Oxymetazoline</i>                                       | R01AA05            | Байер България ЕООД          |
| Afrin ND menthol                        | 0,5 mg/ml nasal spray, solution x 15 ml  | <i>Oxymetazoline</i>                                       | R01AA05            | Байер България ЕООД          |
| Alcoholic iodine solutio 5 per cent-Flo | 5% cutaneous solution x 25 ml; x 50 ml; x 900 ml   | <i>Iodine</i>  | D08AG03            | Флора - 02 ООД               |

|   |  |   |          |   |
|---|--|---|----------|---|
| Alcoholic iodine solution 5%  | 5% cutaneous solution - 25 ml; - 50 ml; 900 ml                                 | <i>Iodine</i>   | D08AG03  | Тони М ООД                                      |
| Algesal suractive   | cream - 40 g   | <i>Dimethylamine salicylate/Myrtecaïne</i>              | M02AC00  | Pharmaselect International<br>Beteiligungs GmbH |
| Algozone Plus   | 500 mg/38,75 mg/50 mg tablets x 9 x 18 x 20 x 27                               | <i>Caffein/Metamizole sodim/Thiamine hydrochloride</i>  | N02BB52  | Адифарм ЕАД                                     |
| Aliflusin   | 500 mg/200 mg/4 mg effervescent granules, sachets x 10; x 20                   | <i>Paracetamol/Ascorbic acid/Chlorphenamine maleate</i> | N02BE 51 | Natur Produkt Zdrovit Sp. z.o.o.                |
| Aliflusin   | 500 mg/200 mg/4 mg effervescent tablets x 10; x 20                             | <i>Paracetamol/Ascorbic acid/Chlorphenamine maleate</i> | N02BE 51 | Natur Produkt Zdrovit Sp. z.o.o.                |
| Alka-Seltzer  | 324 mg effervescent tablets x 10; x 20   | <i>Acetylsalicylic acid</i>                             | N02BA01  | Байер България ЕООД                             |
| Allegra   | 120 mg film-coated tablets x 10; x 30  | <i>Fexofenadine hydrochloride</i>                       | R06AX26  | Opella Healthcare France SAS                    |
| Allergodil  | 1% nasal spray, solution - 10 ml   | <i>Azelastine hydrochloride</i>                         | R01AC03  | Майлан ЕООД                                     |
| Allergodil S  | 0,15% nasal spray, solution - 5 ml; 10 ml; 17 ml; 20 ml; 22 ml x 1             | <i>Azelastine hydrochloride</i>                         | R01AC03  | Майлан ЕООД                                     |
| Allergosan  | 1% cream - 18g; 60 g   | <i>Chloropyramine</i>                                   | D04AA09  | Софарма АД                                      |
| Allergosan  | 1% ointment - 18g  | <i>Chloropyramine</i>                                   | D04AA09  | Софарма АД                                      |
| Allergosan без лекарско предписание за възрастни и деца над 14 години | 25 mg coated tablets x 20  | <i>Chloropyramine</i>                                   | D04AA09  | Софарма АД                                      |
| Allertestin   | 10 mg coated tablets x 7; x 20   | <i>Cetirizine dihydrochloride</i>                       | R06AE07  | Warsaw Pharmaceutical Works<br>Polfa SA         |
| Alli  | 27 mg chewable tablet, bottle x 42; x 60; x 84; x 90; x 120                    | <i>Orlistat</i>   | A08AB01  | Глахо Group Ltd.                                |
| Alli  | 60 mg capsules x 42; x 60; x 84; x 90; 120                                     | <i>Orlistat</i>   | A08AB01  | Глахо Group Ltd.                                |
| Almagel   | 400 mg/400 mg chewable tablets x 10; x 20; x 30                                | <i>Aluminium hydroxide /Magnesium hydroxide</i>         | A02AB10  | Тева Фарма ЕАД                                  |
| Almagel   | 436 mg/150 mg/10 ml oral suspension - 10 ml x 10; x 20; 170 ml x 1; 200 ml x 1 | <i>Aluminium hydroxide /Magnesium hydroxide</i>         | A02AB10  | Тева Фарма ЕАД                                  |

|  |   |   |         |                           |
|--|---|---|---------|---------------------------|
| Almalox  | 680 mg/790 mg/72 mg/10 ml oral suspension - 10 ml x 10 x 20; 170 ml; 200 ml | <i>Magnesium hydroxide/Aluminium hydroxide/ Simethicone</i> | A02AF02 | Тева Фарма ЕАД            |
| Almiral  | 1.16 % gel - 25g; 50g; 100g; 250g   | <i>Diclofenac</i>   | M02AA15 | Medochemie Ltd.           |
| AlpeKid DENTO  | tablets x 150   | <i>Хомеопатичен лекарствен продукт продукт</i>              |         | Alpen Pharma GmbH         |
| AlpeKid DORMI  | tablets x 150   | <i>Хомеопатичен лекарствен продукт продукт</i>              |         | Alpen Pharma GmbH         |
| AlpeKid IMMUNO   | tabl. x 150   | <i>Хомеопатичен лекарствен продукт продукт</i>              |         | Alpen Pharma GmbH         |
| AlpeKid NORMA  | pillules - 10 g   | <i>Хомеопатичен лекарствен продукт продукт</i>              |         | Alpen Pharma GmbH         |
| Ambixol без лекарско предписание при възрастни и деца над 2 години | 15 mg/5 ml syrup - 100 ml   | <i>Ambroxol</i>   | R05CB06 | Софарма АД                |
| Ambrex   | 15 mg/5ml syrup - 100 ml  | <i>Ambroxol</i>   | R05CB06 | Нобел Фарма ООД           |
| Ambrex   | 30 mg/5ml syrup - 150 ml  | <i>Ambroxol</i>   | R05CB06 | Нобел Фарма ООД           |
| Ambro  | 30 mg tablets x 20; x 50; x 100   | <i>Ambroxol</i>   | R05CB 6 | HEXAL AG                  |
| Ambrolex R   | 75 mg prolonged-release capsules, hard x 10; x 20; x 50                     | <i>Ambroxol</i>   | R05CB06 | Aliud Pharma GmbH & Co.KG |
| Ambrolytin   | 30 mg/5 ml syrup - 120 ml; 200 ml   | <i>Ambroxol</i>   | R05CB06 | Софарма АД                |
| Ambrolytin   | 15 mg/5 ml syrup - 100 ml   | <i>Ambroxol</i>   | R05CB06 | Софарма АД                |
| Ambrolytin   | 30 mg tablets - x 20; x 30; x 50  | <i>Ambroxol</i>   | R05CB 6 | Софарма АД                |
| Ambroxol hydrochloride Fontane                                     | 15 mg/5 ml oral solution - 100 ml   | <i>Ambroxol</i>   | R05CB06 | Berlin - Chemie AG        |
| Ambroxol hydrochloride Fontane                                     | 30 mg/5 ml oral solution - 100 ml   | <i>Ambroxol</i>   | R05CB06 | Berlin - Chemie AG        |
| Ambroxol VP  | 30 mg/5 ml syrup x 100 ml; x 120 ml   | <i>Ambroxol</i>   | R05CB06 | ДАНСОН-БГ ООД             |
| Anaesthesol Galen Pharma   | 1 g/100 ml + 2,5 g/100 ml + 1 g/100 ml cutaneous solution - 100 ml          | <i>Benzocaine/Procaine hydrochloride/ Levomenthol</i>       | N01BA52 | Гален Фарма ООД           |

|                          |  |   |         |                             |
|--------------------------|--|---|---------|-----------------------------|
| Anaesthesol Kupro        | cutaneous solution - 100 ml                                  | <i>Benzocaine/Procaine hydrochloride/ Levomenthol</i>       | N01BA52 | Купро 94 ЕООД"              |
| Anaesthezol - Flo        | 1.0g/100g+1.0g/100g+2.5g/100 g cutaneous solution - 100 ml   | <i>Benzocaine/Procaine hydrochloride/ Levomenthol</i>       | N01BA52 | Флора - 02 ООД              |
| Anaferon for Children    | tablets x 20   | <i>Хомеопатичен лекарствен продукт продукт</i>              |         | УАВ Santonika               |
| Analgin                  | 500 mg tablets x 10; x 20; x 60; x 500 (hospital use)        | <i>Metamizole sodium</i>                                    | N02BB02 | СофармаАД                   |
| Analgin                  | 500 mg/ml oral drops, solution -20 ml                        | <i>Metamizole sodium</i>                                    | N02BB02 | СофармаАД                   |
| Analgin Chin             | 250 mg film - coated tablets x 10; x 20                      | <i>Metamizole sodium</i>                                    | N02BB02 | СофармаАД                   |
| Analgin Max              | 1000 mg effervescent powder x 6; x 10; x 20                  | <i>Metamizole sodium</i>                                    | N02BB02 | Адифарм ЕАД                 |
| Anervina                 | oral drops, solution – 50 ml                                 | <i>Растителен лекарствен продукт</i>                        | N05CM11 | Химакс Фарма ЕООД"          |
| Anesthesol               | cutaneous solution – 60 ml                                   | <i>Benzocaine/Procaine hydrochloride/Menthol</i>            | N01BA52 | "Тони-М" ООД                |
| Anesthesol Chemax Pharma | 1,0 g/100g/+1,0g/100g+2,5g/100 g cutaneous solution – 100 ml | <i>Benzocaine/Procaine hydrochloride/Levomenthol</i>        | N01BA52 | Химакс Фарма ЕООД           |
| Anesthesol VT            | 1g/100ml+2,5g/100ml+1g/100 ml cutaneous solution – 100 ml    | <i>Benzocaine /Levomenthol/ Procaine</i>                    | D04AB   | ВЕТА ФАРМА АД               |
| Anesthesol Kupro         | 1,0/100g+2,5g/100g+1.0/100g cutaneous solution - 100 ml      | <i>Benzocaine/Procaine hydrochloride/Menthol</i>            | N01BA52 | "Купро 94" ООД              |
| ANGAL HONEY              | 5 mg/1 mg compressed lozenges x 24                           | <i>Chlorhexidine</i>  | R02AA05 | Sandoz Pharmaceuticals d.d. |
| Angal Intensive          | 8,75 mg lozenges x 8; x 10; x 16; x 24                       | <i>Lidocaine hydrochloride/ Chlorhexidine hydrochloride</i> | R02AA05 | Sandoz d.d.                 |
| Angal Lemon              | 5 mg/1 mg compressed lozenges x 12; x 24; x 36 ; x 48        | <i>Lidocaine hydrochloride/Chlorhexidine hydrochloride</i>  | R02AA05 | Sandoz d.d.                 |
| Angal Lemon              | 2 mg/ml+0,5 mg/ml oromucosal spray, solution                 | <i>Lidocaine hydrochloride/Chlorhexidine hydrochloride</i>  | R02AA05 | Sandoz d.d.                 |
| Angal menthol            | 2 mg/ ml + 0,5 mg/ ml oromucosal spray, solution - 30 ml     | <i>Lidocaine hydrochloride/Chlorhexidine hydrochloride</i>  | R02AA05 | Sandoz d.d.                 |

|   |  |  |         |  |
|---|--|--|---------|--|
| Angal Mentol  | 5 mg/1 mg compressed lozenges x 12; x 24; x 36, x 48       | <i>Lidocaine hydrochloride/Chlorhexidine hydrochloride</i> | R02AA05 | Sandoz d.d.                                  |
| ANGAL STRAWBERRY FOR KIDS                                       | 5 mg/1 mg compressed lozenges x 24                         | <i>Chlorhexidine</i>                                       | R02AA05 | Sandoz Pharmaceuticals d.d.                  |
| Angetop   | 500 mg tablets x 20  | <i>Metamizole sodium</i>                                   | N02BB02 | Инбиотех ООД                                 |
| Angin-Heel S  | tablets x 50   | <i>Хомеопатичен лекарствен продукт</i>                     |         | Biologische Heilmittel Heel GmbH             |
| Antimyc-Acid Chemax Pharma                                      | 8g/100 g+8g/100g cutaneous solution – 50 ml                | <i>Salicylic acid/Benzoic acid</i>                         | D01AE20 | Химакс Фарма ЕООД                            |
| Antimyc- Acid VT  | 8g/100 ml+8g/100ml cutaneous solution –50 ml               | <i>Salicylic acid/Benzoic acid</i>                         | D01AE20 | ВЕТА ФАРМА АД                                |
| Antimyc- Beta Chemax Pharma                                     | 5g/100 g+1g/100 g cutaneous solution – 50 ml               | <i>Salicylic acid/Benzoic acid</i>                         | D01AE20 | Химакс Фарма ЕООД                            |
| Antimyc- Beta VT  | 5g/100 g+1g/100 g cutaneous solution – 50 ml               | <i>Salicylic acid/Benzoic acid</i>                         | D01AE20 | ВЕТА ФАРМА АД                                |
| Antimyc-Acid Galen-Pharma                                       | cutaneous solution 8 g/100 ml + 8 g/100 ml - 50 ml; 100 ml | <i>Salicylic acid/Benzoic acid</i>                         | D01AE20 | Гален Фарма ООД                              |
| Antimyc-Acid Kupro  | 8.0g/100 g+8.0g/100 g cutaneous solution - 50 ml           | <i>Salicylic acid/Benzoic acid</i>                         | D01AE20 | Купро 94" ООД"                               |
| Antimycobeta - Forte  | 10 g/100 ml+2g/100 ml cutaneous solution - 50 ml           | <i>Salicylic acid/Benzoic acid</i>                         | D01AE20 | Купро 94 ЕООД"                               |
| Antimyc-Beta Galen-Pharma                                       | 5g/100 g+1g/100 g cutaneous solution                       | <i>Salicylic acid/2-naphtol</i>                            | D01AE20 | Гален Фарма ООД                              |
| Anzibel honey and lemon   | 5 mg/4 mg/3mg compressed lozenge x 10; x 20; x 30          | <i>Benzocaine/ Chlorhexidine hydrochloride/ Enoxolone</i>  | R02A    | Нобел Фарма ООД                              |
| Anzibel Menthol   | 5 mg/ 4 mg/ 3 mg compressed lozenges x 10; x 20; x 30      | <i>Benzocaine/ Chlorhexidine hydrochloride/ Enoxolone</i>  | R02A    | Нобел Фарма ООД                              |
| Аpiri   | 100 mg gastro-resistant tablets x 20; x 30; x 150          | <i>Acetylsalicylic acid</i>                                | B01AC06 | Чайкафарма Висококачествените лекарства" АД" |
| APIS Mellifica (група от 198 хомеопатични лекарствени продукти) | pillules x 4g: 5CH, 9CH, 15CH, 30CH                        | <i>Хомеопатичен лекарствен продукт</i>                     |         | Voiron                                       |

|  |  |                                 |                  |  |
|--|--|---------------------------------|------------------|--|
| Apis mellifica (група от 9 хомеопатични лекарствени продукти)              | D6 pillules D10, D30 и D1000   | Хомеопатичен лекарствен продукт |                  | Deutsche Homoopathie-Union, DHU Arzneimittel GmbH & Co. KG |
| Areston instant  | 12,5 mg film-coated tablets x 10; x 20; x 30; x 40   | Diclofenac                      | M01AB05          | Medochemie Ltd. Кипър                                      |
| Arnica D6; D10, D30; D1000 (група от 89 хомеопатични лекарствени продукти) | pillules - 10g   | Хомеопатичен лекарствен продукт |                  | Deutsche Homoopathie-Union, DHU Arzneimittel GmbH & Co. KG |
| ARNICA MONTANA (група от 790 хомеопатични лекарствени продукти)            | 4 g pillules x 5CH, 9CH, 15CH, 30CH  | Хомеопатичен лекарствен продукт |                  | Boiron   |
| Arnigel 7%   | gel - 45 g   | Хомеопатичен лекарствен продукт |                  | Boiron   |
| Arnikamed Dolor  | gel x 50 g; x 100 g  | Растителен лекарствен продукт   | M02AX10          | Dr. Theiss Naturwaren GmbH                                 |
| Arsenicum Album (група от 204 хомеопатични лекарствени продукти)           | 4g pillules x 5 CH, 9 CH, 15 CH, 30 CH   | Хомеопатичен лекарствен продукт |                  | Boiron   |
| Artelac  | 3, 2 mg/ml drops eye - 10 ml x 1; x 3  | Hypromellose                    | S01KA02          | Dr. Gerhard Mann Chem.                                     |
| Artron A   | 1500 mg powder for oral solution in sachet   | Glucosamine                     | M01AX05          | Фортекс Нутрасютикалс ООД                                  |
| ASA Krka   | 75 mg gastro-resistant tablets x 28; x 30; x 50; x 56; x 60; x 84; x 90; x 100             | Acetylsalicylic acid            | B01AC06          | Krka, d.d., Novo mesto                                     |
| ASA Krka   | 100 mg gastro-resistant tablets x 28; x 30; x 50; x 56; x 60; x 84; x 90; x 100; x 168     | Acetylsalicylic acid            | B01AC06          | Krka, d.d., Novo mesto                                     |
| Aspetax Adipharm   | 300 mg film - coated tablets x 100   | Acetylsalicylic acid            | B01AC06, N02BA01 | Адифарм ЕАД  |
| Aspetax Adipharm   | 500 mg tablets x 20; x100  | Acetylsalicylic acid            | N02BA01          | Адифарм ЕАД  |
| Aspetax Protect Adipharm   | 75 mg gastro-resistant tablets x 15; x 20; x 30; x 40; x 45; x 60; x 75; x 80; x 90; x 100 | Acetylsalicylic acid            | B01AC06          | Адифарм ЕАД  |

|   |   |  |                    |                                    |
|---|---|--|--------------------|------------------------------------|
| Aspetax Protect Adipharm                                | 100 mg gastro-resistant tablets x 10; x 15; x 20; x 30; x 40; x 45; x 50; x 60; x 75; x 80; x 90; x 100 | <i>Acetylsalicylic acid</i>  | N02BA01            | Адифарм ЕАД                        |
| Aspetax Protect Adipharm                                | 100 mg gastro-resistant tablets 3 x 10; 10 x 10   | <i>Acetylsalicylic acid</i>  | N02BA01            | Адифарм ЕАД                        |
| Aspi-Angin mint   | 0,96 mg/0,58 mg/0,29 mg/actuation oromucosal spray, solution  | <i>Lidocaine hydrochloride monohydrate/2,4-Dichlorobenzyl alcohol/Amylmetacresol</i> | R02AA 20           | Байер България ЕООД                |
| Aspirin C   | 400 mg/240 mg effervescent tablets x 10; x 20   | <i>Acetylsalicylic acid/Ascorbic acid</i>  | N02BA51            | Байер България ЕООД                |
| Aspirin C Forte   | 800 mg/480 mg effervescent tablets x 10; x 20   | <i>Acetylsalicylic acid/Ascorbic acid</i>  | N02BA51            | Байер България ЕООД                |
| Aspirin Complex   | 500 mg /30 mg granules for oral suspension x 10 (5 x 2); x 20 (10 x 2)                                  | <i>Acetylsalicylic acid/Pseudoephedrine</i>  | N02BA01<br>R01BA02 | Байер България ЕООД                |
| Aspirin Complex Hotdrink                                | 500 mg/30 mg granules for oral suspension x 10; x 20  | <i>Acetylsalicylic acid/Pseudoephedrine</i>  | N02BA01<br>R01BA02 | Байер България ЕООД                |
| Aspirin Protect   | 100 mg gastro-resistant tablets x 10; x 20; x 40; x 50; x 90  | <i>Acetylsalicylic acid</i>  | B01AC06            | Байер България ЕООД                |
| Aspirin Ultra   | 500 mg coated tablets x 8; x 20; x 40; x 80   | <i>Acetylsalicylic acid</i>  | N02BA01            | Байер България ЕООД                |
| Aspi-Angin honey and lemon sugar free                   | 2,0 mg/1,2 mg/0,6 mg lozenges   | <i>2,4-Dichlorobenzyl alcohol/Amylmetacresol/Lidocaine hydrochloride monohydrate</i> | R02AA 20           | Байер България ЕООД                |
| Aspi-Angin mint sugar free                              | 0,96 mg/0,58 mg/0,29 mg/actuation oromucosal spray, solution  | <i>Lidocaine hydrochloride monohydrate/2,4-Dichlorobenzyl alcohol/Amylmetacresol</i> | R02AA 20           | Байер България ЕООД                |
| Aspi-Angin mint sugar free                              | 2,0 mg/1,2 mg/0,6 mg lozenges   | <i>Растителен лекарствен продукт</i>   | R05                | Reckitt Benckiser (Romania) S.R.L. |
| Aulin   | 3% w/w gel - 30 g x 1; 50 g x 1; 100 g x 1  | <i>Nimesulide</i>  | M02AA26            | Анджелини Фарма България ЕООД      |
| AVIAIRE (група от 37 хомеопатични лекарствени продукти) | pillules x 4g: 5CH, 9CH, 15CH, 30CH   | <i>Хомеопатичен лекарствен продукт</i>   |                    | Voiron                             |

|                 |   |   |          |                              |
|-----------------|---|---|----------|------------------------------|
| Azpizal         | 325 mg film- coated tablets x 100   | <i>Acetylsalicylic acid</i>   | N02BA01  | Генерика Информ Импекс ЕООД  |
| Baneocin        | 5000IU /250IU /g ointment - 20g x 1   | <i>Bacitracin Zinc/Neomycin sulphate</i>                            | D06AX    | Sandoz GmbH                  |
| Baneocin        | 250 IU/5000 IU/g cutaneous powder   | <i>Bacitracin Zinc/Neomycin sulphate</i>                            | D06AX    | Sandoz GmbH                  |
| Baneocin        | 5000 IU /250IU /g cutaneous powder 10 g x 1;<br>60 g x 1  | <i>Bacitracin Zinc/Neomycin sulphate</i>                            | D06AX    | Sandoz GmbH                  |
| Batrafen        | 80 mg/g medicated nail lacquer - 3g   | <i>Ciclopirox</i>   | D01AE14  | Opella Healthcare France SAS |
| Benalgin        | 500 mg/50 mg/38,75 mg tablets x 10; x 20  | <i>Metamizole sodium/ Caffeine/ Vit. B1</i>                         | N02BB52  | Тева Фарма ЕАД               |
| Benalgin Rapid  | 500 mg/50 mg/37,61 mg powder for oral<br>solution x 10  | <i>Metamizole sodium/ Caffeine/Thiamine<br/>nitrate</i>             | N02BB52  | Тева Фарма ЕАД               |
| Benfogamma      | 50 mg coated tablets x 30; x 50; x 60; x 100  | <i>Benfotiamine</i>   | A11DA01  | Woerwag Pharma GmbH & Co. KG |
| Bengay          | 150 mg/100 mg/g ointment - 50 g   | <i>Menthol/Methyl salicylate</i>                                    | M02AX10  | McNeil Products Limited.     |
| Benlek          | 500 mg/50 mg/37,61 mg powder for oral<br>solution x 10  | <i>Metamizole sodium/ Thiamine<br/>hydrochloride/ Caffeine</i>      | N02BB52  | Адифарм ЕАД                  |
| Benlek          | 500 mg/38,75 mg/50 mg tablets x 9 x 18 x 20 x<br>27   | <i>Metamizole sodium/ Thiamine<br/>hydrochloride/ Caffeine</i>      | N02BB52  | Адифарм ЕАД                  |
| Benlek Express  | 500 mg/50 mg/37,61 mg powder for oral<br>solution x 10  | <i>Metamizole sodium monohydrate/<br/>Caffeine/Thiamine nitrate</i> | N02BB 52 | Адифарм ЕАД                  |
| Bestaren        | 25 mg film - coated tablets x 10 x 20   | <i>Dexketoprofen</i>  | M01AE17  | Беста Мед ЕООД               |
| Betadine        | 200 mg pessaries  | <i>Povidone-iodine</i>  | G01AX11  | EGIS Pharmaceuticals PLC     |
| Bezaleria       | 5 mg film-coated tablets x 7; x 10; x 14; x 15; x<br>20; x 21; x 28; x 30; x 40; x 50; x 56; x 60; x 70;<br>x 90; x 100; x 112; x 120 | <i>Levocetirizine dihydrochloride</i>                               | R06AE09  | Sandoz d.d.                  |
| Bilobil         | 40 mg capsules, hard x 20; x 60   | <i>Растителен лекарствен продукт</i>                                | N06DX02  | KRKA, d.d. Novo Mesto        |
| Bilobil forte   | 80 mg capsules, hard x 20; x 60   | <i>Растителен лекарствен продукт</i>                                | N06DX02  | KRKA, d.d. Novo Mesto        |
| Bilobil Intense | 120 mg capsules, hard x 20 (2 x 10); x 60 (6 x<br>10)   | <i>Растителен лекарствен продукт</i>                                | N06DX02  | KRKA, d.d. Novo Mesto        |

|                                      |  |  |          |                                  |
|--------------------------------------|--|--|----------|----------------------------------|
| Bioelectra magnesium                 | 300 hard capsules x 10; x 20; x 40   | <i>Magnesium</i>                                   | A12CC30  | Ведра Интернешънъл АД            |
| Bioelectra magnesium 365 fortissimum | 365 mg effervescent tablets x 20; x 40   | <i>Magnesium</i>                                   | A12CC30  | Ведра Интернешънъл АД            |
| Bisacodyl Sopharma                   | 5 mg suppositories x 6   | <i>Bisacodyl</i>                                   | A06AB02  | Софарма АД                       |
| Bisacodyl Sopharma                   | 10 mg suppositories x 6  | <i>Bisacodyl</i>                                   | A06AB02  | Софарма АД                       |
| Bisalax                              | tablets gastro-resistant 5 mg x 30   | <i>Bisacodyl</i>                                   | A06AB02  | Тева Фарма ЕАД                   |
| BlokMAX                              | 50 mg/g gel  | <i>Ibuprofen</i>                                   | M02AA13  | Alkaloid-INT d.o.o.              |
| BlokMAX                              | 200 mg film-coated tablets x 10; x 20  | <i>Ibuprofen</i>                                   | M01AE01  | Alkaloid-INT d.o.o.              |
| BlokMax Duo                          | 200 mg/500 mg film-coated tablets x 10; x 20   | <i>Ibuprofen/Paracetamol</i>                       | M01AE51  | Alkaloid-INT d.o.o.              |
| BlokMAX for kids                     | 100 mg/5 ml oral suspension - 100 ml   | <i>Ibuprofen</i>                                   | M01AE01  | Alkaloid-INT d.o.o.              |
| BlokMAX for kids                     | 200 mg/5 ml oral suspension 100 ml   | <i>Ibuprofen</i>                                   | M01AE01  | Alkaloid-INT d.o.o.              |
| BlokMAX FORTE                        | 400 mg film-coated tablets x 10; x 20  | <i>Ibuprofen</i>                                   | M01AE01  | Alkaloid-INT d.o.o.              |
| BlokMAX Rapid                        | 400 mg film-coated tablets x 10; x 12; x 20; x 24  | <i>Ibuprofen</i>                                   | M01AE01  | Alkaloid-INT d.o.o.              |
| BONARTOS                             | 1178 mg film-coated tablets - bottles x 30; x 90;<br>blisters: x 4; x 10; x 20; x 30; x 45; x 60; x 90 | <i>Glucosamine</i>                                 | M01AX05  | Blue Bio Pharmaceuticals Limited |
| Bravex                               | 100 mg/5 ml oral suspension-100 ml x 1   | <i>Ibuprofen</i>                                   | M01AE01  | Ворлд Медисине Европа ЕООД       |
| Bromhexin Pharma                     | 8 mg tablets   | <i>Bromhexine</i>                                  | R05CB 2  | Фарма АД                         |
| Bronchalis-Heel                      | tablets x 50   | <i>Хомеопатичен лекарствен продукт<br/>продукт</i> |          | Biologische Heilmittel Heel GmbH |
| Bronchetamin                         | 7,5 mg/5 ml syrup - 200 ml   | <i>Butamirate citrate</i>                          | R05DB13  | Тева Фарма ЕАД                   |
| Bronchicum                           | 11,25 mg mg compressed lozenges x 20; x 50   | <i>Растителен лекарствен продукт</i>               | R05CA00  | Санофи-Авентис България ЕООД     |
| Bronchicum Elixir S                  | 5g/2,5g/100g syrup - 130g  | <i>Растителен лекарствен продукт</i>               | R05CA10  | Санофи-Авентис България ЕООД     |
| Bronchipret                          | film-coated tablets x 20; x 50; x 100  | <i>Растителен лекарствен продукт</i>               | R05CA 10 | Bionorica SA                     |
| Bronchipret                          | syrup  | <i>Растителен лекарствен продукт</i>               | R05CA 10 | Bionorica SA                     |

|                  |  |   |          |                           |
|------------------|--|---|----------|---------------------------|
| Bronchipret      | oral solution  | <i>Растителен лекарствен продукт</i>  | R05CA 10 | Bionorica SA              |
| Bronchipret TI   | syrop  | <i>Растителен лекарствен продукт</i>  | R05CA 10 | Bionorica SA              |
| Broncholytin     | 5,75 mg/4,6 mg/5 ml syrup -125g  | <i>Растителен лекарствен продукт</i>  | R05FA02  | Софарма АД                |
| BronchoMAXX      | 15 mg/5 ml syrup x 100 ml; x 120 ml  | <i>Ambroxol</i>   | R05CB06  | ДАНСОН-БГ ООД             |
| BronchoMAXX      | 30 mg/5 ml syrup x 100 ml; x 120 ml  | <i>Ambroxol</i>   | R05CB06  | ДАНСОН-БГ ООД             |
| Bronchostop      | 59,5 mg pastilles x 20; x 40   | <i>Растителен лекарствен продукт</i>  | R05CA    | Kwizda pharma GmbH        |
| Bronchostop      | 0,77g/0.66g/5ml - syrup - 150 ml   | <i>Растителен лекарствен продукт</i>  | R05CA10  | Kwizda pharma GmbH        |
| Bronchostop      | 0,32g/0,32g/g oromucosal spray, solution - 15 ml                               | <i>Растителен лекарствен продукт</i>  | A01AD11  | Прескрипция" ЕООД"        |
| Bronchostop Duo  | 51,1 mg/ 4,5 mg pastilles x 10; x 20; x 30; x 40                               | <i>Растителен лекарствен продукт</i>  | R05CA10  | Kwizda pharma GmbH        |
| Bronchostop Nite | 187,5 mg / 136,4 mg / 150 mg /15ml oral solution -x 120 ml; x 200 ml; x 240 ml | <i>Растителен лекарствен продукт</i>  | R05CA10  | Kwizda Pharma GmbH        |
| Bronchostop Sine | 0,12g/1,28g/15ml oral solution 100 ml; x 120 ml; x 150 ml; x 200 ml            | <i>Растителен лекарствен продукт</i>  | R05CA10  | Kwizda pharma GmbH        |
| Bronchoton       | 4,6 mg/5.75mg/5ml syrup  | <i>Растителен лекарствен продукт</i>  | R05FA02  | ДАНСОН-БГ ООД             |
| Bronhosolvan     | 200 mg powder for oral solution in sachet x 20                                 | <i>Acetylcysteine</i>   | R05CB01  | Фортекс Нутрасютикалс ООД |
| Bronhosolvan     | 600 mg powder for oral solution in sachet x 10                                 | <i>Acetylcysteine</i>   | R05CB01  | Фортекс Нутрасютикалс ООД |
| BRONLES          | 375 mg capsules, hard x 20; x 30; x 50; x 120                                  | <i>Carbocisteine</i>  | R05CB03  | Alkaloid-INT d.o.o.       |
| Broxivan         | 3 mg/ml oral solution - x 100 ml; x 125 ml; x 150 ml                           | <i>Ambroxol</i>   | R05CB06  | Medochemie Ltd.           |
| Broxivan         | 6 mg/ ml oral solution - x 200 ml  | <i>Ambroxol</i>   | R05CB06  | Medochemie Ltd.           |
| Bulzine          | 0,33 mg/ml oral solution   | <i>Oxomemazine</i>  | R06AD 8  | Булгермед ВЕ ЕООД         |
| Buscolysin       | 10 mg coated tablets x 20; x 800   | <i>Hyoscine butylbromide</i>  | A03BB01  | Софарма АД                |
| Caffetin Cold    | film - coated tablets x 10   | <i>Ascorbic acid/Paracetamol/Pseudoephedrine hydrochloride/ Dextromethorphan hydrobromide</i> | M01AE01  | Алкалоид ЕООД             |

|  |   |   |         |   |
|--|---|---|---------|---|
| Caffetin COLDmax   | 1000 mg/12,2 mg powder for oral solution x 10 | <i>Ascorbic acid/Paracetamol/Pseudoephedrine hydrochloride/ Dextromethorphan hydrobromide</i> | M01AE01 | Алкалоид ЕООД                           |
| Caffetin Forte   | tablets x 6; x 10; x 12                       | <i>Paracetamol/Propylphenazone/Caffeine/Codeine phosphate sesquihydrate</i>                   | N02BE51 | Алкалоид ЕООД                           |
| Caffetin Menstrual   | 200 mg film-coated tablets x 10               | <i>Ibuprofen</i>  | M01AE01 | Алкалоид АД                             |
| Caffetin SC  | 250 mg/210 mg/50 mg tablets x 6; x 10; x 12   | <i>Caffeine/Paracetamol/Propylphenazone</i>   | N02BE51 | Алкалоид АД                             |
| <b>Calcium fluoratum D4</b> Schusler salt<br>№1 (12 броя Шуслерови соли по | ointment                                      | <i>Хомеопатичен лекарствен продукт продукт</i>  |         | Deutsche Homoopathie-Union,<br>Германия |

**Calcium fluoratum D6/ D12**

sublingual tablets

*Хомеопатичен лекарствен продукт  
продукт*

BOIRON

Schussler salt №1 (25 броя

Шуслерови соли по списък)

BOIRON, Франция

Calcium fluoratum D6/D12 sublingual

tabl. Schussler salt N°1

Calcium phosphoricum D6/D12

sublingual tabl. (Schussler salt N°2

Ferrum phosphoricum D6/D12

sublingual tabl. Schussler salt N°3

Kalium chloratum D6/D12 sublingual

tabl. Schussler salt N°4

Kalium phosphoricum D6/D12

sublingual tabl. Schussler salt N°5

Kalium sulfuricum D6/D12 sublingual

tabl. Schussler salt N°6

Magnesium phosphoricum D6/D12

sublingual tabl. Schussler salt N°7

Natrium chloratum D6/D12

sublingual tabl. Schussler salt N°8

Natrium phosphoricum D6/D12

sublingual tabl. Schussler salt N°9

Natrium sulfuricum D6/D12

sublingual tabl. Schussler salt N° 10

Silicea D6/D12 sublingual tabl.

Schussler salt N°11

Calcium sulfuricum D6/D12

sublingual tabl. Schussler salt N°12

Kalium arsenicosum D6/D12

sublingual tabl. Schussler salt N°13

Kalium bromatum D6/D12 sublingual

|  |  |  |         |   |
|--|--|--|---------|---|
| <b>Calcium fluoratum D6/D12</b> (12 броя Шуслерови соли по списък) -<br>Deutsche Homoopathie-Union,<br>Германия – Рег.№ 20100164<br>Списък със Шуслерови соли:<br>Calcium fluoratum D6 /D12, tablets x 80 x 200((Schüßler Salt No 1)<br>Calcium phosphoricum D6 /D12, tablets x 80 x 200 (Schüßler Salt No 2)<br>Ferrum phosphoricum D6 /D12, tablets x 80 x 200 (Schüßler Salt No 3)<br>Kalium chloratum D6 / D12, tablets x 80 x 200 (Schüßler Salt No 4)<br>Kalium phosphoricum D6 /D12, tablets x 80 x 200 (Schüßler Salt No 5)<br>Kalium sulfuricum D6 / D12, tablets x 80 x 200 (Schüßler Salt No 6)<br>Magnesium phosphoricum D6 / D12, tablets x 80 x 200 (Schüßler Salt No 7)<br>Natrium chloratum D6 / D12, tablets x 80 x 200 (Schüßler Salt No 8)<br>Natrium phosphoricum D6 /D12, tablets x 80 x 200 (Schüßler Salt No 9) | tablets x 80; x 200  | <i>Хомеопатичен лекарствен продукт продукт</i> |         | Deutsche Homoopathie-Union,<br>Германия   |
| Calgel   | 3,3 mg/g + 1 mg/g gingival gel                                     | <i>Lignocaine/Cetylpyridinum chloride</i>      | A01AD11 | McNeil Products Limited                   |
| Calmaben   | 50 mg tablets coated x 10; x 20; x 30                              | <i>Diphenhydramine</i>                         | N05CM   | Pharmazeutische Fabrik Montavit Ges.m.b.H |
| Calmo-Heel   | oral drops, solution- 30 ml  | <i>Хомеопатичен лекарствен продукт</i>         |         | Biologische Heilmittel Heel GmbH          |
| Calpol   | 120 mg/5ml oral suspension - 100 ml                                | <i>Paracetamol</i>                             | N02BE01 | McNeil Products Limited                   |
| Calpol   | 250 mg/5ml oral suspension - 100 ml                                | <i>Paracetamol</i>                             | N02BE01 | McNeil Products Limited                   |
| CAMILIA COLIC BABY   | oral solution x 5 single doses in sachett x 10 x 15 x 20 x 30 x 40 | <i>Хомеопатичен лекарствен продукт продукт</i> |         | Boiron                                    |

|                         |   |   |         |  |
|-------------------------|---|---|---------|--|
| Camilia Calmy Kids      | syrup - 200ml   | <i>Хомеопатичен лекарствен продукт<br/>продукт</i>                      |         | Voiron                                 |
| CAMILIA DENTO BABY      | oral solution x 10; x 20; x 30  | <i>Хомеопатичен лекарствен продукт<br/>продукт</i>                      |         | Voiron                                 |
| Canephron               | 18 mg/18 mg/18 mg coated tablets x 60; x 120;<br>x 200  | <i>Растителен лекарствен продукт</i>                                    | G04B    | Bionorica SA                           |
| Canephron Forte         | coated tablets x 30; x 60; x 90   | <i>Растителен лекарствен продукт</i>                                    | G04BX   | Bionorica SA                           |
| Canespor                | 1% cream - 15 g   | <i>Bifonazole</i>   | D01AC10 | Байер България ЕООД                    |
| Canesten                | 1 % cream - 20 g  | <i>Clotrimazole</i>   | D01AC01 | Байер България ЕООД                    |
| Capsamol Dolor          | 0,05% cream x 40g; x 100g   | <i>Растителен лекарствен продукт</i>                                    | N01BX04 | Woerwag Pharma GmbH & Co. KG           |
| Capsifen ColdActive Max | 500 mg/ 300 mg/200 mg effervescent powder x<br>6; x 8; x 10; x 12; x 14; x 20; x 28   | <i>Acetylsalicylic acid/Ascorbic acid/Calcium<br/>lactate gluconate</i> | N02BA51 | US Pharmacia Sp. z o.o                 |
| Cardiopirin             | 100 mg gastro-resistant tablets blisters x 10; x<br>20; x 28; x 30; x 50; x 56; x 60; x 90; x 100,<br>containers x 10; x 30; x 50; x 100; x 500 | <i>Acetylsalicylic acid</i>   | B01AC06 | Bausch Health Ireland Limited          |
| Cardiosalin             | 75 mg film-coated tablets x 10; x 20; x 30; x 40;<br>x 50; x 100  | <i>Acetylsalicylic acid</i>   | B01AC 6 | Антибиотик-Разград                     |
| Cardiosalin             | 75 mg gastro-resistant tablets x 30; x 40; x 100  | <i>Acetylsalicylic acid</i>   | B01AC 6 | Антибиотик-Разград                     |
| Cardiosalin             | 150 mg film-coated tablets x 10; x 20; x 30; x<br>40; x 50; x 100   | <i>Acetylsalicylic acid</i>   | B01AC 6 | Антибиотик-Разград                     |
| Cardiosalin             | 160 mg film-coated tablets x 10; x 20; x 30; x<br>40; x 50; x 100   | <i>Acetylsalicylic acid</i>   | B01AC 6 | Антибиотик-Разград                     |
| Cardiosalin Protect     | 75 mg film-coated tablets x 30; x 40; x 100   | <i>Acetylsalicylic acid</i>   | B01AC 6 | Антибиотик-Разград                     |
| Cardiosalin Protect     | 10 mg film-coated tablets x 30; x 40; x 100   | <i>Acetylsalicylic acid</i>   | B01AC 6 | Антибиотик-Разград                     |
| Carmolis                | oral drops, solution/cutaneous<br>solution/inhalation vapour, solution 20 ml; 40<br>ml; 80 ml; 160 ml   | <i>Растителен лекарствен продукт</i>                                    |         | Dr. A. & L. Schmidgall GmbH & Co<br>KG |
| Carsil                  | 22,5 mg coated tablets x 80   | <i>Растителен лекарствен продукт</i>                                    | A05BA03 | Софарма АД                             |

|                      |  |  |          |                            |
|----------------------|--|--|----------|----------------------------|
| Casenlax             | 4 g powder for oral solution in sachet                       | <i>Macrogol</i>                            | A06AD 15 | Casen Recordati S.L.       |
| Casenlax             | 10 g powder for oral solution in sachet                      | <i>Macrogol</i>                            | A06AD 15 | Casen Recordati S.L.       |
| Cefabronchin         | 50g/21g/100g oral drops, solution x 20 ml; x 50 ml; x 100 ml | <i>Растителен лекарствен продукт</i>       | R05CA10  | Cefak KG                   |
| Cefacolchin          | tablets x 100  | <i>Хомеопатичен лекарствен продукт</i>     |          | Cefak KG                   |
| Cefamadar            | 250 mg tablets x 100; x 200; x 500                           | <i>Хомеопатичен лекарствен продукт</i>     |          | Cefak KG                   |
| CEFASEL              | 100 micrograms tablets x 20; x 60; x 100                     | <i>Sodium selenite</i>                     |          | Cefak KG                   |
| Cefasilymarin        | 105 mg film-coated tablets x 20; x 60; x 100                 | <i>Растителен лекарствен продукт</i>       |          | Cefak KG                   |
| Cefavora             | oral drops, solution - 50 ml; - 100 ml; - 200 ml             | <i>Хомеопатичен лекарствен продукт</i>     |          | Cefak KG                   |
| Cefavora             | tablets x 20; x 60; x 100                                    | <i>Хомеопатичен лекарствен продукт</i>     |          | Cefak KG                   |
| Ceridol              | 250 mg/150 mg/50 mg tablets x 10                             | <i>Paracetamol/Propyphenazone/Caffeine</i> | N02BE51  | Фортекс Нутрасютикалс ООД  |
| Cetebe               | 500 mg prolonged release capsules, hard x 30; x 60           | <i>Ascorbic acid</i>                       | A11GA01  | STADA Arzneimittel AG      |
| Chilora              | 0,15 % eye drops, solution x 10 ml                           | <i>Sodium hyaluronate</i>                  | S01XA20  | Ворлд Медисине Европа ЕООД |
| Cinnabsin            | tablets x 100  | <i>Хомеопатичен лекарствен продукт</i>     |          | Alpen Pharma GmbH          |
| Cinnarizin Pharma    | 25 mg tablets x 50; x 100; x 2000                            | <i>Cinnarizine</i>                         | N07CA02  | Pharma PLC                 |
| Cinnarizin Actavis   | 25 mg tablets x 50; x 100                                    | <i>Cinnarizine</i>                         | N07CA02  | Антибиотик - Разград АД    |
| Cinnarizin Inbiotech | 25 mg tabl. x 50   | <i>Cinnarizine</i>                         | N07CA02  | Инбиотех ООД               |
| Cinnarizine Sopharma | 25 mg tablets x 50   | <i>Cinnarizine</i>                         | N07CA02  | Софарма АД                 |
| Citomix              | granules 4 g x 2   | <i>Хомеопатичен лекарствен продукт</i>     |          | GUNA S.p.a.                |
| Clarinase            | 5 mg/120 mg prolonged-release tablets x 10                   | <i>Loratadine/Pseudoephedrine sulfate</i>  | R06AX    | Байер България ЕООД        |
| Claritine            | syr. 1 mg/ml - 120 ml  | <i>Loratadine</i>                          | R06AX13  | Байер България ЕООД        |
| Claritine            | 10 mg tablets x 7; x 10; x 14; x 20; x 30; x 60              | <i>Loratadine</i>                          | R06AX13  | Байер България ЕООД        |
| Clotrimazol ABR      | 10 mg /g cream 20 g x 1                                      | <i>Clotrimazole</i>                        | D01AC01  | Антибиотик - Разград АД    |
| Cocculine            | tablets x 30   | <i>Хомеопатичен лекарствен продукт</i>     |          | Voiron                     |

|                             |  |   |          |                           |
|-----------------------------|--|---|----------|---------------------------|
| Coldrex                     | tablets x 12; x 24   | <i>Ascorbic acid/Caffeine/<br/>Paracetamol/Phenylephrine<br/>hydrochloride/Terpin hydrate</i> | N02BE51  | Adriatic BST d.o.o.       |
| Coldrex Junior Hot Drink    | 300 mg/5 mg/20 mg powder for oral solution x 5; x 10                                     | <i>Ascorbic acid/Paracetamol/Phenylephrine<br/>hydrochloride</i>                              | R05X0    | Adriatic BST d.o.o.       |
| Coldrex Max Plus Cough      | 500 mg/100 mg/6.1 mg capsules, hard x 8, x 16, x 24, x 32                                | <i>Guaiifenesin/Paracetamol/Phenylephrine<br/>hydrochloride</i>                               | N02BE51  | Adriatic BST d.o.o.       |
| Coldrex MaxGrip Berry fruit | 1000 mg/10 mg/70 mg powder for oral solution x 5; x 8; x 10; x 14                        | <i>Ascorbic acid/Paracetamol/Phenylephrine<br/>hydrochloride</i>                              | N02BE51  | Adriatic BST d.o.o.       |
| Coldrex MaxGrip Lemon       | 1000 mg/10 mg/40 mg powder for oral solution x 5; x 10                                   | <i>Paracetamol/ Ascorbic acid/ Phenylephrine<br/>hydrochloride</i>                            | R05X     | Adriatic BST d.o.o.       |
| Coldrex Nite                | 1000 mg/20mg/15mg/20ml syrup – 100 ml -160 ml  | <i>Dextromethorphan Hydrobromide/<br/>Paracetamol/ Promethazine hydrochloride</i>             | R05DA20  | Adriatic BST d.o.o.       |
| Coldrex Nite HotRem         | 1000 mg/20 mg/15 mg powder for oral solution x 5   | <i>Dextromethorphan<br/>Hydrobromide/Paracetamol/ Promethazine<br/>hydrochloride</i>          | R05DA20  | Adriatic BST d.o.o.       |
| Coldrex Nite HotRem Lemon   | 750 mg/10 mg/60 mg powder for oral solution x 5; x 10                                    | <i>Ascorbic acid/Paracetamol/Phenylephrine<br/>hydrochloride</i>                              | N02BE51  | Adriatic BST d.o.o.       |
| Coldrex PLUS Cough          | 500 mg/200 mg/10 mg powder for oral solution - sachets: x 5; x 6; x 10; x 14; x 15; x 20 | <i>Guaiifenesin/ Paracetamol/ Phenylephrine<br/>hydrochloride</i>                             | N02BE51  | Adriatic BST d.o.o.       |
| Combogesic                  | 500 mg/150 mg film-coated tablets x 8; x 10; x 16; x 20; x 24; x 30; x 32                | <i>Ibuprofen/Paracetamol</i>  | N02BE 51 | Swixx Biopharma Kft.      |
| Contractubex                | 1 g/10 g/5000 IU/100 g gel -20 g; -50 g; -100 g  | <i>Allantoin/ Extractum Cepae fluidum/<br/>Heparin sodium</i>                                 | D11AX 0  | Merz Pharmaceuticals GmbH |

|  |  |   |         |  |
|--|--|---|---------|--|
| Corneregel   | 5% eye gel -5 g; - 10 g                            | <i>Dexapanthenol</i>  | S01XA12 | Dr. Gerhard Mann<br>ChemischPharmazeutische Fabric<br>GmbH |
| CoroASS  | 100 mg gastro-resistant tablets                    | <i>Acetylsalicylic acid</i>   | B01AC06 | G.L. Pharma GmbH,  |
| CoroASS  | 300 mg gastro-resistant tablets                    | <i>Acetylsalicylic acid</i>   | B01AC06 | G.L.Pharma GmbH  |
| Coryzalia  | coated tablets x 40                                | <i>Хомеопатичен лекарствен продукт</i>  |         | Boiron   |
| Coryzalia  | oral solution in single-dose container             | <i>Хомеопатичен лекарствен продукт</i>  |         | Boiron   |
| Coryzalia Baby   | oral solutionr x 10; x 15; x 20; x 30              | <i>Хомеопатичен лекарствен продукт</i>  |         | Boiron   |
| Cralonin   | 70 g/1 g/1 g/100 g oral drops, solution -30 ml     | <i>Хомеопатичен лекарствен продукт</i>  |         | Biologische Heilmittel Heel GmbH                           |
| Crystal Vision   | 3 mg/ml eye drops, solution 10 ml x 1              | <i>Hypromellose</i>   | S01XA20 | Антибиотик - Разград АД                                    |
| CUPRUM METALLICUM (група от 34 хомеопатични лекарствени продукти ) | 4 g pillules 5CH, 9CH, 15CH, 30CH                  | <i>Хомеопатичен лекарствен продукт</i>  |         | Boiron   |
| Cyclodynon   | 4 mg film-coated tablets x 30; x 60; x 90          | <i>Растителен лекарствен продукт</i>  | G02C0   | Bionorica AG   |
| Cyclodynon forte   | film-coated tablets x 30; x 60; x 90               | <i>Растителен лекарствен продукт</i>  | G02CX03 | Bionorica AG   |
| Cynarix  | 55 mg coated tablets x 24; x 60                    | <i>Растителен лекарствен продукт</i>  | A05AX00 | Pharmazeutische Fabrik Montavit<br>Ges.m.b.H               |
| Cynarix Forte  | 600 mg coated tablets                              | <i>Растителен лекарствен продукт</i>  | A05AX00 | Pharmazeutische Fabrik Montavit<br>Ges.m.b.H               |
| Daktarin   | 20 mg/g oral gel - 40 g                            | <i>Miconazole</i>   | A01AB09 | McNeil Healthcare (Ireland) Limited                        |
| Daleron  | 500 mg tablets x 12                                | <i>Paracetamol</i>  | N02BE01 | KRKA d.d. Novo Mesto                                       |
| Daleron  | 120 mg/5 ml oral suspension-100 ml                 | <i>Paracetamol</i>  | N02BE01 | KRKA d.d. Novo Mesto                                       |
| DC-BAR-DS  | 90 g powder for oral and rectal suspension - 100 g | <i>Barium sulfate</i>   | V08BA2  | ДАНСОН-БГ ООД  |
| Deep Heat Spray  | cutaneous spray, solution x 150 ml                 | <i>Methyl salicylate/ Methyl nicotinate/Ethyl salicylate/ Hydroxyethyl salicylate</i> | M02AX10 | The Mentholatum Company Ltd.                               |

|  |   |   |          |   |
|--|---|---|----------|---|
| Deep Relief  | 50 mg/g+30 mg/g gel -50g  | <i>Ibuprofen/Levomenthol</i>                  | M01AE1   | Colep Laupheim GmbH & Co. KG                      |
| Deflamol   | 350 IU/400 IU/g ointment - 18 g; 40 g   | <i>Ergocalciferol/Vitamin A concentrate</i>   | D03AA    | Софарма АД  |
| Deko   | 25 mg granules for oral solution in sachet x 10; x 20                                 | <i>Dexketoprofen</i>                          | M01AE 17 | Фортекс Нутрасютикалс ООД                         |
| Dentinox   | 150 mg/3,4 mg/3,2 mg/ 1g gel -10 g  | <i>Растителен лекарствен продукт</i>          |          | Dentinox Gesellschaft                             |
| Dermazin   | 1 % cream - 25 g; 50 g  | <i>Silver sulfadiazine</i>                    | D06BA01  | Lek Pharmaceuticals d.d.                          |
| Dermodrin  | 20 mg/g ointment - 20 g; 30 g; 50 g; - 100 g  | <i>Diphenhydramine</i>                        | D04AA32  | Pharmaceutische Fabrik Montavit Ges.m.b.H         |
| Desloratadine Sopharma   | 5 mg film-coated tablets  | <i>Desloratadine</i>                          | R06AX27  | Софарма АД  |
| Detralex   | 500 mg film-coated tablets x 30; x 36; x 60; x 90; x 120                              | <i>Растителен лекарствен продукт</i>          | C05CA53  | Les Laboratoires Servier                          |
| Dexinal  | 25 mg film-coated tablets x 10; x 20  | <i>Dexketoprofen</i>                          | M01AE17  | НОБЕЛ ФАРМА ЕООД                                  |
| Dexofen  | 25 mg film-coated tablets x 10; x 30; x 50  | <i>Dexketoprofen</i>                          | M01AE17  | Menarini International Operations Luxembourg S.A. |
| Dexofen sashet   | 25 mg granules for oral solution x 2; x 4; x 10; x 20; x 30; x 40; x 50; x 100; x 500 | <i>Dexketoprofen</i>                          | M01AE17  | Menarini International Operations Luxembourg S.A. |
| Dialgin  | 500 mg powder for oral solution x 6; x 20   | <i>Metamizole sodium</i>                      | N02BB02  | Химакс Фарма ЕООД                                 |
| Dialgin  | 1000 mg powder for oral solution x 6; x 20  | <i>Metamizole sodium</i>                      | N02BB02  | Химакс Фарма ЕООД                                 |
| Dialgin – без лекарско предписание за възрастни и деца над 10 г.   | 500 mg/ml oral drops, solution x 20 ml  | <i>Metamizole sodium</i>                      | N02BB02  | Химакс Фарма ЕООД                                 |
| Dialgin Express  | 500 mg/50mg powder for oral solution in sachet x 6; x 20                              | <i>Caffeine/Metamizole sodium monohydrate</i> | N02BB52  | Химакс Фарма ЕООД                                 |
| Dialgin junior   | 250 mg powder for oral solution x 5   | <i>Metamizole sodium</i>                      | N02BB02  | Химакс Фарма ЕООД                                 |
| DIARID PRO   | 2 mg tablets x 10; x 20   | <i>Loperamide hydrochloride</i>               | A07DA03  | Фортекс Нутрасютикалс ООД                         |
| Diarostad - без лекарско предписание за възрастни и деца над 12 г. | 2 mg capsules x 10  | <i>Loperamide</i>                             | A07DA03  | Stada Arzneimittel AG                             |
| Diclac   | 1% gel – 50 g; 100 g  | <i>Diclofenac sodium</i>                      | M02AA15  | HEXAL AG  |

|   |   |  |          |  |
|---|---|--|----------|--|
| Diclac 12 h   | 23,2 mg/g gel   | <i>Diclofenac</i>                                      | M02AA 15 | Sandoz d.d.  |
| Diclac Acute  | gel 10 mg/g – 50 g; - 100 g                                 | <i>Diclofenac</i>                                      | M02AA15  | HEXAL AG   |
| Diclac Max  | 5% gel – 50 g; 100 g  | <i>Diclofenac sodium</i>                               | M02AA15  | HEXAL AG   |
| Dicloflex   | 1% gel - 50 g   | <i>Diclofenac</i>                                      | M02AA15  | ДАНСОН-БГ ООД  |
| Dicloflex   | 5% gel - 50 g   | <i>Diclofenac</i>                                      | M02AA15  | ДАНСОН-БГ ООД  |
| Difortan  | 100 mg/g gel  | <i>Etofenamate</i>                                     | M02AA 6  | US Pharmacia Sp. z o.o                                       |
| DIH MAX   | 1000 mg film - coated tablets x 20; x 30; x 60              | <i>Diosmin</i>   | C05CA03  | Przedsiębiorstwo Produkcji<br>Farmaceutycznej HASCO-LEK S.A  |
| Dimestil  | 1 mg/g gel - 30 g; 50 g                                     | <i>Dimetindene maleate</i>                             | D04AA 13 | AS Grindeks  |
| Dimex – без лекарско предписание за възрастни и деца над 6 години | 9,96 mg/5ml+99,6 mg/5ml syrup - 125 ml                      | <i>Ammonium chloride/Diphenhydramine Hydrochloride</i> | R06AA52  | Софарма АД   |
| Dinarex   | 1,5 mg/ml syrup - x 150 ml; x 200 ml                        | <i>Dextromethorphan</i>                                | R05DA09  | Medochemie Ltd   |
| Dioket  | 600 mg tablets x 30   | <i>Растителен лекарствен продукт</i>                   | C05CA03  | Stragen Pharma S.A. S  |
| Diosmin Hasco-Lek   | 1000 mg film - coated tablets x 20; x 30; x 60              | <i>Diosmin</i>   | C05CA03  | Przedsiębiorstwo Produkcji<br>Farmaceutycznej HASCO-LEK S.A. |
| Diostad   | 500 mg film - coated tablets x 30; x 60; x 90; x 120; x 180 | <i>Diosmin</i>   | C05CA 3  | STADA Arzneimittel AG  |
| Dolgit Ibu Gel  | 50 mg/g gel   | <i>Ibuprofen</i>                                       | M02AA 13 | HWI pharma services GmbH                                     |
| Doloren   | 200 mg film-coated tablets x 10; x 20                       | <i>Ibuprofen</i>                                       | M01AE01  | Екофарм Груп АД  |
| Doloren   | 400 mg film-coated tablets x 12; x 24                       | <i>Ibuprofen</i>                                       | M01AE01  | Екофарм Груп АД  |
| Dona  | 1500 mg powder for oral solution x 20                       | <i>Glucosamine sulfate</i>                             | M01AX05  | Майлан ЕООД  |
| Dorithricin berries   | 0.5 mg/1 mg/1.5 mg compressed lozenge                       | <i>Benzalkonium chloride/Benzocaine/Tyrothricin</i>    | R02AA 20 | Medice Pharma GmbH & Co. KG                                  |
| Dorithricin Menta   | 0,5 mg/1 mg/1,5 mg compressed lozenges                      | <i>Benzalkonium chloride/Benzocaine/Tyrothricin</i>    | R02AA 20 | Medice Pharma GmbH & Co. KG                                  |

|   |  |   |         |                                       |
|---|--|---|---------|---------------------------------------|
| Dormiplant  | 160 mg/80 mg coated tablets. x 50; x 100                           | <i>Растителен лекарствен продукт</i>                                    | N05CX   | Dr. Willmar Schwabe Arzneimittel GmbH |
| Dr.Theiss Anisol  | caps. 100 mg x 30  | <i>Растителен лекарствен продукт</i>                                    | R05CA   | Dr.Theiss Naturwaren GmbH             |
| Dr.Theiss Echinacea forte   | 75,6 ml/100 ml oral drops, solution -50 ml; 100 ml                 | <i>Растителен лекарствен продукт</i>                                    | A13A    | Dr Theiss Naturwaren GmbH             |
| Dro Spaz  | 40 mg tablets x 20; x 40; 60; x 80; x 100                          | <i>Drotaverine</i>  | A03AD02 | Адифарм ЕАД                           |
| Dro Spaz  | 80 mg tablets x 10; x 20   | <i>Drotaverine</i>  | A03AD02 | Адифарм ЕАД                           |
| Dro Spaz Complex  | 400 mg/60 mg/40 mg powder for oral solution in sachet x 10         | <i>Metamizole sodium monohydrate/Caffeine/Drotaverine hydrochloride</i> | N02BB52 | Адифарм ЕАД                           |
| Dropleks  | 4 g /100 g + 1 g /100 g ear drops, solution - 15 ml                | <i>Lidocaine Hydrochloride/Phenazone</i>                                | S02DA30 | Ворлд Медисине Европа ЕООД            |
| Dulcamara-Номaccord   | oral drops, solution – 30 ml                                       | <i>Хомеопатичен лекарствен продукт</i>                                  |         | Biologische Heilmittel Heel GmbH      |
| Dulcolax  | 10 mg suppositories x 6  | <i>Bisacodyl</i>  | A06AB02 | САНОФИ БЪЛГАРИЯ ЕООД                  |
| Dulcolax  | 5 mg gastro-resistant tablets x 10; x 30                           | <i>Bisacodyl</i>  | A06AB02 | САНОФИ БЪЛГАРИЯ ЕООД                  |
| Dulcolax Pico   | 7,5 mg/ml oral drops, solution – 15 ml; -30 ml                     | <i>Sodium picosulphate</i>  | A06AB08 | САНОФИ БЪЛГАРИЯ ЕООД                  |
| Duphalac за показание портална системна енцефалопатия (PSE) лечение и профилактика на | 67 g/100 ml oral solution – 200 ml; - 300 ml; 500 ml;15 ml x 10    | <i>Lactulose</i>  | A06AD11 | Майлан ЕООД                           |
| Duspatalin  | 135 mg coated tablets x 20; x 30                                   | <i>Mebeverine</i>   | A03AA04 | Майлан ЕООД                           |
| Duspatalin  | 200 mg prolonged release hard capsules x 20; x 30                  | <i>Mebeverine</i>   | A03AA04 | Майлан ЕООД                           |
| Duspaverin  | 135 mg film-coated tablets x 30                                    | <i>Mebeverine</i>   | A03AA04 | Софарма АД                            |
| Dymista Express   | 137 micrograms/50 micrograms per actuation nasal spray, suspension | <i>Azelastine hydrochloride/Fluticasone propionate</i>                  | R01AD08 | Meda Pharma GmbH & Co. KG             |
| Efisol  | 30 mg/0,25 mg compressed lozenges x 20; x 40                       | <i>Ascorbic acid/ Dequalinium chloride/Ascorbic acid</i>                | R02AA02 | Тева Фарма ЕАД                        |

|                   |  |  |         |                                      |
|-------------------|--|--|---------|--------------------------------------|
| Efisol Intense    | 8,75 mg lozenges x 8; x 12; x 16; x 20; x 24             | <i>Flurbiprofen</i>  | R02AX 1 | Teva B.V.                            |
| Efisol Intense    | 8,75 mg/dose oromucosal spray, solution                  | <i>Flurbiprofen</i>  | R02AX 1 | Teva B.V.                            |
| ELAXA pico        | 5 mg tablets x 20  | <i>Sodium picosulfate monohydrate</i>  | A06AB08 | Фортекс Нутрасютикалс ООД            |
| ellaOne           | 30 mg tablet x 1   | <i>Ulipristal</i>  | G03AD02 | Laboratoire HRA Pharma               |
| Emanera control   | 20 mg hard gastro-resistant capsules blisters x 7; x 14  | <i>Esomeprazole</i>  | A02BC 5 | KRKA, d.d., Novo mesto               |
| Endotelon         | 150 mg gastro-resistant tablets x 20; x 60               | <i>Procyanidolic oligomers</i>   | C05CX   | Cheplapharm Arzneimittel GmbH        |
| Enema-Balkan      | 16%/6% rectal solution – 80 ml; - 130 ml; - 250 ml       | <i>Sodium dihydrogen phosphate dihydrate/ Disodium phosphate dodecahydrate</i> | A06AG01 | Балкан медикъл сървиз - България ООД |
| Engystol          | tablets x 50   | <i>Хомеопатичен лекарствен продукт</i>   |         | Biologische Heilmittel Heel GmbH     |
| Enterol           | 250 mg hard capsules x 10; x 20, x 50                    | <i>Lyophilized Saccharomyces Boulardii</i>                                     | A07FA02 | Biocodex                             |
| Enterol           | 250 mg powder for oral suspension x 6; x 10; x 20        | <i>Lyophilized Saccharomyces Boulardii</i>                                     | A07FA02 | Biocodex                             |
| Enterol FORTE     | 500 mg powder for oral suspension x 10; x 14; x 20       | <i>Lyophilized Saccharomyces Boulardii</i>                                     | A07FA02 | Biocodex                             |
| Enterol EASY      | 250 mg powder and solvent for oral suspension x 10; x 14 | <i>Saccharomyces boulardii</i>   | A07FA03 | Biocodex                             |
| Esberitox Family  | tablets x 30; x 60; x 90; x 180                          | <i>Растителен лекарствен продукт</i>   | L03AX 0 | Schaper&Brummer GmbH & Co KG         |
| Esberitox forte   | 16 mg tablets x 20; x 40; x 60                           | <i>Растителен лекарствен продукт</i>   | L03AX   | Schaper& Brummer GmbH & Co KG        |
| Escapelle         | 1,5 mg tablets   | <i>Levonorgestrel</i>  | G03AC03 | Gedeon Richter Plc.                  |
| Espumisan         | 40 mg soft capsules x 25; x 50; x 100                    | <i>Simethicone</i>   | A02DA01 | Berlin-Chemie AG Menarini Group      |
| Espumisan comfort | 100 mg/ml oral drops, emulsion -30 ml; -50 ml            | <i>Simethicone</i>   | A02DA01 | Berlin-Chemie AG Menarini Group      |
| Espumisan L       | 40 mg/ml oral drops, emulsion - 30 ml                    | <i>Simethicone</i>   | A02DA01 | Berlin-Chemie AG Menarini Group      |

|                         |   |  |          |  |
|-------------------------|---|--|----------|--|
| Essentiale forte N      | 300 mg hard capsules x 30   | <i>Phospholipids from Soya</i>   | A05BA    | САНОФИ БЪЛГАРИЯ ЕООД                               |
| Essentiale Max          | 600 mg capsules, hard x 30; x 42                                  | <i>Phospholipids from Soya</i>   | A05BA    | САНОФИ БЪЛГАРИЯ ЕООД                               |
| Essentiale Max          | 600 mg oral paste in sachets x 21; x 30                           | <i>Phospholipids from Soya</i>   | A05BA    | САНОФИ БЪЛГАРИЯ ЕООД                               |
| Euphorbium compositum   | nasal spray – 20 ml   | <i>Хомеопатичен лекарствен продукт</i>   |          | Biologische Heilmittel Heel GmbH                   |
| Euphorbium compositum S | oral drops, solution - 30ml                                       | <i>Хомеопатичен лекарствен продукт</i>   |          | Biologische Heilmittel Heel GmbH                   |
| Exoderil                | 1% cream - 15g; - 30 g  | <i>Naftifine hydrochloride</i>   | D01AE22  | Sandoz GmbH  |
| Exoderil                | 1% cutaneous solution - 10 ml; 20 ml; 30 ml                       | <i>Naftifine hydrochloride</i>   | D01AE22  | Sandoz GmbH  |
| Exoderil Maxi Lak       | 5 % medicated nail lacquer 1 x 2,5 ml; 3 ml; 5 ml                 | <i>Amorolfine hydrochloride</i>  | D01AE16  | Sandoz GmbH  |
| Exoterin                | 78,22 mg/ml medicated nail lacquer                                | <i>Terbinafine hydrochloride</i>   | D01AE05  | Sandoz d.d.  |
| Expectorans №5          | syrup - 90 ml; 120 ml   | <i>Ammonium chloride/ Potassium bromide/ Sodium benzoate/ Althaeae radix extractum fluidum</i> | R05FB    | Химакс Фарма ЕООД                                  |
| Famotidine Alkaloid     | 20 mg film-coated tablets x 20                                    | <i>Famotidine</i>  | A02BA03  | Алкалоид ЕООД                                      |
| Famotidine Sopharma     | 20 mg film tabl. x 30   | <i>Famotidine</i>  | A02BA03  | Софарма АД   |
| Famotidine Sopharma     | 40 mg film tabl. x 20; x 30                                       | <i>Famotidine</i>  | A02BA03  | Софарма АД   |
| FARINGOSEPT             | 8,75 mg compressed lozenges x 20                                  | <i>Flurbiprofen</i>  | R02AX 1  | Фортекс Нутрасютикалс ООД                          |
| Feloran                 | 1 % gel - 60g; x 120  | <i>Diclofenac</i>  | M02AA15  | Софарма АД   |
| Feloran Forte           | 50 mg/g gel - 40 g; 120 g   | <i>Diclofenac</i>  | M02AA15  | Софарма АД   |
| Feloran Plus            | 2.32% gel x 60; x 120   | <i>Diclofenac</i>  | M02AA15  | Софарма АД   |
| Femicur N               | 4 mg hard capsules x 60; x 100                                    | <i>Растителен лекарствен продукт</i>   | G02CX    | Schaper & Brummer GmbH & GlaxoSmithKline Dungarvan |
| Fenistil                | 0,1% gel - 30 g; - 50 g; - 100 g                                  | <i>Dimetindene</i>   | D04AA13  | Adriatic BST d.o.o.                                |
| Fenivir                 | 1% cream - 2g   | <i>Penciclovir</i>   | D06BB06  | Adriatic BST d.o.o.                                |
| FENODEX                 | 12,5 mg film - coated tablets x 10; x 20; x 30; x 40; x 50; x 500 | <i>Dexketoprofen</i>   | M01AE 17 | Medochemie Limited                                 |

|   |   |  |          |                                       |
|---|---|--|----------|---------------------------------------|
| FENODEX   | 25 mg film - coated tablets x 4; x 10; x 20; x 30; x 50; x 500                  | <i>Dexketoprofen</i>   | M01AE 17 | Medochemie Limited                    |
| Fenolax   | 5 mg gastro-resistant tablets x 30  | <i>Bisacodyl</i>   | A06AB02  | Майлан ЕООД                           |
| Ferro-Folgamma Neo  | 114 mg/0,8 mg gastro-resistant tablets x 20; x 50; x 100                        | <i>Ferrous sulphate</i>  | B03AD 2  | Worwag Pharma GmbH & Co. KG           |
| Ferrola   | 114 mg/0,8 mg gastro-resistant tablets x 20; x 50; x 100                        | <i>Ferrous sulphate, dried/Folic Acid</i>                      | B03AD03  | Worwag Pharma GmbH & Co. KG           |
| Ferveflu adults sugar-free  | 500 mg/25 mg/200 mg powder for oral solution x 8; x 10; x 15; x 20              | <i>Paracetamol/Ascorbic acid/Pheniramine maleate</i>           | N02BE51  | Адифарм ЕАД                           |
| FERVEX baby – по лекарско предписание при деца от 1 до 3 месеца; без лекарско предписание при възрастни и деца над 3 месеца | 150 mg/5 ml oral solution   | <i>Paracetamol</i>   | N02BE01  | UPSA SAS                              |
| Fervex children   | 150 mg suppositories x 10   | <i>Paracetamol</i>   | N02BE01  | UPSA SAS                              |
| Fervex children   | 80 mg suppositories x 10  | <i>Paracetamol</i>   | N02BE01  | UPSA SAS                              |
| Fervex children   | 300 mg suppositories x 10   | <i>Paracetamol</i>   | N02BE01  | UPSA SAS                              |
| Fervex children sugar free  | 280 mg/10 mg/100 mg/sachet granules for oral solution x 8                       | <i>Paracetamol/Pheniramine maleate/Ascorbic acid</i>           | N02BE51  | UPSA SAS                              |
| Fervex cold and flu   | 500 mg/ 4 mg film - coated tablets x 4; x 8; x 12; x 16; x 20; x 24; x 28; x 32 | <i>Chlorphenamine maleate/Paracetamol</i>                      | R05X 0   | UPSA SAS                              |
| FERVEX rapid  | 500 mg effervescent tablets x 16  | <i>Paracetamol</i>   | N02BE01  | UPSA SAS                              |
| Fervex vitamin C  | 330 mg/200 mg effervescent tablets x 20   | <i>Paracetamol/Ascorbic acid</i>                               | N02BE51  | UPSA SAS                              |
| Finalgon  | 4 mg/ 25mg/ g ointment - 20g  | <i>Nonylic acid vanillamid/Nicotinic acid butoxyethylester</i> | M02AX10  | Opella Healthcare France SAS          |
| Fitolizyn   | 3,36 g/5 g oral paste - 100 g   | <i>Растителен лекарствен продукт</i>                           | G04BX    | Zakłady Farmaceutyczne POLPHARMA S.A. |
| Flavamed Cough Tablets  | tablets 30 mg x 10; x 20; x 50  | <i>Ambroxol</i>  | R05CB06  | Berlin-Chemie AG (Menarini Group)     |
| Flavamed effervescent tablets   | 60 mg effervescent tablets x 10; x 20   | <i>Ambroxol</i>  | R05CB06  | Berlin -Chemie AG                     |

|  |  |   |         |                                    |
|--|--|---|---------|------------------------------------|
| Flavamed for children  | 15 mg/5 ml oral solution - 100 ml  | <i>Ambroxol</i>   | R05CB06 | Berlin -Chemie AG                  |
| Flavamed forte   | 30 mg/5 ml oral solution - 100 ml  | <i>Ambroxol</i>   | R05CB06 | Berlin -Chemie AG                  |
| Flebaven   | 500 mg film - coated tablets x 15; x 30; x 60; x 90; x 120; x 150; x 180 | <i>Diosmin</i>  | C05CA03 | KRKA, d.d., Novo mesto             |
| Flebaven   | 1000 mg tablets x 20; x 30; x 60; x 90; x 120                            | <i>Diosmin</i>  | C05CA03 | KRKA, d.d., Novo mesto             |
| Flenty   | 1 mg/g gel   | <i>Dimetindene</i>  | D04AA13 | Alkaloid-INT d.o.o.                |
| Flexistad Junior   | 40 mg/ml oral suspension - 100 ml  | <i>Ibuprofen</i>  | M01AE01 | Stada Arzneimittel AG              |
| Flexivert  | cream 20 g; 50 g; 100 g; 150 g   | <i>Растителен лекарствен продукт</i>                            | M02AX   | Dr. Theiss Naturwaren GmbH         |
| Fluditec   | 20 mg/ml syrup – 125 ml  | <i>Carbocisteine</i>  | R05CB03 | Laboratoire Innotech International |
| Fluditec   | 50 mg/ml syrup – 125 ml  | <i>Carbocisteine</i>  | R05CB03 | Laboratoire Innotech International |
| FLUDREX HOT DRINK  | 750 mg/10 mg/60 mg powder for oral solution x 6; x 12                    | <i>Paracetamol/Phenylephrine hydrochloride/Ascorbic acid</i>    | N02BE51 | Химакс Фарма ЕООД                  |
| FLUDREX MAX HERBAL Hot Drink                                   | 1000 mg/12,2 mg powder for oral solution in sachet x 10                  | <i>Paracetamol/Phenylephrine hydrochloride</i>                  | N02BE51 | Химакс Фарма ЕООД                  |
| FLUDREX TIMI Hot Drink for Kids                                | 300 mg/5 mg/20 mg powder for oral solution x 10                          | <i>Paracetamol/Phenylephrine hydrochloride/Ascorbic acid</i>    | N02BE51 | Химакс Фарма ЕООД                  |
| Fluimucil 100  | 100 mg granules for oral solution x 10; x 20; x 30                       | <i>Acetylcysteine</i>   | R05CB01 | Zambon S.p.A                       |
| Fluimucil 200  | 200 mg granules for oral solution x 10; x 20; x 30                       | <i>Acetylcysteine</i>   | R05CB01 | Zambon S.p.A                       |
| Fluimucil 600  | 600 mg effervescent tablets x 10; x 20; x 30                             | <i>Acetylcysteine</i>   | R05CB01 | Zambon S.p.A                       |
| FLURAPID C   | 200 mg/150 mg/25 mg/2,5 mg hard capsules x 10                            | <i>Paracetamol/Acorbic acid/Caffeine/Chlorphenamine maleate</i> | N02BE51 | Фортекс Нутрасютикалс ООД          |
| FLURAPID без лекарско предписание за възрастни и деца над 15 г | 500 mg/25 mg/200 mg powder for oral solution in sachet x 8; x 12         | <i>Paracetamol/ Pheniramine maleate /Ascorbic acid</i>          | N02BE51 | Фортекс Нутрасютикалс ООД          |

|  |   |  |          |                             |
|--|---|--|----------|-----------------------------|
| FLURBIMED MINT при възрастни и деца над 12 г | 8,75 mg compressed lozenges x 20  | <i>Flurbiprofen</i>  | R02AX01  | Химакс Фарма ЕООД           |
| Flurbiprofen Orange Sandoz                   | 8,75 mg lozenges x 8; x 10; x 16; x 24  | <i>Flurbiprofen</i>  | R02AX01  | Sandoz d.d.                 |
| Freshalgin                                   | 500 mg tablets x 10; x 20   | <i>Metamizole sodium</i>   | N02BB03  | Адифарм ЕАД                 |
| Freshalgin                                   | 500 mg effervescent powder x 20   | <i>Metamizole sodium</i>   | N02BB02  | Адифарм ЕАД                 |
| Freshalgin                                   | 1000 mg effervescent powder x 20  | <i>Metamizole sodium</i>   | N02BB02  | Адифарм ЕАД                 |
| Fuchsini Galen-Pharma                        | 1% cutaneous solution - 50 ml   | <i>Fuchsini</i>  | D08A     | Гален Фарма ООД             |
| FUNGITER                                     | 1 % cream x 15 g  | <i>Terbinafine</i>   | D01AE 15 | Фортекс Нутрасютикалс ООД   |
| FUNGITER                                     | 5 % medicated nail lacquer x 2,5 ml   | <i>Amorolfine</i>  | D01AE 16 | Фортекс Нутрасютикалс ООД   |
| Fungofin                                     | 20 mg gastro-resistant hard capsules x 7; x 14                                    | <i>Omeprazole</i>  | D01BA02  | Нобел Фарма ООД             |
| Fungofin                                     | 1% cream - 15 g   | <i>Terbinafine</i>   | D01AE15  | Нобел Фарма ООД             |
| Fungofin                                     | 1% cutaneous spray, solution - 30 ml  | <i>Terbinafine</i>   | D01AE15  | Нобел Фарма ООД             |
| FURAPID MAX cold and cough                   | 1000 mg/200 mg/12,2 mg powder for oral solution in sachet x 8                     | <i>Guaiifenesin/Phenylephrine hydrochloride/Paraceramol</i>          | N02BE 51 | Фортекс Нутрасютикалс ООД   |
| Gastritol                                    | oral liquid x 20 ml; x 50 ml; x 100 ml  | <i>Растителен лекарствен продукт</i>                                 | A09A     | Dr. Gustav Klein GmbH&Co.KG |
| Gastrobene Double Action                     | 500 mg/325 mg/213 mg/10 ml oral suspension - 1 x 200 ml                           | <i>Calcium carbonate/Sodium hydrogen carbonate/Sodium alginate</i>   | A02BX    | ДАНСОН-БГ ООД               |
| Gastrocid                                    | 20 mg gastro-resistant capsules, blisters x 7; x 14; x 15; bottles x 7; x 14      | <i>Omeprazole</i>  | A02BC01  | Teva B.V.                   |
| Gastrocid Eso                                | 20 mg gastro-resistant tablets, blisters x 7; x 14                                | <i>Esomeprazole</i>  | A02BC01  | Actavis Group PTC ehf.      |
| Gastrocynesine                               | tablets x 60  | <i>Хомеопатичен лекарствен продукт</i>                               |          | Voiron                      |
| Gastroprotect                                | 10 mg/165 mg/800 mg chewable tablets 6 x 1; x 2; x 3; x 4; 12 x 1; x 2            | <i>Famotidine</i>  | A02BA53  | Адифарм ЕАД                 |
| Gastroprotect Raft                           | 500 mg/267 mg/160 mg/10 ml oral suspension - 10 ml x 10; x 20; бутилки 150 ml x 1 | <i>Sodium alginate/ Sodium hydrogen carbonate/ Calcium carbonate</i> | A02BX13  | Адифарм ЕАД                 |

|   |   |  |         |  |
|---|---|--|---------|--|
| GATTART   | 680 mg/80 mg chewable tablets x 16; x 24; x 48; x 96  | <i>Calcium carbonate/Magnesium carbonate, heavy</i>                  | A02AD01 | Alkaloid-INT d.o.o                     |
| Gaviscon Liquid Sachets                             | 500 mg /10 ml +267 mg /10 ml + 160 mg/10ml oral suspension x 2; x 4; x 6; x 8; x 10; x 12; x 14; x 16; x 18; x 20; x 22; x 24; x 26; x 28; x 30; x 32; x 36 | <i>Calcium carbonate/ Sodium alginate/ Sodium hydrogen carbonate</i> | A02BX13 | Reckitt Benckiser Healthcare (UK) Ltd. |
| Gaviscon Cool Mint Liquid                           | 500 mg /10 ml +267 mg /10 ml + 160 mg/10 ml oral suspension - 100 ml; - 150 ml; - 200 ml; - 300 ml; - 500 ml; - 600 ml                                      | <i>Calcium carbonate/ Sodium alginate/ Sodium hydrogen carbonate</i> | A02BX13 | Reckitt Benckiser Healthcare (UK) Ltd. |
| Gaviscon Double Action Liquid mixed berries         | 500 mg /213 mg/325 mg oral suspension   | <i>Calcium carbonate/ Sodium alginate/ Sodium hydrogen carbonate</i> | A02BX13 | Reckitt Benckiser (Romania) S.R.L.     |
| Gaviscon Double Action Liquid raspberry             | 500 mg /213 mg/325 mg oral suspension   | <i>Calcium carbonate/ Sodium alginate/ Sodium hydrogen carbonate</i> | A02BX13 | Reckitt Benckiser (Romania) S.R.L.     |
| Gaviscon Double Action Liquid Sachets mixed berries | 500 mg /213 mg/325 mg oral suspension in sachet   | <i>Calcium carbonate/ Sodium alginate/ Sodium hydrogen carbonate</i> | A02BX13 | Reckitt Benckiser (Romania) S.R.L.     |
| Gaviscon Double Action Liquid Sachets raspberry     | 500 mg /213 mg/325 mg oral suspension in sachet   | <i>Calcium carbonate/ Sodium alginate/ Sodium hydrogen carbonate</i> | A02BX13 | Reckitt Benckiser (Romania) S.R.L.     |
| Gaviscon Double Action mixed berries                | 250 mg/106,5 mg/187,5 mg chewable tablets   | <i>Calcium carbonate/ Sodium alginate/ Sodium hydrogen carbonate</i> | A02BX13 | Reckitt Benckiser Healthcare (UK) Ltd. |
| Gaviscon Double Action raspberry                    | 250 mg/106,5 mg/187,5 mg chewable tablets   | <i>Calcium carbonate/ Sodium alginate/ Sodium hydrogen carbonate</i> | A02BX13 | Reckitt Benckiser Healthcare (UK) Ltd. |
| Gaviscon Peppermint Tablets                         | 250 mg /133,5 mg /80 mg chewable tablets  | <i>Calcium carbonate/ Sodium alginate/ Sodium hydrogen carbonate</i> | A02BX13 | Reckitt Benckiser Healthcare (UK) Ltd. |
| Gaviscon Strawberry Tablets                         | 250 mg/133,5 mg/80 mg chewable tablets  | <i>Calcium carbonate/ Sodium alginate/ Sodium hydrogen carbonate</i> | A02BX13 | Reckitt Benckiser Healthcare (UK) Ltd. |
| Glicerax Pico                                       | 7,5 mg/ml oral drops, solution - 15ml   | <i>Sodium picosulphate</i>   | A06AB 8 | Софарма АД                             |

|   |  |   |          |                                  |
|---|--|---|----------|----------------------------------|
| Glimbax   | 0,074% mouth wash - 200 ml   | <i>Diclofenac</i>   | A01AD11  | Анджелини Фарма България<br>ЕООД |
| Glimbax   | 1.48 % oromucosal spray, solution - 15 ml                                  | <i>Diclofenac</i>   | A01AD11  | Анджелини Фарма България<br>ЕООД |
| GRANU FINK Femina   | 227,3 mg/56 mg/18 mg hard capsules x 30; x 60; x 120                       | <i>Растителен лекарствен продукт</i>  | G04      | Adriatic BST d.o.o.,             |
| GRANU FINK Prosta   | 400 mg/340 mg/75 mg hard capsules x 30; x 60; x 120; x 150; x 200          | <i>Растителен лекарствен продукт</i>  | G04      | Adriatic BST d.o.o.,             |
| Gripex  | 325 mg/30 mg/10 mg film-coated tablets x 12; x 24                          | <i>Dextromethorphan Hydrobromide/<br/>Paracetamol/Pseudoephedrine<br/>hydrochloride</i> | N02BE51  | US Pharmacia Sp.z.o.o.           |
| Gripex Duo  | 500 mg + 6,1 mg film-coated tablets  | <i>Paracetamol/Phenylephrine hydrochloride</i>  | N02BE51  | US Pharmacia Sp. z o.o.          |
| Gripex Hot for Kids   | 300 mg/5 mg/20 mg powder for oral solution x 6; x 10; x 12                 | <i>Paracetamol/Phenylephrine hydrochloride/<br/>Ascorbic acid</i>                       | N02BE51  | US Pharmacia Sp.z.o.o.           |
| Gripex Hot Max  | 1000 mg/100 mg/12,2 mg powder for oral solution - 5 g x 5; x 8; x 10; x 12 | <i>Paracetamol/Ascorbic acid/ Phenylephrine hydrochloride</i>                           | N02BE51  | US Pharmacia Sp.z.o.o.           |
| Gripex Hot Sinus  | powder for oral solution x 6; x 8; x 12                                    | <i>Chlorphenamine maleate/Dextromethorphan Hydrobromide/Paracetamol/</i>                | N02BE51  | US Pharmacia Sp. z o.o.          |
| Gripex HotActive  | 650 mg/50 mg/10 mg powder for oral solution 4 g x 5; x 7; x 8, x 10; x 12  | <i>Paracetamol/Ascorbic acid/ Phenylephrine hydrochloride</i>                           | N02BE51  | US Pharmacia Sp.z.o.o.           |
| Gripex Max без лекарско предписание за възрастни и деца над 12 години | 500 mg/30 mg/15 mg film-coated tablest x 6; x 10; x 12                     | <i>Paracetamol/ Guafifenesin/ Phenylephrine hydrochloride</i>                           | N02BE51  | US Pharmacia Sp.z.o.o.           |
| Gripofen  | hard capsules x 10   | <i>Ascorbic acid/ Caffeine/ Chlorphenamine maleate /Paracetamol</i>                     | N02BE51  | Софарма АД                       |
| Gripp-Heel  | tablets x 50   | <i>Хомеопатичен лекарствен продукт</i>  |          | Biologische Heilmittel Heel GmbH |
| Grippostad Ambro  | 30 mg tablets x 20; x 50; x 100  | <i>Ambroxol</i>   | R05CB06  | Aliud Pharma GmbH & Co.KG        |
| Grippostad Complex  | 500 mg/30 mg granules for oral suspension x 10; x 20                       | <i>Acetylsalicylic acid/ Pseudoephedrine hydrochloride</i>                              | N02BA 51 | STADA Arzneimittel AG            |

|                          |   |  |         |                                  |
|--------------------------|---|--|---------|----------------------------------|
| GUNA- FGF 4C             | oral drops, solution x 30 ml                          | <i>Хомеопатичен лекарствен продукт</i> |         | GUNA S.p.a.                      |
| GUNA- PDGF, 4CH          | oral drops, solution x 30 ml                          | <i>Хомеопатичен лекарствен продукт</i> |         | GUNA S.p.a.                      |
| GUNA- EGF, 10CH          | oral drops, solution x 30 ml                          | <i>Хомеопатичен лекарствен продукт</i> |         | GUNA S.p.a.                      |
| GUNA-ANTI IL1 4C         | oral drops, solution x 30 ml                          | <i>Хомеопатичен лекарствен продукт</i> |         | GUNA S.p.a.                      |
| GUNA-INTERFERON GAMMA    | oral drops, solution x 30 ml                          | <i>Хомеопатичен лекарствен продукт</i> |         | GUNA S.p.a.                      |
| GUNA-INTERLEUKIN 10, 4CH | oral drops, solution x 30 ml                          | <i>Хомеопатичен лекарствен продукт</i> |         | GUNA S.p.a.                      |
| GUNA-INTERLEUKIN 12      | oral drops, solution x 30 ml                          | <i>Хомеопатичен лекарствен продукт</i> |         | GUNA S.p.a.                      |
| GUNA-INTERLEUKIN 4, 4CH  | oral drops, solution x 30 ml                          | <i>Хомеопатичен лекарствен продукт</i> |         | GUNA S.p.a.                      |
| Hedelix                  | 0,8 g/100 ml syrup - 100 ml                           | <i>Растителен лекарствен продукт</i>   | R05CA12 | Krewel Meuselbach GmbH           |
| Hedelix                  | 0,04 g/ml oral drops, solution - 50 ml                | <i>Растителен лекарствен продукт</i>   | R05CA12 | Krewel Meuselbach GmbH           |
| Hedespan                 | 7 mg/ml syrup - 100 ml                                | <i>Растителен лекарствен продукт</i>   | R05CA 0 | ДАНСОН-БГ ООД                    |
| Helicid                  | 20 mg gastro-resistant hard capsules x 14; x 28; x 90 | <i>Omeprazole</i>                      | A02BC01 | Zentiva k.s.                     |
| Helicid Rapid            | 20 mg capsules, hard                                  | <i>Omeprazole</i>                      | A02BC 1 | Zentiva k.s.                     |
| Helituspan               | 7 mg/ml syrup x 120 ml                                | <i>Растителен лекарствен продукт</i>   | R05CA12 | Софарма АД                       |
| Heparin 1000 DS          | 1000 IU/g gel - 50 g                                  | <i>Heparin</i>                         | C05BA03 | ДАНСОН-БГ ООД                    |
| Heparin PLUS DS          | 1000 IU + 20 mg + 100 mg + 1 mg/g gel - 50 g          | <i>Heparin</i>                         | C05BA03 | ДАНСОН-БГ ООД                    |
| Heparoid Zentiva         | 100 IU/mg ointment - 30g                              | <i>Heparinoid</i>                      | C05BA01 | Санофи България ЕООД             |
| Hepeel N                 | tablets x 50  | <i>Хомеопатичен лекарствен продукт</i> |         | Biologische Heilmittel Heel GmbH |
| Herbion iceland moss     | 6 mg/ml syrup x 150 ml                                | <i>Растителен лекарствен продукт</i>   | R05D    | KRKA, d.d. Novo Mesto            |

|   |  |  |          |                                  |
|---|--|--|----------|----------------------------------|
| Herbion Ivy   | 7 mg/ml syrup 150 ml x 1                             | <i>Растителен лекарствен продукт</i>                       |          | KRKA, d.d. Novo Mesto            |
| Herbion Ivy   | lozengez x 8; x 16; x 24; x 32; x 40                 | <i>Растителен лекарствен продукт</i>                       | R05CA 12 | KRKA, d.d. Novo Mesto            |
| HERPEX  | 50 mg/g cream x 10 g                                 | <i>Aciclovir</i>   | D06BB03  | Фортекс Нутрасютикалс ООД        |
| Hexalgin  | sol. 500 mg/ml – 20 ml; - 50 ml; - 100 ml            | <i>Metamizole sodium</i>                                   | N02BB02  | HEXAL AG                         |
| HEXORAL без лекарско предписание за възрастни и деца над 6 г. | 0,1 g/100 ml oromucosal solution                     | <i>Hexetidin</i>   | A01AB12  | McNeil Products Limited          |
| Hexoraletten N  | 5 mg/1,5 mg lozenges x 20                            | <i>Benzocaine/ Chlorhexidine hydrochloride</i>             | A02AA05  | McNeil Products Limited          |
| Hidrasec  | caps. 100 mg x 10; x 20                              | <i>Racecadotril</i>  | A07XA04  | BIOPROJET PHARMA                 |
| Hidroferol  | 0,2 mg soft capsules x 5; x 10                       | <i>Calcitriol</i>  | A11CC06  | FAES FARMA S.A.                  |
| Histalor  | 5 mg/5 ml syr. 120 ml                                | <i>Loratadine</i>  | R06AX13  | Софарма АД                       |
| Homeogene 9   | tablets x 60   | <i>Хомеопатичен лекарствен продукт</i>                     | R0       | Boiron                           |
| Homeoplasmine   | oint. - 40g  | <i>Хомеопатичен лекарствен продукт</i>                     | D08AD00  | Boiron                           |
| Homeoptic   | 0,4 ml eye drops, solution x 10; x 20; x 30          | <i>Хомеопатичен лекарствен продукт</i>                     |          | Boiron                           |
| Homeovox  | coated tablets x 60                                  | <i>Хомеопатичен лекарствен продукт</i>                     |          | Boiron                           |
| Hormeel SN  | drops - 30ml   | <i>Хомеопатичен лекарствен продукт</i>                     |          | Biologische Heilmittel Heel GmbH |
| Hotemin   | cream 0,5g - 50 g                                    | <i>Piroxicam</i>   | M02AA07  | Egis Pharmaceuticals             |
| Humexgrip   | 500 mg/60 mg tablets x 12 + 500 mg/4 mg capsules x 4 | <i>Paracetamol/Chlorphenamine maleate/ Pseudoephedrine</i> | N02BE51  | Laboratoires Uργο                |
| Hustagil Thyme Cough Syrup                                    | syr. - 150ml   | <i>Растителен лекарствен продукт</i>                       | R05CA    | Dentinox Gesellschaft            |
| Husteel   | oral drops, solution - 30ml                          | <i>Хомеопатичен лекарствен продукт</i>                     | R 0      | Biologische Heilmittel Heel GmbH |
| Hydrogen peroxide Chemax Pharma 3%                            | 3% cutaneous solution - 100 ml; -1000 ml             | <i>Hydrogen peroxide</i>                                   | D08AX01  | Химакс Фарма ЕООД                |
| Hydrogen Peroxide Galen Pharma                                | 3% cutaneous solution - 100ml; - 1000 ml             | <i>Hydrogen peroxide</i>                                   | D08AX01  | Гален Фарма ООД                  |

|                           |  |                                      |          |                              |
|---------------------------|--|--------------------------------------|----------|------------------------------|
| Hydrogen peroxide Kupro   | 3% cutaneous solution - 100 ml; 1000 ml                                | <i>Hydrogen peroxide</i>             | D08AX01  | Купро 94 ООД                 |
| Hydrogen peroxide-Flo     | 3% cutaneous solution - 100 ml; -1000 ml                               | <i>Hydrogen peroxide</i>             | D08AX01  | Флора-02 ЕООД                |
| Hydrogenii Peroxidatum VT | 3% cutaneous solution - 100 ml; - 1000 ml                              | <i>Hydrogen peroxide</i>             | D08AX01  | ВЕТА ФАРМА                   |
| HYGIA                     | 1% shampoo - 120 g   | <i>Permethrin</i>                    | P03AC04  | Софарма АД                   |
| IBALGIN FAST              | 400 mg film - coated tablets 6 x 1; x 2                                | <i>Ibuprofen</i>                     | M01AE01  | Opella Healthcare France SAS |
| Ibalgin Rapid             | 400 mg capsules, soft x 12; x 24                                       | <i>Ibuprofen</i>                     | M01AE01  | Zentiva k.s                  |
| Iberogast                 | oral drops, solution - 20 ml.; - 50 ml; - 100 ml                       | <i>Растителен лекарствен продукт</i> | A03AX    | Байер България ЕООД          |
| Iberogast Balance         | oral drops, liquid   | <i>Растителен лекарствен продукт</i> | A03AX    | Байер България ЕООД          |
| Ibudolor Duo              | 50 mg/g + 30 mg/g gel x 40 g; x 60 g                                   | <i>Ibuprofen</i>                     | M02AA13  | Тева Фарма ЕАД               |
| Ibupast Forte             | 400 mg granules for oral solution in sachet x 20                       | <i>Ibuprofen</i>                     | M01AE01  | Грийнфилд Фарма ЕООД         |
| Ibuflex                   | 5 % gel  | <i>Ibuprofen</i>                     | M02AA 13 | ДАНСОН-БГ ООД                |
| Ibuflex Duo               | 50 mg/g + 30 mg/g gel  | <i>Ibuprofen/Levomenthol</i>         | M01AE 51 | ДАНСОН-БГ ООД                |
| Ibulek                    | 400 mg powder for oral solution x 6; x 8; x 10; x 20; x 30; x 40; x 50 | <i>Ibuprofen</i>                     | M01AE01  | Адифарм ЕАД                  |
| Ibulek                    | 600 mg powder for oral solution x 6; x 8; x 10; x 20; x 30; x 40; x 50 | <i>Ibuprofen</i>                     | M01AE01  | Адифарм ЕАД                  |
| Ibulek                    | 200 mg powder for oral solution in sachet x 10                         | <i>Ibuprofen</i>                     | M01AE01  | Адифарм ЕАД                  |
| Ibulek Children           | 100 mg/5ml oral suspension x 120 ml                                    | <i>Ibuprofen</i>                     | M01AE01  | Адифарм ЕАД                  |
| IbuMenthol                | 50mg/g + 30mg/g gel x 30 g; x 40 g; x 45 g                             | <i>Ibuprofen/Levomenthol</i>         | M02AA13  | Антибиотик - Разград АД      |
| Ibuprofen Nutra Essential | 20 mg/ml oral suspension   | <i>Ibuprofen</i>                     | M01AE01  | NUTRA ESSENTIAL OTC S.L.     |
| Ibuprofen Pharma          | 400 mg film-coated tablets x 20  | <i>Ibuprofen</i>                     | M01AE01  | ФАРМА АД България            |
| Ibuprofen Polfa           | 200 mg film-coated tablets x 20; x 100                                 | <i>Ibuprofen</i>                     | M01AE01  | Adamed Pharma S.A.           |

|                          |  |   |          |                                     |
|--------------------------|--|---|----------|-------------------------------------|
| Ibuprofen Stada StopCold | 400 mg/ 10 mg film - coated tablets x 10; x 12; x 16; x 20; x 24 | <i>Ibuprofen/Phenylephrine</i>                        | M01AE 51 | Stada Arzneimittel AG               |
| Ibuprom                  | 100 mg/5 ml oral suspension-100 ml x 1; 150 ml x 1; 200 ml x 1   | <i>Ibuprofen</i>                                      | M01AE01  | US Pharmacia International Inc.     |
| IBUPROM COLD & FLU       | 200 mg/6,1 mg coated tablets x 6; x 12; x 16; x 24               | <i>Ibuprofen/Phenylephrine</i>                        | M01AE 51 | US Pharmacia Sp. Z.o.o              |
| IBUPROM FOR KIDS         | 200 mg film-coated tablets x 2; x 6; x 10; x 50                  | <i>Ibuprofen</i>                                      | M01AE01  | US Pharmacia Sp. Z.o.o.             |
| Ibuprom Forte            | 400 mg film - coated tablets                                     | <i>Ibuprofen</i>                                      | M01AE01  | US Pharmacia Sp.z.o.o.              |
| Ibuprom Max              | 400 mg film-coated tablets x 6; x 12; x 24                       | <i>Ibuprofen</i>                                      | M01AE 1  | US Pharmacia Sp.z.o.o.              |
| Ibuprom Optima           | 200 mg/5 ml oral suspension                                      | <i>Ibuprofen</i>                                      | M01AE 0  | US Pharmacia Sp.z.o.o.              |
| Ibuprom Regular          | 200 mg film-coated tablets                                       | <i>Ibuprofen</i>                                      | M01AE01  | US Pharmacia Sp.z.o.o.              |
| Ibuprom Sinus            | 200 mg/30 mg film-coated tablets x 2; x 6; x 12; x 24            | <i>Ibuprofen/Pseudoephedrine</i>                      | M01AE51  | US Pharmacia Sp.z.o.o.              |
| Ibuprom Sprint Caps      | 200 mg capsules, soft x 6; x 10; x 12; x 24; x 30                | <i>Ibuprofen</i>                                      | M01AE01  | US Pharmacia Sp.z.o.o.              |
| Ibuprom Sprint MAX       | 400 mg capsules, soft x 6; x 10; x 20                            | <i>Ibuprofen</i>                                      | M01AE01  | US Pharmacia Sp.z.o.o.              |
| Iburapid                 | 400 mg film-coated tablets x 10; x 20                            | <i>Ibuprofen</i>                                      | M01AE01  | Химакс Фарма ЕООД                   |
| Iburapid Kids            | 100 mg/5ml oral suspension x 100 ml; x 150 ml                    | <i>Ibuprofen</i>                                      | M01AE 1  | Химакс Фарма ЕООД                   |
| Ibusen Sinus Max         | 400 mg/60 mg film - coated tablets                               | <i>Ibuprofen/Pseudoephedrine hydrochloride</i>        | M01AE51  | Spark and Mortar Sp.o.o             |
| Ibutop                   | 50 mg/g cream - 50 g; -100 g                                     | <i>Ibuprofen</i>                                      | M02AA13  | Dolorgiet GmbH & Co.KG              |
| Ibutop                   | 50 mg/g gel - 50g  | <i>Ibuprofen</i>                                      | M02AA13  | Dolorgiet GmbH & Co.KG              |
| Ichthammol Galen-Pharma  | 10% ointment - 15g; 30g  | <i>Ichthammol</i>                                     | D08AX    | Гален Фарма ООД                     |
| Ideos                    | 500 mg/400 IU chew. tabl x 30; x 60                              | <i>Calcium carbonate/Cholecalciferol (Vitamin D3)</i> | A12AA00  | Laboratoires Innotech International |



|                          |  |  |          |                                  |
|--------------------------|--|--|----------|----------------------------------|
| Jixavyz                  | 1000000000/10000000000 CFU/dose capsules, hard x 7; x 14; x 28   | <i>Lactobacillus acidophilus LA-5</i><br><i>Bifidobacterium animalis subsp. lactis BB-12</i> | A07FA01  | Sandoz d.d.                      |
| Jodaderm VT              | 10% cutaneous solution x 100 ml; x 1000 ml                       | <i>Povidone-iodine</i>   | D08AG0   | ВЕТА ФАРМА" АД"                  |
| Jodasept                 | 10 % ointment - 90g  | <i>Povidone-iodine</i>   | D08AG02  | Тева Фарма ЕАД                   |
| Jodasept Kupro           | 10% ointment - x 20 g; x 40 g; x 50 g; x 90 g; x 100 g           | <i>Povidone-iodine</i>   | D08AG02  | Купро 94 ООД                     |
| Jodasept Kupro           | 10% (w/w) cutaneous solution - 100 ml, 1000 ml                   | <i>Povidone-iodine</i>   | D08AG02  | Купро 94" ООД"                   |
| Kalii Iodidum Ramcopharm | 65 mg tabl. x 10   | <i>Potassium iodide</i>  | V03AB21  | Рамкофарм ООД                    |
| Kapel Hot                | 650 mg/10 mg/20 mg powder for oral solution x 10                 | <i>Paracetamol/Pheniramine maleate/Phenylephrine hydrochloride</i>                           | N02BE 51 | Ворлд Медисине Европа ЕООД       |
| Kaslirol                 | 250 mg/5 ml syrup  | <i>Carbocisteine</i>   | R05CB03  | Ворлд Медисине Европа ЕООД       |
| Ketalgo                  | 25 mg film-coated tablets  | <i>Ketoprofen</i>  | M01AE03  | Химакс Фарма ЕООД                |
| Ketoderm                 | 20 mg/g shampoo x 60 ml; x 100 ml; x 120 ml                      | <i>Ketoconazole</i>  | D01AC08  | S.C. SLAVIA PHARM S.R.L.         |
| Ketonal                  | 50 mg capsules, hard x 10; x 20                                  | <i>Ketoprofen</i>  | M01AE03  | Lek Pharmaceuticals d.d.,        |
| Ketonal Intensive        | 50 mg granules for oral solution in sachets x 6; x 8; x 10; x 12 | <i>Ketoprofen</i>  | M01AE03  | Sandoz d.d.                      |
| Ketoprofen ABR           | 50 mg powder for oral solution in sachets                        | <i>Ketoprofen</i>  | M01AE03  | Антибиотик - Разград АД          |
| Ketoprofen Dompe         | 50 mg coated granules in sachet                                  | <i>Ketoprofen</i>  | M01AE03  | Dompe farmaceutici S.p.A.        |
| KETORAPID                | 50 mg granules for oral solution in sachet x 6; x 12             | <i>Ketoprofen</i>  | M01AE    | Химакс Фарма                     |
| Ketozal                  | 2% shamp. - 60 ml; - 80 ml                                       | <i>Ketoconazole</i>  | D01AC08  | Химакс Фарма ЕООД                |
| Ketozyn                  | 25 mg granules for oral solution in sachets x 15                 | <i>Ketoprofen</i>  | M01AE03  | БЮТИ СИСТЕМ ФАРМА ООД            |
| Klimadynon               | 2,8 mg film-coated tablets x 60; x 90                            | <i>Растителен лекарствен продукт</i>   | G02CX00  | Bionorica AG                     |
| Klimakt-Heel             | tablets x 50   | <i>Хомеопатичен лекарствен продукт</i>   | G 0      | Biologische Heilmittel Heel GmbH |

|  |   |                                      |          |                                   |
|--|---|--------------------------------------|----------|-----------------------------------|
| Ksivozan без лекарско предписание за възрастни и деца над 6 години   | 5 mg film-coated tablets x 10; x 20; x 30   | <i>Levocetirizine</i>                | R06AE09  | АДИФАРМ ЕАД                       |
| L- Cetiricon   | 5 mg film-coated tablets x 7; x 20  | <i>Levocetirizine</i>                | R06AE09  | ФАРМАКОНС АД                      |
| Lactulax   | 670 mg/ml oral solution x 100 ml; x 200 ml; x 250 ml, x 300 ml; x 500 ml, 1000 ml; sachets 15 ml x 10 | <i>Lactulose</i>                     | A06AD 11 | Булгермед ВЕ ООД                  |
| Lactulose - MIP  | 65 g/100 ml syrup – 100 ml; 200 ml; 500 ml; 1000 ml   | <i>Lactulose</i>                     | A06AD01  | MIP Pharma GmbH                   |
| Lactulose AL Sirup   | 66,7 g/100 ml syr. – 200 ml; - 500 ml; - 1000 ml  | <i>Lactulose</i>                     | A06AD11  | Stada Arzneimittel AG             |
| Lactus за показание: профилактика и лечение на портално-системно обусловена енцефалопатия- по лекарско предписание | 66,7 g/100 ml syrup – 200 ml; - 500 ml; - 1000 ml   | <i>Lactulose</i>                     | A06AD 11 | Stada Arzneimittel AG             |
| Ladiva   | capsules x 8; x 16  | <i>Растителен лекарствен продукт</i> | G02CX    | Medis GmbH Австрия                |
| Lamisil  | 1% cream 15g ; 30 g   | <i>Terbinafine</i>                   | D01AE15  | GlaxoSmithKline Dungarvan Limited |
| Lamisil  | 1% cutaneous spray, solution- 15 ml, 30 ml  | <i>Terbinafine</i>                   | D01AE15  | GlaxoSmithKline Dungarvan Limited |
| Lamisil DermGel  | 1% gel - 15 mg  | <i>Terbinafine</i>                   | D01AE15  | GlaxoSmithKline Dungarvan Limited |
| Laxx   | 7,5 mg/ml oral drops, solution  | <i>Sodium picosulphate</i>           | A06AB08  | ДАНСОН-БГ ООД                     |
| LAXXACODYL   | 5 mg gastro-resistant tablets   | <i>Bisacodyl</i>                     | A06AB 2  | ДАНСОН-БГ ООД                     |
| Lecrolyn sine  | 40 mg/ml eye drops, solution - 1 x 5 ml; 2 x 5 ml; 3 x 5 ml; 1 x 10 ml                                | <i>Sodium cromoglicate</i>           | S01GX01  | Santen OY                         |
| Legalon  | 140 mg capsules x 20; x 30; x 60; x 100; x 180  | <i>Растителен лекарствен продукт</i> | A05BA03  | Майлан ЕООД                       |
| Lekadol Complex  | 200 mg/ 500 mg film-coated tablets x 10; x 16   | <i>Paracetamol/Ibuprofen</i>         | M01AE 51 | Sandoz d.d.                       |
| Levaxan  | 80 mg soft capsules x 14; x 28; x 42; x 56; 84  | <i>Растителен лекарствен продукт</i> | N05BX05  | Dr. Willmar Schwabe GmbH & Co.KG  |

|                            |   |   |         |   |
|----------------------------|---|---|---------|---|
| Liberizin                  | 1,5 mg tablets  | <i>Pastimelen</i> лекарствен продукт              | N07BA04 | Aflofarm Farmacja Polska Sp zoo   |
| Libexin                    | tabl.100 mg x 20  | <i>Prenoxidiazine</i>                             | R05DB18 | Санофи-Авентис България ЕООД  |
| Linola Fett                | 0,815g/100 g cream x 50g  | <i>Unsaturated fatty acids</i>                    | D02A00  | Dr. August Wolff GmbH & Co.<br>Arzneimittel                               |
| Linola Fett Olbad          | bath additive 200 ml; 400 ml  | <i>Paraffin, liquid</i>                           | D02AX   | Dr. August Wolff GmbH & Co.<br>Arzneimittel                               |
| Lioton 1000 Gel            | gel 1000 IU/g - 30 g; - 50 g; 100 g   | <i>Heparin</i>                                    | C05BA01 | A.MENARINI Industrie<br>Farmaceutiche Riunite s.r.l.,<br>(Menarini Group) |
| Lomexin                    | cream 2% - 30g  | <i>Fenticonazole</i>                              | D01AC12 | RECORDATI Industria Chimicae<br>Pharmaceutica S.p.A                       |
| Lopedium                   | 2 mg caps. x 10   | <i>Loperamide</i>                                 | A07DA03 | HEXAL AG  |
| Loperamide Ecopharm        | 2 mg tablets x 10   | <i>Loperamide</i>                                 | A07DA 3 | Екофарм Груп АД   |
| Loperamide Grindeks        | 2 mg hard capsules  | <i>Loperamide</i>                                 | A07DA03 | AS Grindeks   |
| Lorano                     | 10 mg tabl. x 7; x 14   | <i>Loratadine</i>                                 | R06AX13 | HEXAL AG  |
| Loratadin Sopharma         | 10 mg tablets x 10; x 30  | <i>Loratadine</i>                                 | R06AX13 | Софарма АД  |
| Lymphomyosot               | oral drops, solution – 30 ml  | <i>Хомеопатичен лекарствен продукт</i>            |         | Biologische Heilmittel Heel GmbH  |
| Lymphomyosot               | tablets x 50  | <i>Хомеопатичен лекарствен продукт</i>            |         | Biologische Heilmittel Heel GmbH  |
| Magne B6                   | 470 mg/5 mg coated tablets x 50   | <i>Magnesium lactate/Pyridoxine hydrochloride</i> | A12CC00 | Санофи-Авентис България ЕООД<br>България                                  |
| Magnerich                  | 500 mg tablets x 30; x 60   | <i>Magnesium aspartate</i>                        | A12CC05 | Тева Фарма ЕАД  |
| Magnesium Diasporal        | 400 mg powder for oral solution x 20, x 50, x 100, multipack 200 (10 x 20; 4 x 50; 2 x 100) | <i>Magnesium citrate</i>                          | A12CC04 | Protina Pharmazeutische GmbH  |
| Magnesium Diasporal 300    | granules for oral solution - x 20   | <i>Magnesium citrate</i>                          | A12CC04 | Protina Pharmazeutische GmbH  |
| Magnesium Diasporal Direct | 400 mg granules x 20; x 50; x 100; x 200  | <i>Magnesium</i>                                  | A12CC30 | Protina Pharmazeutische GmbH  |

|   |  |  |          |                                       |
|---|--|--|----------|---------------------------------------|
| Magnesium sulphate Toni-M                                     | powder for oral solution - 30g   | <i>Magnesium sulfate heptahydrate</i>                            | A06AD04  | Тони-М ООД                            |
| Mastodynon  | tablets x 60; x 120; x 240   | <i>Хомеопатичен лекарствен продукт</i>                           |          | Bionorica SA                          |
| Mastodynon  | oral drops, solution -100 ml   | <i>Хомеопатичен лекарствен продукт</i>                           |          | Bionorica SA                          |
| Maurers Krautergarten Original Schwedenbitter aus 32 krautern | solution - 100 ml; 250 ml; 500 ml  | <i>Растителен лекарствен продукт</i>                             | A13A00   | Унифарм АД                            |
| Medulac-WM  | 667 mg/ml syrup  | <i>Lactulose</i>   | A06AD11  | ВОРЛД МЕДИСИНЕ ЕВРОПА ЕООД            |
| Melkidos  | 750 micrograms tablets, blister x 2  | <i>Levonorgestrel</i>  | G03AD01  | Laboratorios Leon Farma SA            |
| Memoplant   | 40 mg film-coated tablets x 20; x 50; x 100                                  | <i>Растителен лекарствен продукт</i>                             | N06BX19  | Dr. Willmar Schwabe Arzneimittel GmbH |
| Menthol Galen Pharma  | 2% ointment – 100 g  | <i>Levomenthol</i>   | R01AX    | Гален Фарма ООД                       |
| Metafen Max   | 200 mg/ 500 mg film-coated tablets blisters: x 10; x 20; Bottle x 30 tablets | <i>Ibuprofen/ Paracetamol</i>                                    | M01AE 51 | Zaklady Farmaceutyczne POLPHARMA S.A. |
| Metigast  | 140 mg soft capsules   | <i>Simethicone</i>   | A03AX 13 | Ворлд Медисине Европа ЕООД            |
| Metigast  | 40 mg/ml oral drops, emulsion - 1 x 30 ml                                    | <i>Silicones</i>   | A03AX 13 | Ворлд Медисине Европа ЕООД            |
| Metigast  | 100 mg/ml oral drops, emulsion   | <i>Silicones</i>   | A03AX 13 | Ворлд Медисине Европа ЕООД            |
| Mezym Forte   | 10 000 Eur. Ph. U. gastro-resistant tablets x 10; x 20; x 50; x 100          | <i>Lipase/Protease/Amylase</i>                                   | A09AA02  | Berlin-Chemie AG (Menarini Group)     |
| Microlax  | 4,465 g/0,45 g/0,0645 g/5 ml rectal solution x 4; x 6; x 12; x 50            | <i>Sodium citrate/Sodium lauryl sulfoacetate/Sorbitolliiquid</i> | A06AG11  | McNeil Products Limited               |
| MIG - 400   | 400 mg film-coated tablets x 10; x 20; x 30; x 50                            | <i>Ibuprofen</i>   | M01AE01  | Berlin-Chemie AG (Menarini Group)     |
| MIG for children  | 20 mg/ml oral suspension x 100 ml, x 200 ml                                  | <i>Ibuprofen</i>   | M01AE01  | Berlin-Chemie AG (Menarini Group)     |
| MIG junior  | 40 mg/ml oral suspension 1 x 30 ml; 1 x 100 ml; 1 x 150 ml; 1 x 200 ml       | <i>Ibuprofen</i>   | M01AE01  | Berlin-Chemie AG (Menarini Group)     |
| Milgamma  | 50 mg/250 micrograms coated tablets x 20 x 50 x 100                          | <i>Benfotiamine</i>  | A11DA03  | Woerwag Pharma GmbH & Co. KG          |

|   |   |   |          |                              |
|---|---|---|----------|------------------------------|
| Milgamma N                                | 40 mg/90 mg/250 micrograms capsules, soft   | <i>Benfotiamine /Cyanocobalamin/Pyridoxine hydrochloride</i>  | A11DB    | Woerwag Pharma GmbH & Co. KG |
| Milgamma Protect                          | 300 mg film-coated tablets x 30; x 60; x 100  | <i>Benfotiamine</i>   | A11DA03  | Woerwag Pharma GmbH & Co. KG |
| Milofen Kids                              | 20 mg/ml oral suspension x 100 ml   | <i>Ibuprofen</i>  | M01AE01  | ДАНСОН-БГ ООД                |
| Milorofen                                 | 200 mg film-coated tablets x 10; x 20   | <i>Ibuprofen</i>  | M01AE01  | ДАНСОН-БГ ООД                |
| Mixtura alba Galen Pharma                 | 4 g/40 g cutaneous suspension   | <i>Zinc oxide</i>   | D02AB    | Гален Фарма ООД              |
| Mobilat Emulgel                           | 2.32 % gel  | <i>Diclofenac</i>   | M02AA 15 | Stada Arzneimittel AG        |
| MomaNose                                  | 50 micrograms/ actuation nasal spray, suspension 1 x 60; 1 x 120; 1 x 140; 2 x 140; 3 x 140 | <i>Mometasone</i>   | R01AD09  | Sandoz d.d.                  |
| Moviprep                                  | powder for oral solution in sachets x 1; x 10; x 40; x 80; x 160; x 320 hospital packs x 40 | <i>Sodium chloride/ Potassium chloride/ Ascorbic acid/ Sodium sulphat anhydrous/ Sodium ascorbate/ Macrogol</i> | A06AD    | Norgine Ltd                  |
| Mucofalk Orange                           | 3.25/5g granules x 20; 150g; 300 g  | <i>Растителен лекарствен продукт</i>  | A06AB00  | Dr.Falk Pharma GmbH          |
| Mucogrip                                  | 200 mg/30 mg film-coated tablets x 10; x 20   | <i>Ibuprofen/Pseudoephedrine hydrochloride</i>  | R05X     | САНОФИ БЪЛГАРИЯ ЕООД         |
| Muconasal Plus                            | 0,118% nasal spray, solution - 10 ml  | <i>Tramazoline</i>  | R01AA09  | САНОФИ БЪЛГАРИЯ ЕООД         |
| Mucoplant Spitzwegerich Hustensaft        | syrup 5g/100g - 100 ml; - 250 ml  | <i>Растителен лекарствен продукт</i>  | R05FB02  | Dr Theiss Naturwaren GmbH    |
| Mucoplant Anisol                          | capsules 100 mg x 30  | <i>Растителен лекарствен продукт</i>  | R05C     | Dr Theiss Naturwaren GmbH    |
| Mucoplant cough syrup ivy                 | 154 mg/100 ml syrup 100 ml; 200 ml; 250 ml  | <i>Растителен лекарствен продукт</i>  | R05C     | Dr Theiss Naturwaren GmbH    |
| Mucoplant cough syrup ivy forte           | 33 mg syrup in sachet - 5 ml x 21; x 30   | <i>Растителен лекарствен продукт</i>  | R05C     | Dr Theiss Naturwaren GmbH    |
| Mucoplant Eukalyptus Erkaeltungs-balsam S | ointment - 20g; - 50g   | <i>Растителен лекарствен продукт</i>  | R05X00   | Dr.Theiss Naturwaren GmbH    |

|  |   |  |         |                                  |
|--|---|--|---------|----------------------------------|
| Mucosoft   | 600 mg powder for oral solution x 6; x 10                         | <i>Acetylcysteine</i>                  | R05CB01 | Адифарм ЕАД                      |
| Mucosoft Complex   | 500 mg/200 mg powder for oral solution x 10                       | <i>Acetylcysteine/Paracetamol</i>      | R05X    | Адифарм ЕАД                      |
| Mucosolvan   | 15 mg/5ml syrup - 100 ml  | <i>Ambroxol</i>                        | R05CB06 | САНОФИ БЪЛГАРИЯ ЕООД             |
| Mucosolvan   | 30 mg tablets x 20  | <i>Ambroxol</i>                        | R05CB06 | САНОФИ БЪЛГАРИЯ ЕООД             |
| Mucosolvan Dry Cough                                     | 23,3 mg/ml syrup  | <i>Растителен лекарствен продукт</i>   | R05D    | Opella Healthcare France SAS     |
| Mucosolvan Max   | 75 mg prolonged-release capsules x 10; x 20; x 50; x 100          | <i>Ambroxol</i>                        | R05CB06 | САНОФИ БЪЛГАРИЯ ЕООД             |
| Mucosolvan без лекарско предписание при възрастни и деца | 30 mg/5ml syrup - 100 ml  | <i>Ambroxol</i>                        | R05CB06 | САНОФИ БЪЛГАРИЯ ЕООД             |
| Mycodefen  | 8 % medicated nail lacquer - 3,3 ml; 6,6 ml                       | <i>Ciclopirox</i>                      | D01AE14 | ЕКОФАРМ ГРУП АД                  |
| Myrtol   | 120 mg gastro-resistant soft capsules x 20; x 50; x 100           | <i>Растителен лекарствен продукт</i>   | R05CB   | G. Pohl-Boskamp GmbH & Co. KG    |
| Nalgesin   | 275 mg film-coated tablets x 10                                   | <i>Naproxen sodium</i>                 | M01AE02 | КРКА, d.d. Novo Mesto            |
| Nasacort   | 55 micrograms/dose nasal spray, suspension x 30; x 120 actuations | <i>Triamcinolone acetonide</i>         | R01AD11 | САНОФИ БЪЛГАРИЯ ЕООД             |
| Nasic  | 5% 0,1% nasal spray, solution 10 ml                               | <i>Dexpanthenol/Xylometazoline</i>     | R01AB06 | Cassella-med GmbH & Co.KG        |
| Nasic kids   | 5% 0,05% nasal spray, solution, 10 ml                             | <i>Dexpanthenol/Xylometazoline</i>     | R01AB06 | Cassella-med GmbH & Co.KG        |
| Naso-Heel S  | oral drops, solution – 30 ml                                      | <i>Хомеопатичен лекарствен продукт</i> |         | Biologische Heilmittel Heel GmbH |
| Natural Senna Laxative                                   | 210 mg tablets x 30   | <i>Sennae folium</i>                   | A06AB06 | СД Панацея 2001                  |
| Nazopass   | 0,25 mg/ ml nasal drops, solution 10 ml x 1                       | <i>Oxymetazoline</i>                   | R01AA05 | Alkaloid-INT d.o.o.              |
| Nazopass   | 0,5 mg/ ml nasal drops, solution 10 ml x 1                        | <i>Oxymetazoline</i>                   | R01AA05 | Alkaloid-INT d.o.o.              |
| NEBREMEL   | 1,5 mg tablet   | <i>Levonorgestrel</i>                  | G03AD 1 | Alkaloid-INT d.o.o.              |

|                      |  |  |          |                                  |
|----------------------|--|--|----------|----------------------------------|
| Neo Emedyl           | 50 mg/50 mg coated tablets   | <i>Dimenhydrinate/Coffeine</i>   | R06AA 61 | Айджиа ЕООД                      |
| Neo-angin            | 1,20 mg/0,60 mg/5,90 mg lozenges x 24  | <i>2,4-dichlorbenzylalcohol/Levomenthol/<br/>Amylmethacrezol</i>         | R02AA    | DIVAPHARMA GmbH                  |
| Neo-Angin cherry     | 1,20 mg/0,60 mg/5,90 mg lozenge x 12; x 16; x 24; x 48                                   | <i>2,4-dichlorbenzylalcohol/<br/>Levomenthol/Amylmethacrezol</i>         | R02AA    | DIVAPHARMA GmbH                  |
| Neo-Angin sage       | 1,20 mg/0,60 mg/5,90 mg lozenge x 12; x 16; x 24; x 48                                   | <i>Dichlorobenzyl alcochol/ Amylmetacresol/<br/>Menthol</i>              | R02AA20  | DIVAPHARMA GmbH                  |
| Neo-Angin sugar free | 1,20 mg/0,60 mg/5,72 mg lozenges x 16; x 24  | <i>Dichlorobenzyl alcochol/ Amylmetacresol/<br/>Menthol</i>              | R02AA20  | DIVAPHARMA GmbH                  |
| Nervoheel N          | tablets x 50   | <i>Хомеопатичен лекарствен продукт</i>                                   |          | Biologische Heilmittel Heel GmbH |
| Neurexan             | tablets x 50   | <i>Хомеопатичен лекарствен продукт</i>                                   |          | Biologische Heilmittel Heel GmbH |
| Neurobex             | 15 mg/10mg/0,02mg coated tablets x 28; x 30; x 60; x 150                                 | <i>Thiamine monohydrate/ Pyridoxine<br/>hydrochloride/ Cvancobalamin</i> | A11DB00  | Тева Фарма ЕАД                   |
| Nexopral             | 20 mg gastro-resistant tablets   | <i>Esomeprazole</i>  | A02BC05  | СОФАРМА АД                       |
| Nicorette Berrymint  | 1 mg/ spray oromucosal spray, solution x 1; x 2  | <i>Nicotine</i>  | N07BA 1  | McNeil AB                        |
| Nicorette Clear      | 10 mg/16 h transdermal patch x 7; x 14   | <i>Nicotine</i>  | N07BA01  | McNeil AB                        |
| Nicorette Clear      | 15 mg/16 h transdermal patch x 7; x 14; x 28   | <i>Nicotine</i>  | N07BA01  | McNeil AB                        |
| Nicorette Clear      | 25 mg/16 h transdermal patch x 7; x 14; x 28   | <i>Nicotine</i>  | N07BA01  | McNeil AB                        |
| Nicorette Freshmint  | 1 mg/spray, oromucosal spray, solution x 1 x 1 dispenser; x 2 x 1 dispenser              | <i>Nicotine</i>  | N07BA01  | McNeil AB                        |
| Nicorette Icemint    | 4 mg medicated chewing-gum x 12; x 15; x 24; x 30; x 48; x 90; x 96; x 105; x 204; x 210 | <i>Nicotine</i>  | N07BA01  | McNeil AB                        |
| Nicorette Icemint    | 2 mg medicated chewing-gum x 12; x 15; x 24; x 30; x 48; x 90; x 96; x 105; x 204; x 210 | <i>Nicotine</i>  | N07BA01  | McNeil AB                        |
| Nikitabs             | 1,5 mg film-coated tablets   | <i>Cytisinicline</i>   | N07BA04  | НОБЕЛ ФАРМА ЕООД                 |

|                               |  |                              |          |   |
|-------------------------------|--|------------------------------|----------|---|
| Nizoral                       | 2% shampoo 20mg/g - 60 ml  | <i>Ketoconazole</i>          | D01AC08  | STADA Arzneimittel AG                           |
| Nizoral                       | 2 % cream  | <i>Ketoconazole</i>          | D01AC08  | STADA Arzneimittel AG                           |
| Nolpaza control               | 20 mg gastro-resistant tablets, blisters x 7 (7x1);<br>x 14 (7x2, 14x1)                  | <i>Pantoprazole</i>          | A02BC02  | KRKA, d.d. Novo Mesto                           |
| No-spa                        | 40 mg tabl. x 20; x 24; x 60   | <i>Drotaverine</i>           | A03AD02  | САНОФИ БЪЛГАРИЯ ЕООД                            |
| No-spa Comfort                | 40 mg film-coated tablets x 24   | <i>Drotaverine</i>           | A03AD0   | САНОФИ БЪЛГАРИЯ ЕООД                            |
| No-Spa MAX                    | 80 mg film-coated tablets x 10; x 12; x 20; x 24   | <i>Drotaverine</i>           | A03AD 2  | САНОФИ БЪЛГАРИЯ ЕООД                            |
| Nospalgin                     | 400 mg/ 100 mg film-coated tablets x 6; x 10; x 12; x 15; x 18; x 20; x 24               | <i>Ibuprofen/Caffeine</i>    | M01AE 51 | САНОФИ БЪЛГАРИЯ ЕООД                            |
| Nulsora                       | 1,5 mg tablet x 1  | <i>Levonorgestrel</i>        | G03AD01  | Sandoz d.d.                                     |
| Nurofen                       | 200 mg coated tablets x 12; x 24; x 10   | <i>Ibuprofen</i>             | M01AE 1  | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen                       | 200 mg medicated plaster x 2; x 4; x 6; x 8; x 10  | <i>Ibuprofen</i>             | M02AA 13 | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen                       | 200 mg coated tablets x 12; x 24; x 10   | <i>Ibuprofen</i>             | M01AE01  | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen Active                | 200 mg orodispersible tablet x 6; x 12; x 24   | <i>Ibuprofen</i>             | M01AE01  | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen Duo Max               | 200 mg/ 500 mg film-coated tablets   | <i>Ibuprofen/Paracetamol</i> | M01AE 51 | Reckitt Benckiser (Romania) S.R.L.              |
| Nurofen Express               | 200 mg capsule, soft x 2; x 4; x 6; x 8; x 10; x 12; x 16; x 20; x 24; x 30; x 40; x 50  | <i>Ibuprofen</i>             | M01AE 1  | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen Express Forte         | 400 mg capsules, soft x 2; x 4; x 6; x 8; x 10; x 12; x 16; x 20; x 24; x 30; x 40; x 50 | <i>Ibuprofen</i>             | M01AE01  | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen Express Forte compact | 400 mg soft capsules   | <i>Ibuprofen</i>             | M01AE01  | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen Femina Forte          | 512 mg coated tablets x 12; x 24   | <i>Ibuprofen</i>             | M01AE 1  | Reckitt Benckiser Healthcare International Ltd. |

|   |   |   |          |  |
|---|---|---|----------|--|
| Nurofen for children Orange   | 100 mg/5ml oral suspension - 100 ml x 1   | <i>Ibuprofen</i>                                  | M01AE01  | Reckitt Benckiser Healthcare International Ltd.  |
| Nurofen for children strawberry                                       | 100 mg/5ml oral suspension - 100 ml   | <i>Ibuprofen</i>                                  | M01AE01  | Reckitt Benckiser Healthcare International Ltd.  |
| Nurofen Forte   | 400 mg coated tablets x 10; x 12; x 20; x 24  | <i>Ibuprofen</i>                                  | M01AE01  | Reckitt Benckiser Healthcare International Ltd., |
| Nurofen Junior Orange   | 100 mg chewable capsules, soft x 2; x 4; x 6; x 8; x 10; x 12; x 14; x 16; x 18; x 20; x 22; x 24; x 26; x 28; x 30; x 32 | <i>Ibuprofen</i>                                  | M01AE01  | Reckitt Benckiser Healthcare International Ltd., |
| Nurofen Junior Orange   | 200 mg/5 ml oral suspension x 30; x 50; x 100; x 150; x 200   | <i>Ibuprofen</i>                                  | M01AE01  | Reckitt Benckiser Healthcare International Ltd.  |
| Nurofen Junior Strawberry   | 200 mg/5 ml oral suspension x 30; x 50; x 100; x 150; x 200   | <i>Ibuprofen</i>                                  | M01AE01  | Reckitt Benckiser Healthcare International Ltd.  |
| Nurofen Migraine Pain   | 342 mg film-coated tabl. x 12   | <i>Ibuprofen lysine</i>                           | M01AE01  | Reckitt Benckiser Healthcare International Ltd   |
| Nurofen SR  | 300 mg prolonged-release tablets x 6; x 8; x 10; x 12; x 16; x 20; x 24   | <i>Ibuprofen</i>                                  | M01AE 1  | Reckitt Benckiser (Romania) S.R.L.               |
| Nurofen STOPCOLD  | 200 mg/30 mg film-coated tablet x 12; x 24  | <i>Ibuprofen/Pseudoephedrine</i>                  | M01AE51  | Boots Healthcare International                   |
| NURULIN DUO   | 500 mg/200 mg tablets x 10; x 12; x 20; x 24  | <i>Paracetamol/Ibuprofen</i>                      | M01AE51  | Рамкофарм ООД                                    |
| Nux vomica-Номaccord  | oral drops, solution x 30 ml  | <i>Хомеопатичен лекарствен продукт</i>            |          | Biologische Heilmittel Heel GmbH                 |
| Osteangin без лекарско предписание при възрастни и деца над 12 години | 2,6 mg lozenges x 12; x 16; x 20; x 24  | <i>Octenidine dihydrochloride</i>                 | R02AA 21 | M.C.M.-Klosterfrau Vertriebsgesellschaft GmbH    |
| Octecare  | 1 mg/ml + 20 mg/ml cutaneous spray, solution 50 ml; 250 ml  | <i>Octenidine dihydrochloride /Phenoxyethanol</i> | D08AJ 57 | Bausch Health Ireland Limited                    |
| Oftagel   | 2,5 mg/g eye gel - 10g  | <i>Carbomer</i>                                   | S01XA20  | Santen OY  |

|                               |  |  |          |  |
|-------------------------------|--|--|----------|--|
| Oklys Express                 | 400 mg granules for oral solution in sachet x 10; x 20; x 30; x 40 | <i>Ibuprofen</i>   | M01AE01  | Беста Мед" ЕООД"                                 |
| Oklys Forte                   | 600 mg granules for oral solution in sachet x 10, x 20, x 30, x 40 | <i>Ibuprofen</i>   | M01AE01  | Беста Мед" ЕООД"                                 |
| Olygrip Day and Night Tablets | 500 mg/60 mg tablets x 12 + 500mg/25mg tablets x 4                 | <i>Diphenhydramine Hydrochloride/Paracetamol/Pseudoephedrine hydrochloride</i> | N02BE 51 | McNeil Healthcare (Ireland) Limited              |
| Olynth                        | 0.1% nasal spray, solution - 10 ml                                 | <i>Xylometazoline hydrochloride</i>  | R01AA07  | McNeil Products Limited, c/o Johnson&Johnson Ltd |
| Olynth                        | 0.05% nasal spray, solution - 10 ml                                | <i>Xylometazoline hydrochloride</i>  | R01AA07  | McNeil Products Limited, c/o Johnson&Johnson Ltd |
| Olynth Duo                    | 1 mg/ml + 50 mg/ml nasal spray, solution - x 10 ml                 | <i>Dexpanthenol/Xylomethazoline hydrochloride</i>                              | R01AA07  | McNeil Products limited                          |
| Olynth Hydra                  | 0,1% nasal spray, solution - 10 ml                                 | <i>Xylomethazoline hydrochloride</i>   | R01AA07  | McNeil Products limited                          |
| Omalgin                       | 500 mg/ml oral drops, solution - 20ml                              | <i>Metamizole sodium</i>   | N02BB02  | ДАНСОН-БГ ООД                                    |
| Omalgin                       | 500 mg tablets x 20  | <i>Metamizole sodium</i>   | N02BB02  | ДАНСОН-БГ ООД                                    |
| OMALGIN FORTE                 | 500 mg/50 mg/38,75 mg tablets                                      | <i>Metamizole/Caffeine/Thiamine hydrochloride</i>                              | N02BB 52 | ДАНСОН-БГ ООД                                    |
| Omeprazid                     | 20 mg gastro-resistant capsules, hard x 14                         | <i>Omeprazole</i>  | A02BC01  | Нобел Фарма ООД                                  |
| Omeprazole Pharma             | 20 mg gastro-resistant hard capsules x 7; x 14                     | <i>Omeprazole</i>  | A02BC 1  | ФАРМА АД   |
| Ophthalmol-septonex           | 0,2 mg/ ml +19 mg/ ml + 0,5 mg/ ml eye drops, solution - 10 ml     | <i>Boric acid/Carbaethopendecine bromide/ Sodium tetraborate</i>               | S01AX00  | Teva B.V TEVA Czech industries s.r.o             |
| Orofar                        | 1 mg/1mg compressed lozenges x 24                                  | <i>Benzoxonium chloride/ Lidocaine hydrochloride</i>                           | A01AB11  | STADA Arzneimittel AG                            |

|                 |  |  |                     |                                     |
|-----------------|--|--|---------------------|-------------------------------------|
| Orofar          | 0,2%/0,15% oromucosal spray 30 ml                          | <i>Benzoxonium chloride/ Lidocaine hydrochloride</i> | A01AB11             | STADA Arzneimittel AG               |
| Orofar Intense  | 8,75 mg/dose oromucosal spray, solution                    | <i>Flurbiprofen</i>                                  | R02AX               | Stada Arzneimittel AG               |
| Osanit Colic    | pillules - 7,5 g   | <i>Хомеопатичен лекарствен продукт</i>               |                     | Dr. A. & L. Schmidgall GmbH & Co KG |
| Oscillococcinum | pillules in single-dose container x 6 x 30                 | <i>Хомеопатичен лекарствен продукт</i>               |                     | Boiron                              |
| Osteobios       | oral drops, solution - 30 ml                               | <i>Хомеопатичен лекарствен продукт</i>               |                     | GUNA S.p.a.                         |
| Osteocynesine   | tablets x 60   | <i>Хомеопатичен лекарствен продукт</i>               |                     | Boiron                              |
| Otipax          | 4g/100g + 1g/100g ear drops, solution - 15 ml              | <i>Lidocaine hydrochloride/Phenazone</i>             | S02DA30             | Biocodex                            |
| Otirelax        | 4g/100g + 1g/100g ear drops, solution - 15 ml              | <i>Phenazone/Lidocaine hydrochloride</i>             | S02DA30             | Фортекс Нутрасютикалс ООД           |
| Otofix          | 40 mg/g +10 mg/g ear drops, solution - 15 ml               | <i>Phenazone/Lidocaine hydrochloride</i>             | S02DA30             | Софарма АД                          |
| Otrivin         | 0.1% nasal spray, solution - 10 ml                         | <i>Xylometazoline hydrochloride</i>                  | R01AA07             | GlaxoSmithKline Dungarvan Limited   |
| Otrivin         | 0.05% nasal drops, solution - 10 ml                        | <i>Xylometazoline hydrochloride</i>                  | R01AA07             | GlaxoSmithKline Dungarvan Limited   |
| Otrivin Menthol | 0,1% nasal spray, solution - 10 ml                         | <i>Xylometazoline hydrochloride</i>                  | R01AA07             | GlaxoSmithKline Dungarvan Limited   |
| Otrivin Plus    | 1 mg/ml + 50 mg/ml nasal spray, solution                   | <i>Dexpanthenol/Xylometazoline</i>                   | D03AX03,<br>R01AB06 | GlaxoSmithKline Dungarvan Limited   |
| Panactiv        | 100 mg/5 ml oral suspension x 100 ml; x 120 ml             | <i>Ibuprofen</i>                                     | M01AE01             | Pharmaceutical Works Polpharma S.A. |
| Panactiv baby   | 60 mg suppositories x 5; x 10                              | <i>Ibuprofen</i>                                     | M01AE01             | Pharmaceutical Works POLPHARMA S.A. |
| Panactiv baby   | 125 mg suppositories x 5; x 10                             | <i>Ibuprofen</i>                                     | M01AE01             | Pharmaceutical Works POLPHARMA S.A. |
| Panactiv Forte  | 200 mg/ 5 ml oral suspension                               | <i>Ibuprofen</i>                                     | M01AE01             | MEDANA PHARMA SA                    |
| Panadol Baby    | oral suspension 120 mg/5ml – 60 ml; 100 ml; 200 ml; 300 ml | <i>Paracetamol</i>                                   | N02BE01             | GlaxoSmithKline Dungarvan Limited   |

|                         |   |  |         |  |
|-------------------------|---|--|---------|--|
| Panadol Baby Advance    | oral.suspension 120 mg/5ml – 100 ml; 200 ml; 300 ml   | <i>Paracetamol</i>                             | N02BE01 | GlaxoSmithKline Dungarvan Limited          |
| Panadol Extra           | 500 mg/65 mg tabl. film x 12; x 24; x 48  | <i>Paracetamol/Coffeine</i>                    | N02BE51 | GlaxoSmithKline Dungarvan Limited          |
| Panadol Optizorb        | 500 mg film - coated tablets x 12; x 16; x 24; x 30; x 32                                   | <i>Paracetamol</i>                             | N02BE 1 | GlaxoSmithKline Dungarvan Limited          |
| Panangin                | 158 mg /140 mg film -coated tablets x 50  | <i>Magnesium aspartate/Potassium aspartate</i> | A12CC30 | Gedeon Richter Plc.                        |
| Panrazol Control        | 20 mg gastro-resistant tablets x7; x 10; x 14   | <i>Pantoprazole</i>                            | A02BC02 | Тева Фарма ЕАД                             |
| Panthenol Medical spray | 4,63g/100g cutaneous foam -130 g  | <i>Dexpanthenol</i>                            | D03AX03 | Dr. Gerhard Mann Chem.-Phar. Fabrik GmbH   |
| Parabol Complex         | 200 mg/500 mg soft capsules x 10; x 20  | <i>Ibuprofen/Paracetamol</i>                   | M01AE 1 | Stada Arzneimittel AG                      |
| Parabol Max             | 400 mg soft capsules x 10; x 20   | <i>Ibuprofen</i>                               | M01AE 1 | Stada Arzneimittel AG                      |
| Paracedol Kids          | 120 mg/5 ml oral suspension x 120 ml  | <i>Paracetamol</i>                             | N02BE01 | Софарма АД                                 |
| ParaCeta                | 500 mg tablets x 10   | <i>Paracetamol</i>                             | N02BE01 | Чайкафарма Висококачествените лекарства АЛ |
| ParacetaMax             | 500 mg granules in sachets x 10; x 20   | <i>Paracetamol</i>                             | N02BE01 | Actavis Group PTC ehf.                     |
| ParacetaMax             | 500 mg tablets x 10; x 20   | <i>Paracetamol</i>                             | N02BE01 | Тева Фарма ЕАД                             |
| ParacetaMax Express     | 500 mg film-coated tablets - x 10; x 20; x 30; x 50; x 100                                  | <i>Paracetamol</i>                             | N02BE 1 | Teva B.V.                                  |
| ParacetaMax Kids        | 24 mg/ml oral solution x 60 ml; x 100 ml; x 120 ml; x 150 ml; x 200 ml; x 300 ml; x 1000 ml | <i>Paracetamol</i>                             | N02BE01 | Actavis Group PTC ehf.                     |
| Paracetamol Danhson     | 500 mg tablets - x 10; x 20   | <i>Paracetamol</i>                             | N02BE01 | ДАНСОН-БГ ООД                              |
| Paracetamol - Pharma    | 500 mg tablets x 10; x 20   | <i>Paracetamol</i>                             | N02BE01 | Фарма АД                                   |

|   |  |   |          |                                     |
|---|--|---|----------|-------------------------------------|
| Paracetamol Accord  | 500 mg tablets 8; x 10; x 12; x 16; x 20; x 24; x 30; x 32; x 50; x 56; x 60; x 100; x 300 | <i>Paracetamol</i>  | N02BE01  | Accord Healthcare Polska Sp. z.o.o. |
| Paracetamol Adipharm  | 500 mg tablets x 10; x 20  | <i>Paracetamol</i>  | N02BE01  | Адифарм ЕАД                         |
| Paracetamol Ecopharm  | 500 mg tablets x 20  | <i>Paracetamol</i>  | N02BE01  | Екофарм Груп АД                     |
| Paracetamol Extra   | 500 mg/65 mg powder for oral solution x 6; x 20  | <i>Paracetamol/Caffeine</i>                                     | N02BE01  | Химакс Фарма ЕООД                   |
| Paracetamol Inbiotech   | 500 mg tablets x 10; x 20  | <i>Paracetamol</i>  | N02BE01  | ИНБИОТЕХ ООД                        |
| Paracetamol Sopharma  | 120 mg/5 ml syrup 125ml  | <i>Paracetamol</i>  | N02BE01  | Софарма АД                          |
| Paracetamol Sopharma  | 500 mg tablets x 20; x 400   | <i>Paracetamol</i>  | N02BE01  | Софарма АД                          |
| Paracofdal без лекарско предписание за възрастни и деца над 14 години | 300 mg/200mg/30mg/20mg tablets x 10 x 20   | <i>Caffeine/Codeine phosphate/Metamizole sodium Paracetamol</i> | N02BB72  | Софарма АД                          |
| Paraffin light liquid VT  | oral liquid - 40 g; 80 g   | <i>Paraffin, liquid</i>   | A06AA01  | ВЕТА ФАРМА                          |
| Paraffinum Perliquidum Kupro  | oral liquid - 40 ml; -1000 ml  | <i>Paraffinum Perliquidum</i>                                   | A06AA01  | Купро 94" ООД"                      |
| Paragrippe  | tablets x 60   | <i>Хомеопатичен лекарствен продукт</i>                          |          | Voiron                              |
| Parmenol  | 1,5 mg/ml oral solution - x 100 ml; x 150 ml; x 200 ml                                     | <i>Butamirate</i>   | R05DB 13 | Medochemie Ltd.                     |
| Persen  | 35 mg/17,5 mg/17,5 mg coated tablets x 40  | <i>Valerianae radix</i>   | N05CX09  | Алвоген Фарма                       |
| Persen Forte  | 87,5 mg/17,5 mg/17,5 mg capsules, hard x 20  | <i>Valerianae radix/Melissae folium/Menthae</i>                 | N05CX09  | Алвоген Фарма                       |
| Pharmatex   | 18,9 mg vaginal capsules, soft x 6   | <i>Benzalkonium chloride</i>                                    | G02BB00  | Laboratoire Innotech International  |
| Pharmatex   | 1,2 % vaginal cream 72 g + applicator  | <i>Benzalkonium chloride</i>                                    | G02BB00  | Laboratoire Innotech International  |
| Pharmatex   | 18,9 mg pessary x 10   | <i>Benzalkonium chloride</i>                                    | G02BB00  | Laboratoire Innotech International  |
| Pharmatex   | 20 mg vaginal tablets x 12   | <i>Benzalkonium chloride</i>                                    | G02BB00  | Laboratoire Innotech International  |
| Phlebodia   | 600 mg film-coated tablets x 15; x 30  | <i>Растителен лекарствен продукт</i>                            | C05CA03  | Laboratoires Innotech International |

|                                |  |  |          |                                   |
|--------------------------------|--|--|----------|-----------------------------------|
| Phosphor-Homaccord             | oral drops, solution - 30ml  | <i>Хомеопатичен лекарствен продукт</i>                                     |          | Biologische Heilmittel Heel GmbH  |
| Picoprep                       | 10 mg /3,5 g /12g powder for oral solution x 2; x 100: x 300                       | <i>Sodium picosulfate/ Citric acid anhydrous/ Magnesium oxide Light</i>    | A06AB58  | Ferring GmbH                      |
| Pikopil                        | 5 mg tablets x 10; x 30  | <i>Sodium picosulphate</i>   | A06AB08  | Фармак - България ООД             |
| Pikopil                        | 7,5 mg tablets x 10; x 30  | <i>Sodium picosulphate</i>   | A06AB08  | Фармак - България ООД             |
| Pikopil                        | 7,5 mg/ml oral drops, solution x 15 ml; x 30 ml                                    | <i>Sodium picosulphate</i>   | A06AB08  | Фармак - България ООД             |
| Piracetam Chemax Pharma Lemon  | 2,4 g powder for oral solution in sachet x 20; x 30                                | <i>Piracetam</i>   | N06BX 3  | Химакс Фарма ЕООД                 |
| Piroxicam Ecopharm             | 10 mg/g cream - 100 g  | <i>Piroxicam</i>   | M02AA07  | ЕКОФАРМ ГРУП АД                   |
| Plenvu                         | powder for oral solution - x 1; x 40; x 80; x 160; x 320 treatments                | <i>Sodium chloride/ Potassium chloride/ Ascorbic acid/Sodium sulphate,</i> | A06AD065 | Norgine B.V.                      |
| Polinail                       | 80 mg/g medicated nail lacquer 3,3 ml; - 6,6 ml                                    | <i>Ciclopirox</i>  | D01AE14  | Polighem S.A.                     |
| Postinor-Uno x 1               | 1500 micrograms tablet 1500 micrograms tablets x 2                                 | <i>Levonorgestrel</i>  | G03AC03  | Gedeon Richter Plc.               |
| Potassium iodide G.L. Pharma   | 65 mg tablets x 2; x 6; x 10; x 20   | <i>Potassium iodide</i>  | V03AB21  | G.L. Pharma GmbH                  |
| Potassium iodide SERB          | 65 mg tablets x 10   | <i>Potassium iodide</i>  | V03AB21  | SERB SA,                          |
| Potassium iodide Unimed Pharma | 2% eye drops, solution – 10 ml   | <i>Potassium iodide</i>  | S01XA04  | Unimed Pharma                     |
| Pranosine Forte                | 100 mg/ml syrup  | <i>Inosine pranobex</i>  | J05AX 5  | Health-Med Sp. z o.o. sp.k.       |
| Prazolid                       | 20 mg gastro-resistant tablets x 7; x 14   | <i>Pantoprazole</i>  | A02BC02  | ЕКОФАРМ ГРУП АД                   |
| Prefemin                       | 40 mg film-coated tablets x 30; x 90   | <i>Растителен лекарствен продукт</i>                                       | G02CX    | Ewopharma International s.r.o.    |
| Proalgin                       | 500 mg tablets x 10; x 20  | <i>Metamizole sodium</i>   | N02BB02  | Тева Фарма ЕАД                    |
| Probitor                       | 20 mg gastro-resistant capsules, hard blister x 7; x 14; container x 7; x 10; x 14 | <i>Omeprazole</i>  | A02BC01  | Sandoz d.d.                       |
| Procto-glyvenol                | 2,12%/5% rectal cream - 30g  | <i>Lidocaine/Tribenoside</i>   | C05AD01  | GlaxoSmithKline Dungarvan Limited |

|                        |   |                                      |         |                                      |
|------------------------|---|--------------------------------------|---------|--------------------------------------|
| Profebun               | 100 mg oral suspension in sachet - 5 ml x 12; x 20        | <i>Ibuprofen</i>                     | M01AE01 | NUTRA ESSENTIAL OTC S.L              |
| Profebun               | 200 mg oral suspension in sachet - 10 ml x 10; x 12; x 20 | <i>Ibuprofen</i>                     | M01AE01 | NUTRA ESSENTIAL OTC S.L              |
| Profebun               | 400 mg oral suspension in sachet - 10 ml x 10; x 12; x 30 | <i>Ibuprofen</i>                     | M01AE01 | NUTRA ESSENTIAL OTC S.L              |
| Profebun               | 20 mg/ml oral suspension x 100 ml; x 150 ml; x 200 ml     | <i>Ibuprofen</i>                     | M01AE01 | NUTRA ESSENTIAL OTC S.L              |
| Prospan                | 7 mg/ml syrup – 5 ml; 100 ml; 200 ml                      | <i>Растителен лекарствен продукт</i> | R05FB00 | Engelhard Arzneimittel GmbH & Co. KG |
| Prospan                | 20 mg/ml oral drops, solution 20 ml                       | <i>Растителен лекарствен продукт</i> | R05FB00 | Engelhard Arzneimittel GmbH & Co. KG |
| Prospan                | 26 mg lozenges x 10; x 20                                 | <i>Растителен лекарствен продукт</i> | R05CA   | Engelhard Arzneimittel GmbH & Co. KG |
| Prospan                | 65 mg eff. tablets x 10; x 20                             | <i>Растителен лекарствен продукт</i> | R05FB00 | Engelhard Arzneimittel GmbH & Co. KG |
| Prospan F              | 7 mg/ml oral solution                                     | <i>Растителен лекарствен продукт</i> | R05FB00 | Engelhard Arzneimittel GmbH & Co. KG |
| Prospan liquid         | 7 mg/ml oral liquid - 5 ml x 21                           | <i>Растителен лекарствен продукт</i> | R05FB00 | Engelhard Arzneimittel GmbH & Co. KG |
| Prostamed Tab          | chewable tablets x 60; x 120; x 200; x 360                | <i>Растителен лекарствен продукт</i> | G04B    | Dr. Gustav Klein GmbH&Co.KG          |
| Prostamol Uno          | 320 mg capsules soft x 15; x 30; x 60                     | <i>Растителен лекарствен продукт</i> | G04CX02 | Berlin-Chemie AG (Menarini Group)    |
| Prostaplant            | 320 mg capsules x 30                                      | <i>Растителен лекарствен продукт</i> | G04CX02 | Dr. Willmar Schwabe GmbH & Co.Kg     |
| Psilo - Balsam         | gel 1%- 20 g; 50 g  | <i>Diphenhydramine</i>               | D04AA32 | Stada Arzneimittel AG                |
| Pulcet                 | 20 mg gastro-resistant tablets x 14                       | <i>Pantoprazole</i>                  | A02BC02 | Нобел Фарма ООД България             |
| Ramonna                | 1500 micrograms tablet x 1                                | <i>Levonorgestrel</i>                | G03AD01 | Gedeon Richter Plc.                  |
| Reactin                | 10 mg capsules, soft x 7                                  | <i>Cetirizine dihydrochloride</i>    | R06AE07 | McNeil Healthcare Ltd.               |
| ReDormin               | 250 mg/60 mg film-coated tablets x 20; x 60               | <i>Растителен лекарствен продукт</i> | N05CM   | Ewopharma International              |
| Regaine                | 2% cutaneous solution - 60 ml x 1                         | <i>Minoxidil</i>                     | D11AX01 | McNeil Products Limited              |
| Regaine Foam for Women | 50 mg/g cutaneous foam -1 x 60 g ; 2 x 60 g               | <i>Minoxidil</i>                     | D11AX01 | McNeil Products Limited              |

|                       |  |  |         |                                  |
|-----------------------|--|--|---------|----------------------------------|
| Remifemin             | 20 mg tablets x 60; x 100; x 200                       | <i>Растителен лекарствен продукт</i>         | G02C00  | Schaper & Brummer GmbH & Co.KG   |
| Remino                | 50 mg/ml cutaneous solution                            | <i>Minoxidil</i>                             | D11AX01 | Киат Фарма ЕООД                  |
| Remotiv               | 250 mg film-coated tablets x 30; x 60; x 120           | <i>Растителен лекарствен продукт</i>         | N06AX00 | Ewopharma International s.r.o.   |
| Reparil               | 20 mg gastro-resistant tablets x 20; x 40; x 50; x 100 | <i>Растителен лекарствен продукт</i>         | C05CA   | Майлан ЕООД                      |
| Reparil - Gel N       | gel - 40 g; - 100 g                                    | <i>Aescin/Diethylamine salicylate</i>        | M02AC00 | Майлан ЕООД                      |
| Respifortin           | 600 mg effervescent tablets x 10                       | <i>Acetylcysteine</i>                        | R05CB01 | NATUR PRODUKT ZDROVIT sp. z.o.o. |
| Respivax Adults       | 50 mg tablets x 30                                     | <i>Immunostimulating agents</i>              | L03AX00 | Бул Био – НЦЗПБ ЕООД             |
| Respivax Children     | 25 mg tablets x 30                                     | <i>Immunostimulating agents</i>              | L03AX00 | Бул Био – НЦЗПБ ЕООД             |
| Rhinallergy Activ     | tablets x 60   | <i>Хомеопатичен лекарствен продукт</i>       |         | Voiron                           |
| Rhinallergy Control   | sublingual tablets x 20; x 40; x 60; x 120             | <i>Хомеопатичен лекарствен продукт</i>       | R01AC   | Voiron                           |
| Rhinital              | tablets x 100  | <i>Хомеопатичен лекарствен продукт</i>       |         | Alpen Pharma GmbH                |
| Rhinolex              | 30 mg/g +50 mg/g nasal ointment - 18 g                 | <i>Ephedrine hydrochloride/Sulfathiazole</i> | R01AB00 | Софарма АД                       |
| RHINOSTOP             | 0,05 % nasal spray, solution – 10 ml                   | <i>Xylometazoline hydrochloride</i>          | R01AA07 | Софарма АД                       |
| RHINOSTOP             | 0,1 % nasal spray, solution – 10 ml                    | <i>Xylometazoline hydrochloride</i>          | R01AA07 | Софарма АД                       |
| Ricini oleum Kupro    | oral liquid - 40 ml; 1000 ml                           | <i>Castor oil</i>                            | A06AB05 | Купро 94 ЕООД                    |
| Ricini oleum VT       | oral liquid 40g  | <i>Castor oil</i>                            | A06AB05 | ВЕТА ФАРМА АД                    |
| Rivanol Chemax Pharma | 0,1% cutaneous solution - 100 ml; 1000 ml              | <i>Ethacridine lactate</i>                   | D08AA01 | Химакс Фарма ЕООД                |
| Rivanol Galen-Pharma  | 1% ointment - 15g                                      | <i>Ethacridine lactate</i>                   | D08AA01 | Гален Фарма ООД                  |

|  |   |  |          |                                |
|--|---|--|----------|--------------------------------|
| Rivanol Galen-Pharma   | 0,1% cutaneous solution<br>-100 ml; 1000 ml   | <i>Ethacridine lactate</i>                 | D08AA01  | Гален Фарма ООД                |
| Rivanol VT   | 0,1% cutaneous solution<br>-100 ml; 1000 ml   | <i>Ethacridine lactate</i>                 | D08AA01  | ВЕТА ФАРМА АД                  |
| Roletra без лекарско предписание при възрастни и деца над 7 г. | 10 mg tablets x 10 ; x 30   | <i>Loratadine</i>                          | R06AX13  | Екофарм Груп АД                |
| Rosacta Cream  | cream - 100 mg/g x 50 g; x 90 g   | <i>Растителен лекарствен продукт</i>       | M02AX    | Medis, d.o.o.                  |
| Rosalgin   | 500 mg granules for vaginal solution x 5; x 10  | <i>Benzylamine</i>                         | G02C03   | Анджелини Фарма България ЕООД  |
| Rosalgin Easy  | 0,1g/100 ml vaginal solution – 140 ml x 5   | <i>Benzylamine</i>                         | G02C03   | Анджелини Фарма България ЕООД  |
| Rumixafen  | 500 micrograms film-coated tablets x 10; x 14; x 28; x 30; x 84; x 90; x 98             | <i>Roflumilast</i>                         | R03DX07  | Sandoz d.d.                    |
| Rupalyn  | 200 mg film-coated tablets x 2; x 4; x 6; x 8; x 10; x 12; x 15; x 16; x 20; x 24; x 30 | <i>Ibuprofen</i>                           | M01AE 1  | Medochemie Ltd.                |
| Rupalyn  | 400 mg film-coated tablets x 2; x 4; x 6; x 8; x 10; x 12; x 15                         | <i>Ibuprofen</i>                           | M01AE 1  | Medochemie Ltd.                |
| Ruvexin  | 325 mg film-coated tablets x 100  | <i>Acetylsalicylic acid</i>                | B01AC06  | ОТС ФАРМА АД                   |
| Sab simplex  | 69,19 mg/ml oral suspension - 30 ml   | <i>Silicones</i>                           | A03AX 13 | Pfizer Europe MA EEIG          |
| Sargenor   | 1 g/5 ml oral solution x 20; x 40   | <i>Arginine aspartate</i>                  | A16AA00  | Майлан ЕООД                    |
| Sargenor   | 1 g effervescent tablets x 20; x 40   | <i>Arginine aspartate</i>                  | A16AA00  | Майлан ЕООД                    |
| Saridon  | 250 mg/50 mg/150 mg tablets x 10  | <i>Paracetamol/Caffeine/Propyphenazone</i> | N02BE51  | Байер България ЕООД            |
| Sariphezon   | 250 mg/150 mg/50 mg tablets x 20  | <i>Paracetamol/Propyphenazone/Caffeine</i> | N02BE51  | Софарма АД                     |
| Secondelle   | 1500 micrograms tablets x 2   | <i>Levonorgestrel</i>                      | G03AD01  | Heaton k.s.                    |
| Sedacur forte  | 75 mg /23 mg /45 mg coated tablets x 50; x 100  | <i>Растителен лекарствен продукт</i>       | N05CX    | Schaper & Brummer GmbH & Co.KG |
| Sedatif PC   | tablets x 40  | <i>Хомеопатичен лекарствен продукт</i>     |          | Boiron                         |

|  |  |   |         |   |
|--|--|---|---------|---|
| Septanazal for adults                  | 1 mg/50 mg nasal spray, solution - 10 ml                 | <i>Dexpanthenol/Xylometazoline</i>                        | R01AB0  | KRKA, d.d. Novo mesto                                 |
| Septanazal for children                | 0,5 mg/50 mg nasal spray, solution - 10 ml               | <i>Dexpanthenol/Xylometazoline</i>                        | R01AB0  | KRKA, d.d. Novo mesto                                 |
| Septazulen Orange                      | 8.75 mg lozenges   | <i>Flurbiprofen</i>                                       | R02AX01 | Pharma Net Solutions S.R.L.                           |
| Septazulen plus honey and lemon        | 2 mg / 0,6 mg/1,2 mg lozenges                            | <i>Lidocaine</i>  | R02AA20 | Pharma Net Solutions S.R.L.                           |
| Septazulen plus Orange                 | 2 mg/0,6 mg/1,2 mg lozenges - x 24                       | <i>hydrochloride/Amylmetacresol/2,4-Lidocaine</i>         | R02AX20 | Pharma Net Solutions S.R.L.                           |
| Septofort                              | 2 mg compressed lozenges x 12; x 24                      | <i>hydrochloride/Amylmetacresol/2,4-Chlorhexidine</i>     | R02AA05 | Walmark a.s.  |
| Septofort Strong                       | 5 mg/ 5mg compressed lozenges x 12; x 24                 | <i>Chlorhexidine/Benzocaine</i>                           | R02AA0  | Walmark a.s.  |
| Septolete Total                        | 1,5 mg/ml + 5,0 mg/ml oromucosal spray, solution x 30 ml | <i>Benzocaine/Cetylpyridinium chloride</i>                | R02AA06 | KRKA, d.d. Novo Mesto                                 |
| Septolete Total eucalyptus             | 3 mg/1 mg lozenges x 8; x 16; x 24; x 32; x 40           | <i>Benzocaine/Cetylpyridinium chloride</i>                | R02AA06 | KRKA, d.d. Novo Mesto                                 |
| Septolete total lemon and elder flower | 3 mg/1 mg lozenges                                       | <i>Cetylpyridinium chloride/Benzidamide hydrochloride</i> | R02AA20 | KRKA, d.d., Novo mesto                                |
| Septolete Total lemon and honey        | 3 mg/1 mg lozenges                                       | <i>Cetylpyridinium chloride/Benzidamide hydrochloride</i> | R02AA20 | KRKA, d.d., Novo mesto                                |
| Silicea D10, D30, D1000                | pillules - 10 g  | <i>Хомеопатичен лекарствен продукт</i>                    |         | Deutsche HomoopathieUnion,DHU Arzneimittel GmbH&Co.KG |
| Simeticone Clinres Farmacija           | 240 mg soft capsules                                     | <i>Silicones</i>  | A03AX13 | CLINRES FARMACIJA raziskave d.o.o.                    |
| Similasan Dry Eye                      | eye drops 1 x 10 ml                                      | <i>Хомеопатичен лекарствен продукт</i>                    | V03AX   | ММ Фарма Сървис ЕООД                                  |
| Similasan Itchy Eye                    | eye drops 1 x 10 ml                                      | <i>Хомеопатичен лекарствен продукт</i>                    | V03AX   | ММ Фарма Сървис ЕООД                                  |
| Similasan Pink Eye                     | eye drops 1 x 10 ml                                      | <i>Хомеопатичен лекарствен продукт</i>                    | V03AX   | ММ Фарма Сървис ЕООД                                  |
| Similasan Strained Eye                 | eye drops 1 x 10 ml                                      | <i>Хомеопатичен лекарствен продукт</i>                    | V03AX   | ММ Фарма Сървис ЕООД                                  |

|                     |   |   |          |                                   |
|---------------------|---|---|----------|-----------------------------------|
| Sinecod             | 0,5% oral drops, solution- 20 ml                          | <i>Butamirate</i>   | R05DB13  | GlaxoSmithKline Dungarvan Limited |
| Sinecod             | 0,15% syrup – 200 ml                                      | <i>Butamirate</i>   | R05DB13  | GlaxoSmithKline Dungarvan Limited |
| Sinecod             | 50 mg prolonged–release tablets x 10                      | <i>Butamirate</i>   | R05DB13  | GlaxoSmithKline Dungarvan Limited |
| Sintuss             | 0,5% oral drops, solution - 20 ml                         | <i>Butamirate</i>   | R05DB 13 | ДАНСОН-БГ ООД                     |
| Sintuss             | 0,15% syrup - 200 ml                                      | <i>Butamirate</i>   | R05DB13  | ДАНСОН-БГ ООД                     |
| Sinupret            | syrup x 100 ml  | <i>Растителен лекарствен продукт</i>                          | R05CA10  | Bionorica SA                      |
| Sinupret            | coated tablets x 50; x 100; x 200; x 500                  | <i>Растителен лекарствен продукт</i>                          | R05CA10  | Bionorica SE                      |
| Sinupret extract    | syrup x 50 ml; x 100 ml; x 200 ml; x 500 ml               | <i>Растителен лекарствен продукт</i>                          | R05X0    | Bionorica SA                      |
| Sinupret extract    | coated tablets x 20; x 40                                 | <i>Растителен лекарствен продукт</i>                          | R05X0    | Bionorica SA                      |
| Sinupret forte      | coated tablets x 20; x 50; x 100; x 500                   | <i>Растителен лекарствен продукт</i>                          | R05CA10  | Bionorica SE                      |
| Sinupret Sine syrup | syrup 100 ml  | <i>Растителен лекарствен продукт</i>                          | R05      | Bionorica SA                      |
| Skinoren            | 20% cream - 30g   | <i>Azelaic acid</i>   | D10AX03  | Bayer Pharma AG                   |
| Smecta              | 3 g powder for oral suspension x 10; x 30; x 60           | <i>Diosmectite</i>  | A07XA00  | IPSEN Pharma                      |
| Snip Cold & Flu     | 325 mg/15 mg/1 mg tablets x 10; x 20; x 30                | <i>Chlorphenamine maleate/Paracetamol/Pseudoephedrine HCl</i> |          | Medochemie Ltd.                   |
| Solidagoren         | 7,9 ml/10 ml oral drops, solution x 20; x 50; 100 ml      | <i>Растителен лекарствен продукт</i>                          | G04B     | Dr. Gustav Klein GmbH&Co.KG       |
| Soligamma           | 1000 IU tablets x 10; x 20; x 50; x 100; x 200            | <i>Cholecalciferol</i>  | A11CC05  | Worwag Pharma GmbH & Co. KG       |
| Solpadeine          | 500 mg /8 mg/30 mg soluble tablets x 12; x 24; x 48; x 96 | <i>Paracetamol/Codeine/Caffeine</i>                           | N02BE51  | Adriatic BST d.o.o.               |
| Solpadeine          | 500 mg/8 mg/ 30 mg capsule, hard x 12; x 24; x 48; x 96   | <i>Paracetamol/Codeine/Caffeine</i>                           | N02BE51  | Adriatic BST d.o.o.               |

|  |  |   |         |  |
|--|--|---|---------|--|
| Solutio Iodi spirituosa Chemax Pharma                  | 5% cutaneous solution - 20 ml; 1000 ml               | <i>Iodine</i>   | D08AG03 | Химакс Фарма ЕООД                          |
| Solutio Iodi spirituosa GalenPharma                    | 5% cutaneous solution –20 ml; 1000 ml                | <i>Iodine</i>   | D08AG03 | Гален Фарма ООД                            |
| Solutio iodi spirituosa VT                             | 5% cutaneous solution –50 ml; 1000 ml                | <i>Iodine</i>   | D08AG03 | ВЕТА ФАРМА АД                              |
| Solutio Pyoctanini GalenPharma                         | 1% cutaneous solution – 50 ml                        | <i>Methylrosaniline hydrochloride</i>                                   | D01AE02 | Гален Фарма ООД                            |
| Solutio Pyoctanini GalenPharma                         | 2% cutaneous solution – 50 ml                        | <i>Methylrosaniline hydrochloride</i>                                   | D01AE02 | Гален Фарма ООД                            |
| Solutio Rivanoli Kupro                                 | 0,1% cutaneous solution 100 ml; 1000 ml              | <i>Ethacridine lactate</i>  | D08AA01 | Купро 94 ООД                               |
| Solutio Rivanoli SZ                                    | 0,1% cutaneous solution 100 ml; 1000 ml              | <i>Ethacridine lactate</i>  | D08AA01 | Сайра Загоре ООД                           |
| Solutio Rivanoli-Flo                                   | 0.1% cutaneous solution 100 ml; 1000 ml              | <i>Ethacridine lactate</i>  | D08AA01 | Флора - 02 ООД                             |
| Solution Iodi Spirituosa Kupro                         | 5% cutaneous solution – 30 ml; 50 ml; 1000 ml        | <i>Iodine</i>   | D08AG03 | Купро 94 ООД                               |
| Solvolan   | 30 mg tablets x 20                                   | <i>Ambroxol</i>   | R05CB06 | КРКА, d.d. Novo Mesto                      |
| Solvolan по лекарско предписание при деца под 2 години | 15 mg/5 ml syrup – 100 ml                            | <i>Ambroxol</i>   | R05CB06 | КРКА d.d. Novo Mesto                       |
| Sophaflu   | 500 mg/ 25 mg/ 200 mg granules for oral solution x 8 | <i>Ascorbic acid/ Pheniramine maleate /Paracetamol</i>                  | N02BE51 | Софарма АД                                 |
| Sotapiryn  | 300 mg/250 mg/2 mg effervescent tablets x 20         | <i>Paracetamol/Ascorbic acid/Chlorphenamine maleate</i>                 | R05X    | Чайкафарма Висококачествените лекарства АД |
| Spascupreel  | tablets x 50   | <i>Хомеопатичен лекарствен продукт</i>                                  |         | Biologische Heilmittel Heel GmbH           |
| Spasmalgon   | tablets x 10; x 20                                   | <i>Metamizole sodium/Pitofenon hydrochloride/ Fenpiverinium bromide</i> | A03DA02 | Тева Фарма ЕАД                             |

|                                   |   |   |         |   |
|-----------------------------------|---|---|---------|---|
| Spasmobloc                        | 500 mg/5 mg powder for oral solution in sachet x 10 | <i>Metamizole sodium monohydrate/Pitofenone hydrochloride</i>             | A03DA02 | Адифарм "ЕАД, България  |
| Spasmobloc                        | 500 mg/5 mg/0,1 mg tablets x 20                     | <i>Metamizole sodium /Pitofenone hydrochloride/ Fenpiverinium bromide</i> | A03DA02 | Адифарм ЕАД   |
| Spasmobloc D                      | 500 mg/ml + 5 mg/ml oral drops, solution x 20 ml    | <i>Pitofenone hydrochloride/Metamizol sodium monohydrate</i>              | A03DA02 | Адифарм ЕАД   |
| Spasmopharm                       | 500 mg + 5 mg + 0,1 mg tablets                      | <i>Metamizole sodium/Pitofenon hydrochloride/Fenpiverinium bromide</i>    | A03DA02 | ДАНСОН-БГ ООД   |
| SPASMOMEN                         | 40 mg film-coated tablets x 30                      | <i>Otilonium bromide</i>  | A03AB06 | A.MENARINI Industrie Farmaceutiche Riunite s.r.l., (Menarini Group) LABORATOIRES THEA |
| Spersallerg                       | 0,5mg/ 0,4mg/ml eye drops, solution – 10 ml         | <i>Antazoline hydrochloride/Tetryzoline hydrochloride</i>                 | S01GA52 | LABORATOIRES THEA   |
| Spiritus Aethylicus Chemax Pharma | 70% v/v cutaneous solution -100 ml; 0,8 kg          | <i>Ethanol</i>  | D08AX08 | Химакс Фарма ЕООД   |
| Spiritus Aethylicus Chemax Pharma | 90% v/v cutaneous solution -100 ml; 0,8 kg          | <i>Ethanol</i>  | D08AX08 | Химакс Фарма ЕООД   |
| Spiritus Aethylicus Chemax Pharma | 95% v/v cutaneous solution - 100 ml; 0,8 kg         | <i>Ethanol</i>  | D08AX08 | Химакс Фарма ЕООД   |
| Spiritus Aethylicus DVN           | 70% v/v cutaneous solution -100 ml; 1000 ml         | <i>Ethanol</i>  | D08AX08 | ЕТ ДВН - Галина Йорданова   |
| Spiritus Aethylicus DVN           | 90% v/v cutaneous solution -100 ml; 1000 ml         | <i>Ethanol</i>  | D08AX08 | ЕТ ДВН - Галина Йорданова   |
| Spiritus Aethylicus DVN           | 95% v/v cutaneous solution -100 ml; 1000 ml         | <i>Ethanol</i>  | D08AX08 | ЕТ ДВН - Галина Йорданова   |
| Spiritus Aethylicus Flo           | 95%v/v cutaneous solution –100 ml; 1000 ml          | <i>Ethanol</i>  | D08AX08 | Флора-02 ЕООД   |
| Spiritus Aethylicus Flo           | 90%v/v cutaneous solution –100 ml; 1000 ml          | <i>Ethanol</i>  | D08AX08 | Флора-02 ЕООД   |
| Spiritus Aethylicus Flo           | 70% v/v cutaneous solution –100 ml; 1000 ml         | <i>Ethanol</i>  | D08AX08 | Флора-02 ЕООД   |
| Spiritus aethylicus GalenPharma   | 70% v/v cutaneous solution –100 ml; 1000 ml         | <i>Ethanol</i>  | D08AX08 | Гален Фарма ООД   |
| Spiritus aethylicus GalenPharma   | 90% v/v cutaneous solution –100 ml; 1000 ml         | <i>Ethanol</i>  | D08AX08 | Гален Фарма ООД   |

|                                   |   |                     |         |                   |
|-----------------------------------|---|---------------------|---------|-------------------|
| Spiritus aethylicus GalenPharma   | 95% v/v cutaneous solution –100 ml; 1000 ml               | <i>Ethanol</i>      | D08AX08 | Гален Фарма ООД   |
| Spiritus aethylicus Kupro         | 70% v/v cutaneous solution –100 ml; 1000 ml               | <i>Ethanol</i>      | D08AX08 | Купро 94 ООД      |
| Spiritus aethylicus Kupro         | 90% v/v cutaneous solution –100 ml; 1000 ml               | <i>Ethanol</i>      | D08AX08 | Купро 94 ООД      |
| Spiritus aethylicus Kupro         | 95% v/v cutaneous solution –100 ml; 1000 ml               | <i>Ethanol</i>      | D08AX08 | Купро 94 ООД      |
| Spiritus Aethylicus SZ            | 70% v/v cutaneous solution -100 ml; 1000 ml               | <i>Ethanol</i>      | D08AX08 | Сайра Загоре ООД  |
| Spiritus Aethylicus SZ            | 90% v/v cutaneous solution -100 ml; 1000 ml               | <i>Ethanol</i>      | D08AX08 | Сайра Загоре ООД  |
| Spiritus Aethylicus SZ            | 95% v/v cutaneous solution -100 ml; 1000 ml               | <i>Ethanol</i>      | D08AX08 | Сайра Загоре ООД  |
| Spiritus Aethylicus Toni-M        | 70 per cent vol./vol. cutaneous solution –100 ml; 1000 ml | <i>Ethanol</i>      | D08AX08 | ТОНИ -М ООД       |
| Spiritus Aethylicus Toni-M        | 90 per cent vol./vol. cutaneous solution –100 ml; 1000 ml | <i>Ethanol</i>      | D08AX08 | ТОНИ -М ООД       |
| Spiritus Aethylicus Toni-M        | 95 per cent vol./vol. cutaneous solution –100 ml; 1000 ml | <i>Ethanol</i>      | D08AX08 | ТОНИ -М ООД       |
| Spiritus Aethylicus VT            | 70% v/v cutaneous solution –100 ml; 1000 ml               | <i>Ethanol</i>      | D08AX08 | ВЕТА ФАРМА АД     |
| Spiritus Aethylicus VT            | 90% v/v cutaneous solution –100 ml; 1000 ml               | <i>Ethanol</i>      | D08AX08 | ВЕТА ФАРМА АД     |
| Spiritus Aethylicus VT            | 95% v/v cutaneous solution –100 ml; 1000 ml               | <i>Ethanol</i>      | D08AX08 | ВЕТА ФАРМА АД     |
| Spiritus Camphorae Chemax Pharma  | 10g/100g cutaneous solution – 100 ml; 0,8 kg              | <i>Camphora</i>     | M02AX10 | Химакс Фарма ЕООД |
| Spiritus Camphoratus GalenPharma  | 10% cutaneous solution –100 ml; 1000 ml                   | <i>Camphora</i>     | M02AX10 | Гален Фарма ООД   |
| Spiritus Camphoratus Kupro        | 10% cutaneous solution – 100 ml                           | <i>Camphora</i>     | M02AX10 | Купро 94 ООД      |
| Spiritus Lavandulae               | 1% cutaneous solution – 100 ml; 1000 ml                   | <i>Lavender oil</i> | D       | Тони – М ООД      |
| Spiritus Lavandulae Chemax Pharma | 1 g/100 ml cutaneous solution –100 ml; 0,8 kg             | <i>Lavender oil</i> | D       | Химакс Фарма ЕООД |

|                                    |  |  |         |                           |
|------------------------------------|--|--|---------|---------------------------|
| Spiritus Lavandulae GalenPharma    | 1% cutaneous solution – 100 ml; 1000 ml    | <i>Lavander oil</i>                    | D       | Гален Фарма ООД           |
| Spiritus Lavandulae Kupro          | 1% cutaneous solution – 100 ml; 1000 ml    | <i>Lavander oil</i>                    | D       | Купро 94 ООД              |
| Spiritus Mentholi Chemax Pharma    | 1% cutaneous solution – 100 ml             | <i>Menthol</i>                         | D       | Химакс Фарма ЕООД         |
| Spiritus Mentholi GalenPharma      | 1% sol. cut. – 100 ml                      | <i>Levomenthol</i>                     | D       | Гален Фарма ООД           |
| Spiritus Mentholi Kupro            | 1% cutaneous solution – 100 ml             | <i>Levomenthol</i>                     | D       | Купро 94 ООД              |
| Spiritus Mentholi Toni-M           | 1% cutaneous solution – 50 ml; 100 ml      | <i>Levomenthol</i>                     | D       | Тони - М ООД              |
| Spiritus salicylicus Chemax Pharma | 1% cutaneous solution – 100 ml             | <i>Salicylic acid</i>                  | D01AE12 | Химакс Фарма ЕООД         |
| Spiritus salicylicus Chemax Pharma | 2% cutaneous solution – 100 ml             | <i>Salicylic acid</i>                  | D01AE12 | Химакс Фарма ЕООД         |
| Spiritus Salicylicus -Flo          | 2% cutaneous solution - 100 ml             | <i>Salicylic acid</i>                  | D01AE12 | Флора - 02 ООД            |
| Spiritus Salicylicus GalenPharma   | 1% cutaneous solution - 100 ml             | <i>Salicylic acid</i>                  | D01AE12 | Гален Фарма ООД           |
| Spiritus Salicylicus GalenPharma   | 2% cutaneous solution - 100 ml             | <i>Salicylic acid</i>                  | D01AE12 | Фарма ООД                 |
| Spiritus salicylicus Kupro         | 1% cutaneous solution - 50 ml; 100 ml      | <i>Salicylic acid</i>                  | D01AE12 | Купро 94 ООД              |
| Spiritus salicylicus Kupro         | 2% cutaneous solution - 50 ml; 100 ml      | <i>Salicylic acid</i>                  | D01AE12 | Купро 94 ООД              |
| Spiritus Salicylicus Toni-M        | 1% cutaneous solution - 50 ml; 100 ml      | <i>Salicylic acid</i>                  | D01AE12 | Тони - М ООД              |
| Spiritus Salicylicus-Flo           | 1% cutaneous solution - 100 ml             | <i>Salicylic acid</i>                  | D01AE12 | Флора - 02 ООД            |
| Sprintafen                         | 25 mg film-coated tablets x 10, x 20       | <i>Ketoprofen</i>                      | M01AE03 | Dompe Farmaceutici S.p.A. |
| Sprintafen                         | 25 mg granules x 8; x 10; x 15; x 16; x 20 | <i>Ketoprofen</i>                      | M01AE03 | Dompe Farmaceutici S.p.A. |
| Sprintafen                         | 25 mg film-coated tablets x 10; x 20       | <i>Ketoprofen</i>                      | M01AE03 | Dompe Farmaceutici S.p.A. |
| STODAL FAMILY                      | syrup – 200 ml                             | <i>Хомеопатичен лекарствен продукт</i> |         | Voiron                    |

|                                       |   |   |          |                                    |
|---------------------------------------|---|---|----------|------------------------------------|
| STODAL POCKET                         | pillules  | <i>Хомеопатичен лекарствен продукт</i>                                    | R 0      | Boiron                             |
| STODALINO                             | syrup - 200 ml  | <i>Хомеопатичен лекарствен продукт</i>                                    |          | Boiron                             |
| Stoperan                              | 2 mg capsule, hard x 8                                      | <i>Loperamide</i>   | A07DA03  | US Pharmacia Sp.z.o.o.             |
| Strepsils for children                | 1,2 mg/0,6 mg lozenges x 12; x 24; x 36                     | <i>2,4-Dichlorobenzyl alcohol/Amylmetacresol</i>                          | R02AA 03 | Reckitt Benckiser (Romania) S.R.L. |
| Strepsils Honey and Lemon             | 1,2 mg/0,6 mg lozenges x 12; x 24; x 36                     | <i>2,4-Dichlorobenzyl alcohol/Amylmetacresol</i>                          | R02AA03  | Reckitt Benckiser (Romania) S.R.L. |
| Strepsils Intensive                   | 8,75 mg lozenges x 2; x 4; x 6; x 8; x 10; x 12; x 16; x 24 | <i>Flurbiprofen</i>   | A01AD11  | Reckitt Benckiser (Romania) S.R.L. |
| Strepsils Intensive Mint Sugar Free   | 8,75 mg lozenges x 2; x 4; x 6; x 8; x 10; x 12; x 16; x 24 | <i>Flurbiprofen</i>   | A01AD11  | Reckitt Benckiser (Romania) S.R.L. |
| Strepsils Intensive Orange Sugar Free | 8,75 mg lozenges x 8; x 12; x 16; x 24                      | <i>Flurbiprofen</i>   | R02AX01  | Reckitt Benckiser (Romania) S.R.L. |
| Strepsils Intensive Spray             | 8,75 mg/dose oromucosal spray, solution 1 x 15 ml           | <i>Flurbiprofen</i>   | R02AX01  | Reckitt Benckiser (Romania) S.R.L. |
| Strepsils Menthol and Eucalyptus      | 1,2 mg/0,6 mg/8 mg lozenge x 24                             | <i>2,4-Dichlorobenzyl alcohol/Amylmetacresol/Levomenthol</i>              | R02AA03  | Reckitt Benckiser (Romania) S.R.L. |
| Strepsils Orange with Vitamin C       | 1,2 mg/0,6 mg/100 mg lozenge x 24                           | <i>2,4-Dichlorobenzyl alcohol/Amylmetacresol/ Ascorbic acid</i>           | R02AA03  | Reckitt Benckiser (Romania) S.R.L. |
| Strepsils Plus                        | 1,2 mg/0,6 mg/10 mg losenges x 16; x 24                     | <i>2,4-Dichlorobenzyl alcohol/Amylmetacresol/ Lidocaine hydrochloride</i> | R02AA03  | Reckitt Benckiser (Romania) S.R.L. |
| Strepsils warm                        | 1,2 mg/0,6 mg compressed lozenges x 10; x 16; x 24; x 36    | <i>2,4-Dichlorobenzyl alcohol/Amylmetacresol</i>                          | R02AA03  | Reckitt Benckiser (Romania) S.R.L. |
| StrepTuss Active Naturals Ivy         | 8,25 mg/ml syrup  | <i>Растителен лекарствен продукт</i>                                      | R05CA12  | Reckitt Benckiser (Romania) S.R.L. |
| StrepTuss Active Naturals Plantain    | 30 mg/ml syrup  | <i>Растителен лекарствен продукт</i>                                      | R05      | Reckitt Benckiser (Romania) S.R.L. |
| StrepTuss Active Naturals Sisymbrium  | 10 mg lozenges  | <i>Растителен лекарствен продукт</i>                                      | R02A     | Reckitt Benckiser (Romania) SRL,,  |

|                              |  |   |         |  |
|------------------------------|--|---|---------|--|
| STRONAX                      | cream - 50 g; - 100g                                       | <i>Extract from adrenal gland/Heparinoid mucopolysaccharide polysulphate/Salicylic acid</i> | M02AC00 | Stada Arzneimittel AG                          |
| STRONAX                      | gel - 50 g; -100g  | <i>Extract from adrenal gland/Heparinoid mucopolysaccharide polysulphate/Salicylic acid</i> | M02AC00 | Stada Arzneimittel AG                          |
| Supofen                      | 40 mg/ml oral suspension x 1                               | <i>Paracetamol</i>  | N02BE01 | Laboratorios Basi-Industria Farmaceutica, S.A. |
| Syafen                       | 5% gel - 40g   | <i>Ibuprofen</i>  | M02AA13 | Софарма -АД                                    |
| Syafen                       | 100 mg/5 ml oral suspension 120 ml                         | <i>Ibuprofen</i>  | M01AE01 | Софарма -АД                                    |
| Syafen Duo                   | 200 mg/500 mg film-coated tablets x 10                     | <i>Paracetamol/Ibuprofen</i>  | M01AE51 | Софарма АД                                     |
| Sympathyl                    | 20 mg/75 mg/124,35 mg film -coated tablets x 40            | <i>Растителен лекарствен продукт</i>  | N05CX   | Laboratoires Innotech International            |
| Tabex                        | 1,5 mg film-coated tablets x 100                           | <i>Cytisine</i>   | N07BA   | Софарма АД                                     |
| Talcid                       | 500 mg chewable tablets x 20                               | <i>Hydrotalcite</i>   | A02AD04 | Байер България ЕООД                            |
| Talert                       | 10 mg film-coated tablets x 10; x 20                       | <i>Cetirizine dihydrochloride</i>   | R06AE07 | Софарма -АД                                    |
| Talert                       | 10 mg/10ml syrup - 120 ml                                  | <i>Cetirizine dihydrochloride</i>   | R06AE07 | Софарма -АД                                    |
| Talert                       | 1 mg/1ml syrup - 120 ml                                    | <i>Cetirizine dihydrochloride</i>   | R06AE08 | Софарма -АД                                    |
| Tammex Akut                  | 2 mg hard capsules x 10; x 20                              | <i>Loperamide</i>   | A07DA 3 | Ipca Produtos Farmaceuticos Unipessoal Lda.    |
| Tantum flu lemon taste       | 600 mg/10 mg powder for oral solution in sachet x 10; x 16 | <i>Phenylephrine/Paraceramol</i>  | N02BE51 | Анджелини Фарма България ЕООД                  |
| Tantum flu lemon-honey taste | 600 mg/10 mg powder for oral solution in sachet x 10; x 16 | <i>Phenylephrine/Paraceramol</i>  | N02BE51 | Анджелини Фарма България ЕООД                  |
| Tantum flu orange taste      | 600 mg/10 mg powder for oral solution in sachet x 10; x 16 | <i>Phenylephrine/Paraceramol</i>  | N02BE51 | Анджелини Фарма България ЕООД                  |
| Tantum Verde                 | 0,15 % mouth wash – 120 ml; 240 ml                         | <i>Benzylamine</i>  | A01AD02 | Анджелини Фарма България ЕООД                  |

|  |   |  |          |  |
|--|---|--|----------|--|
| Tantum Verde                             | 0,15% oromucosal spray, solution - 30 ml                                      | <i>Benzylamine</i>   | A01AD02  | Анджелини Фарма България<br>ЕООД             |
| Tantum Verde forte                       | 0,3% oromucosal spray, solution - 15 ml                                       | <i>Benzylamine</i>   | A01AD02  | Анджелини Фарма България<br>ЕООД             |
| Tantum Verde with mint flavor            | 3 mg lozenges x 10; x 20; x 30; x 40  | <i>Benzylamine</i>   | A01AD02  | Анджелини Фарма България<br>ЕООД             |
| Tantum Verde with eucalyptus flavor      | 3 mg lozenges x 20; x 30; x 40  | <i>Benzylamine</i>   | A01AD02  | Анджелини Фарма България<br>ЕООД             |
| Tantum Verde with lemon flavor           | 3 mg lozenges 10; x 20; x 30; x 40  | <i>Benzylamine</i>   | A01AD02  | Анджелини Фарма България<br>ЕООД             |
| Tantum Verde with orangehoney<br>flavour | 3 mg lozenges x 20; x 30; x 40  | <i>Benzylamine</i>   | A01AD02  | Анджелини Фарма България<br>ЕООЛ             |
| Tartephedreel                            | oral drops, solution – 30 ml  | <i>Хомеопатичен лекарствен продукт</i>                           |          | Biologische Heilmittel Heel GmbH             |
| Tavipec                                  | 150 mg gastro-resistant capsules, soft x 20; x 30                             | <i>Растителен лекарствен продукт</i>                             | R05CA00  | Pharmaceutische Fabrik Montavit              |
| Tavipec forte                            | 300 mg gastro-resistant capsules, soft x 20; x 60                             | <i>Растителен лекарствен продукт</i>                             | R05CB00  | Pharmazeutische Fabrik Montavit<br>Ges.m.b.H |
| Tears Naturale II                        | 1,0 mg/ 3,0 mg/ ml eye drops, solution - 5 ml;<br>10 ml; 15 ml                | <i>Dextran/Нупромеллозе</i>                                      | S01XA20  | Alcon Farmaceutika d.o.o                     |
| Tebokan                                  | 80 mg film - coated tablets x 30; x 60; x 120                                 | <i>Растителен лекарствен продукт</i>                             | N06DX02  | Dr. Willmar Schwabe GmbH & Co.<br>Kg.        |
| Tebokan forte                            | 120 mg film-coated tablets x 15; x 30; 60                                     | <i>Растителен лекарствен продукт</i>                             | N06DX02  | Dr. Willmar Schwabe GmbH & Co.<br>Kg.        |
| Tebokan Max                              | 240 mg film-coated tablets x 15; x 20; x 30; x<br>40; x 60; x 80; x 90; x 100 | <i>Растителен лекарствен продукт</i>                             | N06DX02  | Dr. Willmar Schwabe GmbH & Co.<br>Kg.        |
| Tekanafin                                | 1 % cutaneous spray, solution - 20 ml   | <i>Naftifine</i>   | D01AE 22 | Ворлд Медисине Европа ЕООД                   |
| Tempalgin                                | 500 mg/20 mg film-coated tablets x 20; x 300                                  | <i>Metamizole sodium/ Triacetoneamine-4-<br/>toluensulfonate</i> | N02BB72  | Софарма АД                                   |
| Ternafin                                 | cream 1% - 15g  | <i>Terbinafine</i>   | D01AE15  | Софарма АД                                   |

|   |  |   |          |  |
|---|--|---|----------|--|
| Thera Flu Cold and Flu Extra Strength             | 650 mg/10 mg/20 mg powder for oral solution x 10                 | <i>Paracetamol/Pheniramine maleate/Phenylephrine hydrochloride/Pheniramine hydrogen</i> | R05X     | GlaxoSmithKline Dungarvan Limited        |
| Theraflu Forte Cold and Cough                     | 500 mg/6,1 mg/100 mg capsules, hard x 8; x 16                    | <i>Paracetamol/Phenylephrine hydrochloride/Guaifenesin</i>                              | R05X     | GlaxoSmithKline Dungarvan Limited        |
| Theraflu Max Cold and Cough                       | 1000 mg/12,2 mg/200 mg powder for oral solution x 10             | <i>Paracetamol/Phenylephrine hydrochloride/Guaifenesin</i>                              | R05X     | GlaxoSmithKline Dungarvan Limited        |
| Theraflu Max Grip                                 | 1000 mg /10 mg /70 mg powder for oral solution                   | <i>Paracetamol/Phenylephrine hydrochloride/Ascorbic acid</i>                            | N02BE 51 | GlaxoSmithKline Dungarvan Limited        |
| Thrombo ASS                                       | 100 mg gastro-resistant tablets x 30                             | <i>Acetylsalicylic acid</i>   | B01AC06  | G.L. Pharma GmbH                         |
| Tinctura Castellani – Hefe                        | 0.8 g/100 g + 3.5 g/100 g + 8 g/100 g cutaneous solution - 50 ml | <i>Boric acid/Phenol/Resorcinol</i>   | D08AX00  | Химакс Фарма ЕООД                        |
| Tinctura Crataegi Chemax Pharma                   | 200 mg/g oral drops, solution 15 g; 800 g                        | <i>Hawthorn leaf and flower</i>   | C01EB04  | Химакс Фарма ЕООД                        |
| Tinctura menthae piperitae Chemax Pharma          | 50 mg/50 mg/g oral drops, solution 15 g; 800 g                   | <i>Peppermint oil/Peppermint leaf</i>   | A16AX00  | Химакс Фарма ЕООД                        |
| Tinctura Valerianae Chemax Pharma                 | 200 mg/ml oral drops, solution 15 g; 900 g                       | <i>Valerianae radix</i>   | N05CM09  | Химакс Фарма ЕООД                        |
| Tinctura Valerianae Kupro                         | 200 mg/ml oral drops, solution 20 ml                             | <i>Valerianae radix</i>   | N05CM09  | Купро 94 ООД                             |
| Tomapyrin C                                       | effervescent tablet x 10; x 20                                   | <i>Acetylsalicylic acid/ Paracetamol/ Ascorbic acid</i>                                 | N02BB51  | Boehringer Ingelheim International GmbH  |
| Tonsilotren                                       | tablets x 40; x 60   | <i>Хомеопатичен лекарствен продукт</i>  |          | Alpen Pharma GmbH                        |
| Tonsipret   | 50 mg/75 mg/75 mg tablets x 50; x 100; x 200                     | <i>Хомеопатичен лекарствен продукт</i>  |          | Bionorica AG                             |
| TOTYLEM   | 60 mg/0,4 mg film-coated tablets                                 | <i>Iron/Folic Acid</i>  | B03AD 5  | Laboratoire Innotech International S.r.l |
| Trachihelp  | 5 mg/1,5 mg compressed lozenges x 9; x 10; x 18; x 20; x 27      | <i>Chlorhexidine/Benzocaine</i>   | R02AA05  | АДИФАРМ ЕАД                              |
| Trachisan   | 0,5 mg/1,0 mg/1,0 mg lozenges x 20                               | <i>Tyrothricin/ Lidocaine hydrochloride/ Chlorhexidine digluconate</i>                  | R02A     | Engelhard Arzneimittel GmbH & Co. KG     |
| Traktus 600 mg powder for oral solution in sachet | 600 mg powder for oral solution in sachet x 10; x 30             | <i>Acetylcysteine</i>   | R05CB01  | Нобел Фарма ЕООД, България               |

|                       |   |  |          |  |
|-----------------------|---|--|----------|--|
| Transilane sugar free | 3 g powder for oral suspension x 20                       | <i>Растителен лекарствен продукт</i>                     | A06AC01  | Laboratoires Innotech International          |
| Traumeel S            | oral drops, solution – 30 ml                              | <i>Хомеопатичен лекарствен продукт</i>                   |          | Biologische Heilmittel Heel GmbH             |
| Traumeel S            | ointment - 50 g   | <i>Хомеопатичен лекарствен продукт</i>                   |          | Biologische Heilmittel Heel GmbH             |
| Traumeel S            | oral solution - 2,2 ml x 10                               | <i>Хомеопатичен лекарствен продукт</i>                   |          | Biologische Heilmittel Heel GmbH             |
| Traumeel S            | tablets x 50  | <i>Хомеопатичен лекарствен продукт</i>                   |          | Biologische Heilmittel Heel GmbH             |
| Tribestan             | 250 mg film- coated tablets x 60                          | <i>Растителен лекарствен продукт</i>                     | G04BX00  | Софарма АД                                   |
| Troxerutin ABR        | 20 mg/g gel - 40g   | <i>Растителен лекарствен продукт</i>                     | C05CA 4  | Антибиотик - Разград АД                      |
| Troxerutin ABR        | 1000 mg powder for oral solution in sachet                | <i>Растителен лекарствен продукт</i>                     | C05CA 4  | Антибиотик - Разград АД                      |
| Troxerutin Danhson    | 300 mg hard capsules x 50                                 | <i>Растителен лекарствен продукт</i>                     | C05CA 4  | ДАНСОН-БГ ООД                                |
| Troxerutin Danhson    | gel 2% - 40 g   | <i>Растителен лекарствен продукт</i>                     | C05CA04  | ДАНСОН-БГ ООД                                |
| Troxerutin Sopharma   | gel 2% - 40 g   | <i>Растителен лекарствен продукт</i>                     | C05CA04  | Софарма АД                                   |
| Troxevasin            | 2% gel x 20g, x 40g , x 100g                              | <i>Растителен лекарствен продукт</i>                     | M01AB 51 | Тева Фарма ЕАД                               |
| Troxevasin            | 300 mg capsules, hard x 50 , x 100                        | <i>Растителен лекарствен продукт</i>                     | C05CA04  | Тева Фарма ЕАД                               |
| Troxevasin DUO        | 30 mg/20 mg/g gel - 45 g                                  | <i>Растителен лекарствен продукт</i>                     | M01AB 51 | Тева Фарма ЕАД                               |
| Troximetacin          | 30 mg/20 mg/g gel - 40 g                                  | <i>Indometacin/Troxerutin</i>                            | M01AB 51 | ДАНСОН-БГ ООД                                |
| Tussavit              | 7,53 g /7,53 g/100 g syrup 125 g; 250 g                   | <i>Растителен лекарствен продукт</i>                     | R05CA00  | Pharmaceutische Fabrik Montavit<br>Ges.m.b.H |
| Tylol                 | 120 mg/5ml oral suspension -100 ml                        | <i>Paracetamol</i>                                       | N02BA01  | Нобел Фарма ЕООД                             |
| Tylol 6+              | 250 mg/5ml oral suspension- 100 ml                        | <i>Paracetamol</i>                                       | N02BA01  | Нобел Фарма ЕООД                             |
| Tylol hot             | 500 mg/4 mg/60 mg powder for oral suspension<br>x 6; x 12 | <i>Paracetamol/Chlorpheniramine/<br/>Pseudoephedrine</i> | N02BE51  | Нобел Фарма ООД                              |
| Tylol hot D           | 500 mg/4 mg/60 mg powder for oral suspension<br>x 6; x 12 | <i>Paracetamol/Chlorpheniramine/Pseudoeph<br/>edrine</i> | N02BE51  | Нобел Фарма ООД                              |

|   |  |   |          |   |
|---|--|---|----------|---|
| Tylol hot pediatric   | 250 mg/2 mg/30 mg powder for oral suspension x 6; x 12   | <i>Paracetamol/Chlorpheniramine/Pseudoephedrine</i>                     | N02BE51  | Нобел Фарма ООД                           |
| Tylol Plus  | 500 mg/30 mg tablets x 2; x 20                           | <i>Paracetamol/Caffeine</i>   | N02BA51  | Нобел Фарма ООД                           |
| Tylofen Hot   | 500 mg/4 mg/10 mg powder for oral suspension x 6; x 12   | <i>Paracetamol/Phenylephrine hydrochloride/Chlorpheniramine maleate</i> | R05X     | Нобел Фарма ООД                           |
| Umckalor  | 20 mg film-coated tablets x 15; x 30                     | <i>Растителен лекарствен продукт</i>                                    | R05      | Dr. Willmar Schwabe GmbH & Co.KG          |
| Umckalor  | 8 g/10 g oral drops, solution x 20 ml; x 50 ml; x 100 ml | <i>Растителен лекарствен продукт</i>                                    | R05      | Dr. Willmar Schwabe GmbH & Co.Kg.         |
| Unirex Cardio   | 75 mg dispersible tablets x 100                          | <i>Acetylsalicylic acid</i>   | B01AC06  | Натурпродукт ООД                          |
| Upsarin C   | 330 mg /200 mg effervescent tablets x 10; x 20           | <i>Acetylsalicylic acid/ Ascorbic acid</i>                              | N02BA51  | UPSA SAS                                  |
| Upsavit Vitamin C   | 1g effervescent tablets x 10                             | <i>Ascorbic acid</i>  | A11GA01  | UPSA SAS                                  |
| Urogutt   | 160 mg/120 mg soft capsules x 60; x 120                  | <i>Растителен лекарствен продукт</i>                                    | G04CX    | Dr. Willmar Schwabe GmbH & Co.Kg.         |
| Vacantil без лекарско предписание при възрастни и деца над 6 години | 2 mg capsules x 10                                       | <i>Loperamide hydrochloride</i>   | A07DA03  | Medochemie Ltd.                           |
| Valeriana   | 30 mg film-coated tablets x 30; x 100                    | <i>Растителен лекарствен продукт</i>                                    | N05CM09  | Софарма АД                                |
| Valeriana Max   | 200 mg film - coated tablets x 20                        | <i>Растителен лекарствен продукт</i>                                    | N05CM09  | Софарма АД                                |
| Valevit   | 100 mg/90 mg coated tablets x 20, x 40                   | <i>Растителен лекарствен продукт</i>                                    | N05CM    | Pharmazeutische Fabrik Montavit Ges.m.b.h |
| Validol   | 60 mg sublingual tablets x 20                            | <i>Menthyl valerate</i>   | N07X     | Фармак - България ООД                     |
| Venodiol  | 450/50 mg tablets x 30; x 60                             | <i>Diosmin/Hesperidin</i>   | C05CA 53 | БОРЛД МЕДИЦИНЕ ЕВРОПА                     |
| Venosmil  | 200 mg capsules, hard x 20, x 60                         | <i>Растителен лекарствен продукт</i>                                    | C05CA05  | ФОЛ<br>FAES FARMA S.A.                    |
| Vertigoheel   | oral drops, solution - 30 ml                             | <i>Хомеопатичен лекарствен продукт</i>                                  |          | Biologishe Heilmittel Heel GmbH           |
| Vertigoheel   | tablets x 50   | <i>Хомеопатичен лекарствен продукт</i>                                  |          | Biologishe Heilmittel Heel GmbH           |
| Vibrocil  | 0,25 % / 0,025 % nasal drops, solution - 15 ml           | <i>Dimetindene maleate/Phenylephrine</i>                                | R01AB01  | GlaxoSmithKline Dungarvan                 |

|  |  |   |         |   |
|--|--|---|---------|---|
| Vibrocil без лекарско предписание за възрастни и деца над 6 г. | 0,25 %/ 0,025 % nasal spray, solution 10 ml                    | <i>Dimetindene maleate/Phenylephrine</i>                                      | R01AB01 | GlaxoSmithKline Dungarvan Limited                         |
| Viburcol N   | suppositories x 12   | <i>Хомеопатичен лекарствен продукт</i>  |         | Biologische Heilmittel Heel GmbH                          |
| Vicks AntiGrip Complex   | 500 mg/200 mg/10 mg powder for oral solution x 5; x 10 sachets | <i>Paracetamol/ Guaiifenesin/ Phenylephrine hydrochloride</i>                 | R05X    | Wick Pharma, Zweigniederlassung der Procter & Gamble GmbH |
| Vicks AntiGrip Max   | 1000 mg/12,2 mg powder for oral solution x 5; x 10             | <i>Paracetamol/Phenylephrine</i>  | N02BE51 | Wick Pharma, Zweigniederlassung der Procter & Gamble GmbH |
| Vicks Sinex Aloe and Eucalyptus                                | 0,5 mg/ml nasal spray, solution 15 ml                          | <i>Oxymetazoline</i>  | R01AA05 | Wick Pharma, Zweigniederlassung der Procter & Gamble GmbH |
| VIRUMED  | 1000 mg powder for oral solution in sachet                     | <i>Inosine pranobex</i>   | J05AX 5 | Adamed Pharma S.A.  |
| VIRUMED JUNIOR   | 312,5 mg/ml powder for oral suspension                         | <i>Inosine pranobex</i>   | J05AX05 | Adamed Pharma S.A.  |
| Viruxan Forte  | 1000 mg powder for oral solution x 24                          | <i>Inosine acedoben dimepranol</i>  | J05AX05 | Ewopharma International s.r.o.                            |
| Viruxan Kids   | 50 mg/ml syrup - 150ml   | <i>Inosine acedoben dimepranol</i>  | J05AX 5 | Ewopharma International s.r.o.                            |
| Vishiven   | 3% cutaneous solution - 100g                                   | <i>Bismuth tribromophenate</i>  | D11AX00 | Гален Фарма ООД   |
| Visine   | 0,5 mg/ml eye drops, solution - 15ml                           | <i>Tetryzoline</i>  | S01GA02 | McNeil Products Limited                                   |
| Visine Novo  | 0,5 mg/ml eye drops, solution - 15ml                           | <i>Tetryzoline</i>  | S01GA02 | McNeil Products Limited                                   |
| Vita-Merfen  | 1mg/g + 5mg/g + 2000 IU/g ointment - 20g                       | <i>Chlorhexidine/Retinol/Benzoxonium chloride</i>                             | D08AC52 | SWISS PHARMA GmbH   |
| Vitamin B 12 Ankermann   | 1000 micrograms coated tablets x 50 ; x 100                    | <i>Cyanocobalamin</i>   | B03BA 1 | Worwag Pharma GmbH & Co. KG                               |
| Vitamin B 6 Sopharma   | 25 mg film-coated tablets x 20                                 | <i>Pyridoxine</i>   | A11HA02 | Софарма АД  |
| Vitamin B complex  | film-coated tablets x 20                                       | <i>Thiamine mononitrate/Riboflavine/Pyridoxine hydrochloride/Nicotinamide</i> | A11EA00 | Софарма АД  |
| Vitamin D3 Krka  | 500 IU tablets - x 30; x 50; x 60; x 90; x 100; x 180; x 200   | <i>Cholecalciferol</i>  | A11CC 5 | KRKA, d.d., Novo mesto                                    |
| Vitamin D3 Krka  | 1000 IU tablets - x 30; x 50; x 60; x 90; x 100; x 180; x 200  | <i>Cholecalciferol</i>  | A11CC 5 | KRKA, d.d., Novo mesto                                    |

|                            |   |  |         |                                       |
|----------------------------|---|--|---------|---------------------------------------|
| Vitango                    | 200 mg film-coated tablets x 15; x 20; x 30; x 40   | <i>Rhodiola</i>                            | A13A    | Dr. Willmar Schwabe GmbH & Co.        |
| Vobilon                    | 80 mg capsules, hard                                | <i>Растителен лекарствен продукт</i>       | N06DX2  | Ворлд Медисине Европа ЕООД            |
| Voltaren                   | 140 mg medicated plaster                            | <i>Diclofenac</i>                          | M01AB05 | GlaxoSmithKline Dungarvan Limited     |
| Voltaren Emulgel           | 1,16% gel 20 g; 50 g; 5 g; 150 g                    | <i>Diclofenac</i>                          | M02AA15 | GlaxoSmithKline Dungarvan Limited     |
| Voltaren Forte             | 2,32% gel 30 g; 50 g; 60 g; 100 g; 120 g            | <i>Diclofenac</i>                          | M02AA15 | GlaxoSmithKline Dungarvan Limited     |
| Vomitusheel                | oral drops, solution - 30 ml                        | <i>Хомеопатичен лекарствен продукт</i>     |         | Biologische Heilmittel Heel GmbH      |
| Vomitusheel S              | suppositories x 12                                  | <i>Хомеопатичен лекарствен продукт</i>     |         | Biologische Heilmittel Heel GmbH      |
| Wishnevsky                 | 30 mg/30 mg/g ointment 40 g, 75g;                   | <i>Bismuth Tribromophenate/Juniper Tar</i> | D11AX00 | ДАНСОН-БГ ООД                         |
| Xallergan                  | 5 mg film-coated tablets                            | <i>Levocetirizine</i>                      | R06AE09 | ДАНСОН-БГ ООД                         |
| Xallergan                  | 5 mg/ml oral drops, solution - 20 ml                | <i>Levocetirizine</i>                      | R06AE09 | ДАНСОН-БГ ООД                         |
| Xylazol                    | 5%/0,1% nasal spray, solution                       | <i>Xylometazoline</i>                      | R01AB 6 | Ворлд Медисине Европа ЕООД            |
| Xylazol pediatric          | 5%/0,05% nasal spray, solution                      | <i>Xylometazoline</i>                      | R01AB 6 | Ворлд Медисине Европа ЕООД            |
| Xylodex 0,05% regeneration | 0,5 mg/ml + 50 mg/ml, nasal spray, solution - 10 ml | <i>Xylometazoline hydrochloride</i>        | R01AB 6 | Zaklady Farmaceutyczne POLPHARMA S.A. |
| Xylodex 0,1 % regeneration | 1 mg/ml + 50 mg/ml nasal spray, solution - 10 ml    | <i>Xylometazoline hydrochloride</i>        | R01AB 6 | Zaklady Farmaceutyczne POLPHARMA S.A. |
| Xylogel                    | 0,1% nasal gel – 10 g                               | <i>Xylometazoline hydrochloride</i>        | R01AA07 | Warsaw Pharmaceutical Works Polfa SA  |
| Xylometazolin WZF          | 0,05% nasal drops, solution - 10 ml                 | <i>Xylometazoline hydrochloride</i>        | R01AA07 | Warsaw Pharmaceutical Works Polfa SA  |
| Xylometazolin WZF          | 0,1% nasal drops, solution - 10 ml                  | <i>Xylometazoline hydrochloride</i>        | R01AA07 | Warsaw Pharmaceutical Works Polfa SA  |
| Xylorhin                   | 0,055% nasal spray, solution -18 ml                 | <i>Xylometazoline hydrochloride</i>        | R01AA07 | Adriatic BST d.o.o.                   |
| Xyzal                      | 0,5 mg/ml oral drops, solution - 1 x 200 ml         | <i>Levocetirizine</i>                      | R06AE 9 | UCB Pharma GmbH                       |

|  |  |   |          |                                   |
|--|--|---|----------|-----------------------------------|
| Xyzal  | 5 mg film-coated tablets x 7; x 10; x 14; x 20; x 30   | <i>Levocetirizine</i>   | R06AE09  | UCB Pharma GmbH                   |
| Zabak  | 0,25 mg/ ml eye drops, solution 5 ml   | <i>Ketotifen hydrogen fumarate</i>                              | S01GX08  | LABORATOIRES THEA                 |
| Zamidine   | 1 mg/ml eye drops, solution - 0,6 ml x 5, x 10   | <i>Hexamidine diisetionate</i>                                  | S01AX 8  | LABORATOIRES THEA                 |
| Zeel T   | oral solution 2 ml x 10  | <i>Хомеопатичен лекарствен продукт</i>                          |          | Biologische Heilmittel Heel GmbH  |
| Zeel T   | ointment - 50g   | <i>Хомеопатичен лекарствен продукт</i>                          |          | Biologische Heilmittel Heel GmbH  |
| Zeel T   | tablets x 50   | <i>Хомеопатичен лекарствен продукт</i>                          |          | Biologische Heilmittel Heel GmbH  |
| Zeflavon   | 500 mg film - coated tablets x 30; x 60; x 90; x 120; x 180                                  | <i>Bioflavonoids</i>  | C05CA 53 | Zentiva k.s                       |
| Zerotromb  | 100 mg gastro-resistant tablets x 10; x 20; x 28; x 30; x 50; x 56; x 60; x 90; x 100; x 500 | <i>Acetylsalicylic acid</i>                                     | B01AC06  | Stada Arzneimittel AG             |
| Zinkorot   | 25 mg tablets x 20; x 50; x 100  | <i>Zinc orotate dihydrate</i>                                   | A12CB06  | Worwag Pharma GmbH & Co. KG       |
| Zodac  | 10 mg film-coated tablets x 10 x 30  | <i>Cetirizine</i>   | R06AE 7  | Opella Healthcare France SAS      |
| Zovirax Duo  | 50 mg/g + 10 mg/g cream – 2 g  | <i>Aciclovir</i>  | D06BB53  | GlaxoSmithKline Dungarvan Limited |
| Zyrtec   | 10 mg film-coated tablets x 7; x 10; x 20  | <i>Cetirizine dihydrochloride</i>                               | R06AE07  | UCB Pharma GmbH                   |
| Zyrtec D без лекарско предписание при възрастни и деца над 12 години | 5 mg/120 mg prolonged-release tablets x 6  | <i>Cetirizine dihydrochloride/Pseudoephedrine hydrochloride</i> | R01BA52  | UCB Pharma GmbH                   |























































































































A.S.



























































Flexivert

Flexivert

































































































































Flexivert

Flexivert

Flexivert

Flexivert

Flexivert